


SINGLE CORE POLYVINYL CHLORIDE (PVC) INSULATED FLEXIBLE CABLES

We provide the full range of cables manufactured in accordance with **British Standard BS6231**, including tri-rated cables (or panel wire), also manufactured in accordance to UL 1015 and CSA C22.2. This flame-retardant flexible (class 5) Polyvinyl Chloride (PVC) cable is designed for use in switchgear and panel building. It operates at temperatures of up to 105°C and is available in various colours and sizes.



www.srinilink.com

SINGLE CORE POLYVINYL CHLORIDE (PVC) INSUI ATED FLEXIBLE CABLES

Application: Heat resistant, flame retardant cable designed for use in the switch control, relay and instrumentation panels of power switchgear and for purposes such as internal connectors in rectifier equipment, motor starters and controllers. Tri–rated cable is sometimes referred to as BS 6231 cable, panel wire.

Conductor: With Bright-annealed EC grade copper with **99.90** % **to 99.97** % **purity**, which offer low conductor resistance, lower heating and save the power consumption.

RoHS Insulation & Sheath: The PVC compound formulation is specially developed by keeping view of all the BS 6231 required properties

Technical Data:

Voltage Rating : 600 / 1000V.

Temperature Rating : 90°C (105°C for 15,000 hours)

Minimum Bending Radius : Cable diameter \leq 8 mm : 4 x outer diameter. Approx. diameter > 8 to 12 mm: 5 x outer diameter.

Approx. diameter > 12 mm: 6 x outer diameter.

Test Voltage : 4000V

British Standard BS6231 is the primary standard which specifies the performance and the construction requirement for single core, non-sheathed electric cables of rated voltage 600/1000V for switchgear and controlgear wiring in PVC insulation including:

Type BK - Class 5 copper conductor (max temperature of 70°C) and PVC type TI 1.

Type CK – Class 5 copper conductor (max conductor temperature of 90°C) and PVC type TI 3.

SINGLE CORE PVC INSULATED FLEXIBLE CABLES

Generally conforming to

BS 6231 TYPE-BK & TYPE-CK

Rated voltage 600/1000 V

Single-core flexible cables (switchgear and controlgear wiring)

onigic core nexible cables (switchige and control gear withing)								
Nominal cross- sectional area of conductor	Mean radial thickness of insulation		stance Per Km Mean overall diameter 20° C (Max)		Minimum insulation resistance at 70°C	Minimum insulation resistance at 90°C		
Sq.mm	mm	Ohms		Lower Limit	Upper Limit	TYPE-BK	TYPE-CK	
		Plain Copper	Tinned Copper	mm	mm	MΩ.km	MΩ.km	
0.5	0.8	39	40.1	2.4	3.0	0.0161		
0.75	0.8	26	26.7	2.6	3.1	0.0141		
1.0	0.8	19.5	20	2.7	3.3	0.0128		
1.5	0.8	13.3	13.7	3.0	3.6	0.0111		
2.5	0.8	7.98	8.21	3.4	4.1	0.0094		
4.0	0.8	4.95	5.09	3.9	4.8	0.0077		
6.0	0.8	3.3	3.39	4.4	5.3	0.0059		
10	1.0	1.91	1.95	5.7	7.2	0.0058		
16	1.0	1.21	1.24	6.7	9.0	0.0048		
25	1.2	0.78	0.795	8.4	11.5	0.0047		
35	1.2	0.554	0.565	9.7	12.5	0.0040		
50	1.4	0.386	0.393	11.5	15.4	0.0039		
70	1.4	0.272	0.277	13.2	17.5	0.0033		
95	1.6	0.206	0.21	15.1	19.2	0.0032		
120	1.6	0.161	0.164	16.7	21.2	0.0029		
150	1.8	0.129	0.132	18.6	23.9	0.0029		
185	2.0	0.106	0.108	20.6	25.9	0.0029		
240	2.2	0.0801	0.0817	23.5	28.9	0.00	028	

Type BK - Class 5 copper conductor (Max temperature of 70°C) and PVC type TI 1.

		<u> Technical Speci</u>	fication As per BS 6231				
PVC INSULATED FLEXIBLE CABLE - TYPE BK (Maximum conductor temperature of 70°C)							
SR. No	Description	Unit	Specification	Tolerance	Clause No. BS 6231 & EN 60228		
	COUNDUCTOR DETAIL :- BS EN 60228						
1	Nominal Size	Nominal Size mm ² As per Customer requirme		-	Table -3 (Page no 10)		
2	Material	-	Annealed Plain Copper	-	-		
3	Shape /Class		Flexible class-5				
4	Number of wire	no's	-	-	-		
5	Dia of Wire	mm	-	± 0.003	Table -3 (Page no 10)		
6	Conductor Resistance at 20° c	ohm/km	! / km (max) at 20° c	-	Table -3 (Page no 10)		
7	Conductor Annealing test	%	13.5 % (min)		6.1.2		
	PVC INSULATION :- BS 6231 (TYPE TI 1)			-			
8	Insulation material		PVC TYPE TI 1		Table -1 (Page no 6)		
9	Colour Of Insulation	_	As per Customer requirment	-	-		
10	Thickness of Insulation	mm		MIN	Table -1 (Page no 6)		
11	Dia over insulation	mm		MAX	Table -1 (Page no 6)		
12	Voltage Withstand of Finish cable.	kv	Take a cable sample of 10 m and 20 m long, immerse in water @ temperature of (20 ± 5) °C for a period of not less than 1 h. Earth the water. apply a test voltage between the conductor and the water. Raise the test voltage gradually to 3 500 V a.c. and maintain it at that value for 5 min.	No break down of insulation shall occur .	10.3 (annex d)		
13	Insulation Resistance	ohm	0.0111	MIN	10.4		
14	Long term resistance to d.c	ohm	take samples with electrodes in chamber at temp 20 ± 2^{0} c and relative humidity 65 ± 5 % for 24 hrs immediately apply voltage of 100 v & 500 v and measure resistance.	-	11.2		

Type CK - Class 5 copper conductor (Max conductor temperature of 90°C) and PVC type TI 3.

	Technical Sp	ecificatio	on As per BS 6231				
PVC INSULATED FLEXIBLE CABLE - TYPE CK (Maximum conductor temperature of 90°C)							
SR. NO	Description	Unit	Specification	Clause no BS 6231 & EN 60228			
	COUNDUCTOR DETAIL :- BS EN 60228						
1	Nominal Size	mm ²	As per Customer requirment	Table -3 (Page no 10)			
2	Material	-	Annealed Plain Copper	-			
3	Shape /Class		Flexible class-5				
4	Number of wire	no's	-	-			
5	Dia of Wire	mm	-	Table -3 (Page no 10)			
6	Conductor Resistance at 20° c	ohm/km	! / km (max) at 20° c	Table -3 (Page no 10)			
7	Conductor Annealing test	%	13.5 % (min)	6.1.2			
	PVC INSULATION :- BS 6231 (TYPE TI 3)						
8	Insulation material		PVC TYPE TI 3	Table -1 (Page no 6)			
9	Colour of Insulation	_	As per Customer requirment	-			
10	Thickness of Insulation	mm	0.80	Table -1 (Page no 6)			
11	Dia over insulation	mm	3.60	Table -1 (Page no 6)			
12	Voltage Withstand of Finish cable.	kv	Take a cable sample of 10 m and 20 m long, immerse in water @ temperature of (20 ± 5) °C for a period of not less than 1 h. Earth the water. apply a test voltage between the conductor and the water. Raise the test voltage gradually to 3 500 V a.c. and maintain it at that value for 5 min.	10.3 (annex d)			
13	Insulation Resistance	ohm	0.0111	10.4			
14	Long term resistance to d.c	ohm	take samples with electrodes in chamber at temp 20 ± 2^{0} c and relative humidity 65 \pm 5 % for 24 hrs immediately apply voltage of 100 v & 500 v and measure resistance.	11.2			

TIER 1 CUSTOMERS





LIST OF OUR END USER CUSTOMERS

AUTOMOBILE



































PANEL & SWITCH BOARD













SRINI LINK

