NN-EUCLID: deep-learning hyperelasticity without stress data

Prakash Thakolkaran[a], Akshay Joshi[a], Yiwen Zheng[a], Moritz Flaschel[b], Laura De Lorenzis[b], Siddhant Kumar[a,*]

[a]*Department of Materials Science and Engineering, Delft University of Technology, 2628 CD Delft, The Netherlands*
[b]*Department of Mechanical and Process Engineering, ETH Zürich, 8092 Zürich, Switzerland*

Corrections to the original article

The original article (Thakolkaran et al., 2022) published by the authors contain the following typographical mistake.

Equation 28 in the original article:

$$W(\boldsymbol{F}) = \frac{\mu}{\eta}(\lambda_1^\eta + \lambda_2^\eta + \lambda_3^\eta - 3)$$

should be corrected to:

$$W(\boldsymbol{F}) = \frac{\mu}{\eta}\left(\tilde{\lambda}_1^\eta + \tilde{\lambda}_2^\eta + \tilde{\lambda}_3^\eta - 3\right) + 1.5(J-1)^2 \qquad \text{with} \qquad \tilde{\lambda}_k = J^{-1/3}\lambda_k,\ k = 1, 2, 3,$$

References

Thakolkaran, P., Joshi, A., Zheng, Y., Flaschel, M., De Lorenzis, L., Kumar, S., 2022. NN-EUCLID: Deep-learning hyperelasticity without stress data. Journal of the Mechanics and Physics of Solids 169, 105076. URL: http://dx.doi.org/10.1016/j.jmps.2022.105076, doi:10.1016/j.jmps.2022.105076.

*Email: Sid.Kumar@tudelft.nl

April 16, 2025