



Fakultät für Physik

Institut für Theorie der Kondensierten Materie

---

# Quantentransport in Spindichtesystemen mit dem Memory-Matrix-Formalismus

Masterthesis

von

Martin Lietz

27. Mai 2017 bis 27. Mai 2018

Referent: Prof. Dr. Jörg Schmalian  
Korreferent: Prof. Dr. Alexander Shnirman



Ich erkläre hiermit, dass die Arbeit selbstständig angefertigt, alle benutzten Quellen und Hilfsmittel vollständig und genau angegeben und alles kenntlich gemacht wurde, das aus Arbeiten anderer unverändert oder mit Abänderungen entnommen ist.

Karlsruhe, den 26. April 2018

.....  
(**Martin Lietz**)



# Acknowledgments

I would like to express my thanks to my advisor Jörg Schmalian who encouraged and supported me and gave the right hints at the right time during the last year. His essential input lead to the results presented in this work.

Furthermore, I would like to thank Una Karahasanovic for all the discussions and information which became decisive for one topic of this work.

Then, I have to thank especially Jian Kang who crucially contributed to the discussion of bond currents and Rafael Fernandes for the fruitful discussions on the general topic. Special thanks to all the colleagues of the condensed matter group at the KIT. Especially to Bhilahari Jeevanesan for all the discussions and help with several problems and to Pablo Schad for finalizing this work.

Last but not least, I have to thank my family, my mother and sister and especially Anja for all the support and encouraging words.



# Contents

<b>1</b>	<b>Motivation</b>	<b>1</b>
<b>2</b>	<b>Spin-Fermion-Model</b>	<b>3</b>
<b>3</b>	<b>Memory-Matrix-Formalism</b>	<b>5</b>
3.1	Motivation . . . . .	5
3.2	Linear Response Theory . . . . .	6
3.2.1	Kubo formula . . . . .	6
3.2.2	Kubo relaxation function . . . . .	7
3.2.3	Kramer-Kronig-relation . . . . .	9
3.2.4	Spectral representation . . . . .	11
<b>4</b>	<b>Calculation</b>	<b>13</b>
4.1	Infinite conductivity in systems with unbroken translation symmetry .	13
4.2	Finite conductivity because of breaking the translation symmetry by umklapp scattering . . . . .	15
<b>5</b>	<b>Conclusion</b>	<b>17</b>
<b>A</b>	<b>Properties of the Kubo relaxation function</b>	<b>19</b>
<b>B</b>	<b>Analysis of Matsubara-sums</b>	<b>21</b>
B.1	Simple poles . . . . .	21





# 1 Motivation



## 2 Spin-Fermion-Model



## 3 Memory-Matrix-Formalism

### 3.1 Motivation

A physicist is always interested in the behaviour and time evolution of the observables of the investigated system. In the middle of the last century many physicists worked on the understanding and mathematical description of one physical process, the Brownian motion. On stochastic theory of these certain physical process is based on the Langevin equation

$$\frac{\partial}{\partial t}A(t) - F_{\text{ex}}(x, t) + \gamma \cdot A(t) = f(t), \quad (3.1)$$

where  $A(t)$  is some dynamical observable and  $f(t)$  is a random force like white noise for example. The origin of the second term on the left hand side is some external force result from a coupling between  $A(t)$  and some external potential. The third term on the left hand side is a damping or friction term. Now let us assume it's possible to separate equation (3.1) into two parts. The first part, called  $f_1$ , is a functional of the dynamical observable  $A(t')$ , where  $t_0 \leq t' \leq t$ , so that this part is depending on the history of  $A$ . The second part  $f_2$  should be depending on all other degrees of freedom. Now  $f_1$  is expanded up to the linear order and all terms of higher order and the part  $f_2$  are summarized to the quantity  $F(t)$ . The result is a linearized form of the Langevin equation

$$\frac{\partial}{\partial t}A(t) = \int_{t_0}^t dt' \mathcal{C}(t - t')A(t') + F(t), \quad (3.2)$$

where  $\mathcal{C}$  is a correlation function and  $A(t')$  is the deviation of the invariant part of the Hamiltonian. For large time scales the deviation should be vanish, so the time-integral over  $A(t')$  should be become zero. For simplification the origin of the time axis is moved to  $t_0$ . In general the Laplace transformation of a function is given by

$$\mathcal{L}\{A(t)\} = A(s) = \int_0^\infty dt A(t)e^{-st}. \quad (3.3)$$

Using the Laplace transformation equation (3.2) becomes a algebraic equation of motion. The solution of this equation is

$$A(t) = \Xi(t) \cdot A(0) + A'(t) \quad \text{with} \quad A'(t) = \int_0^t dt' \Xi(t - t')F(t'), \quad (3.4)$$

where the function  $\Xi(t)$  is defined by the Laplace transformation of  $\Xi(s) = [s - \mathcal{C}(s)]^{-1}$  and  $\mathcal{C}(s)$  is the Laplace transformation of the correlation function  $\mathcal{C}(t)$ . The main result of equation (3.4) and the motivation for the following introduced memory-matrix-formalism is the splitting of the dynamical observable  $A(t)$  into two parts.

For the first term on the right hand side the only time-dependence is adverted through the correlation function  $\mathcal{C}$ , which is clear regarding the definition of  $\Xi$ . This term included the linear contributions of  $A(t)$  by construction. These ones are the mostly important contributions to the time evolution of an observable, because they are secular. In contrast the second term on the right hand side is the convolution between the function  $\Xi(t - t')$  and the function  $F(t')$ . The latter summarize all the non-linear effects, fluctuations and intital transient processes, which are all effects with a small lifetimes in contrast with the secular effects. Therefore these effects shouldn't have large influences on the time evolution of an observable, always large time scales in mind.

Beside the physical interpretation a simple geometrical and mathematical one is very usefull. Let us assume a vector space and the observable should be a vector in this vector space. Then the secular term is a projection on the  $A$ -axis and the non-secular term is equivalent to a vector perpendicular to the  $A$ -axis. The memory-matrix-formalism take up this simple interpretation of equation (3.4) and put it in a general and exact form, so that it can be used classically and quantum mechanically.

## 3.2 Linear Response Theory

Before the derivation of the memory-matrix-formalism can be started some ground work is to do. This section begins with a short reminder of the Kubo formula. After that the Kubo relaxation function are introduced and some important relations between there and the retarded susceptibility  $\chi$  are derivated. In the last section finally the splitting of  $\chi$  in a real and an imaginary part are dicussed.

### 3.2.1 Kubo formula

Consider a system in equilibrium represented by the Hamiltonian  $H_0$ . At an arbitrary time  $t'$  a pertubation is switched on, where the pertubation is given by the Hamiltonian  $H_1 = -B \cdot F(t)$ , so that  $H(t) = H_0 + H_1$  is the full Hamiltonian. Thereby  $B$  is an operator by which the pertubation is coupled on the system and  $F(t)$  is a function determining the time evolution of the pertubation. It is assumed that  $F(t) = 0$  for  $t < t'$  so that the system is in thermal equilibrium for all these times.

The physical interest is existed in the question how does an observable  $A$  react on the pertubation switched on at  $t'$ . The answer is given by the thermodynamical expectation value of the operator corresponding to the observable  $A$

$$\langle A \rangle(t) := \text{Tr}\{\rho_S(t)A_S\} = \text{Tr}\{\rho_I(t)A_I\}, \quad (3.5)$$

where the label S and I stand for the Schrdinger and Interaction picture, respectively. The equality of the expectation value in the different regarded pictures is shown by

the invariance of the trace under cycle permutation. The transformation into the interaction picture is very useful what we will see after the next step below. In quantum mechanics the time evolution of the density operator is determined by the von Neumann-equation.

$$\frac{d}{dt}\rho_S(t) = -\frac{i}{\hbar}[H(t), \rho_S(t)] \quad \Leftrightarrow \quad \frac{d}{dt}\rho_I(t) = -\frac{i}{\hbar}[H_1, \rho_I(t)] \quad (3.6)$$

The equation is also transformed into the interaction picture, which doesn't change the structure itself but the density operator depends only on the Hamiltonian  $H_1$  now. Integrating and using the boundary condition that the system is in thermal equilibrium at  $t \rightarrow -\infty$  equation (3.6) is resulted in an integrable equation for the density operator.

$$\rho_I(t) = \rho_0 + \frac{i}{\hbar} \int_{-\infty}^t dt' [B_I(t'), \rho_I(t')] F(t') \quad (3.7)$$

It is clear why the interaction picture is used. The integrand depends on the Hamiltonian of the perturbation only in linear order which is a perfect starting point for an iterative solution procedure. Starting with the zeroth order the density operator is trivially the density operator at thermal equilibrium. Inserting the zeroth order on the right hand side of equation (3.7) yields the first order of the density operator, a.s.o. In linear response theory the iteration is cut off after the first order. Inserting this in equation (3.5) and defining the dynamical susceptibility

$$\chi_{AB}(t-t') = \frac{i}{\hbar} \Theta(t-t') \langle [A_I(t-t'), B_I(0)] \rangle_{H_0} \quad (3.8)$$

yields the Kubo formula

$$\delta \langle A(t) \rangle := \langle A \rangle(t) - \langle A(t) \rangle_{H_0} \approx \int_{-\infty}^{\infty} dt' \chi_{AB}(t-t') F(t'), \quad (3.9)$$

where the label  $H_0$  means that the expectation value is taken with respect to the unperturbed Hamiltonian. We see that the deviation of the observable  $A$  caused by the perturbation is given by the convolution of the dynamical susceptibility  $\chi_{AB}(t-t')$  and the time evolution function  $F(t)$ .

noch schöner  
schreiben

### 3.2.2 Kubo relaxation function

After a general equation for the deviation of an observable  $A$  from the equilibrium value was established, we want to investigate a certain kind of perturbation. Let us assume  $F(t) = \Theta(-t) \cdot F \cdot e^{-s\tau}$  the time evolution function of a perturbation, which is switched on adiabatically at  $t = -\infty$  and switched off at  $t = 0$ . Inserting this in equation (3.9) and substituting  $\tau = t - t'$  yields  $\delta \langle A(t) \rangle = \Phi_{AB}(t) \cdot F e^{st}$  with the Kubo relaxation function

$$\Phi_{AB}(t) = \frac{i}{\hbar} \lim_{s \rightarrow 0} \int_t^{\infty} d\tau \langle [A_I(\tau), B_I(0)] \rangle_0 e^{-s\tau}. \quad (3.10)$$

The arising  $\Theta$ -distributions determine the lower limit of the integral to  $t$ . For a more detailed derivation of the Kubo relaxation function see [Sch08] or [Sch06]. It's not really surprisingly that the Kubo relaxation function and the dynamical susceptibility are closely connected, because the first is derivated out of the latter one. However there exist three very important relations between them both, which are

1.  $\chi_{AB}(t) = -\Theta(t) \frac{d}{dt} \Phi_{AB}(t)$
2.  $\Phi_{AB}(t=0) = \chi_{AB}(\omega=0)$
3.  $\Phi_{AB}(\omega) = \frac{1}{i\omega} [\chi_{AB}(\omega) - \chi_{AB}(\omega=0)]$ .

The evidence of these three relations are shown in the appendix A. For the later deviation of the memory-matrix-formalism it's more usefull to write the Kubo relaxation function in another, not so intuitivly form. The goal of the rewriting is to get the expectation value in a form with no commutator and to do this two identities are needed. The first one is

$$\langle [A(t), B(t')] \rangle = \frac{1}{Z} \text{Tr} \{ [\rho, A(t)] B(t') \}, \quad (3.11)$$

where the invariance of the expactation value with respect to cycling permutation is used. The second one is the Kubo-identity. Thereby the main idea is to used the analogy of the exponential functions to the time evolution of an operator.

$$\begin{aligned}
i[\rho, A(t)] &= i[\rho A(t) - A(t)\rho] \\
\Leftrightarrow i[\rho, A(t)] &= i[\rho A(t) - e^{-\beta H} e^{\beta H} A(t) e^{-\beta H}] \\
\Leftrightarrow i[\rho, A(t)] &= -i\rho \int_0^\beta d\lambda \frac{d}{d\lambda} e^{\lambda H} A(t) e^{-\lambda H} \\
\Leftrightarrow i[\rho, A(t)] &= -i\rho \int_0^\beta d\lambda \left[ H e^{i\tilde{\lambda} H/\hbar} A(t) e^{-i\tilde{\lambda} H/\hbar} - e^{i\tilde{\lambda} H/\hbar} A(t) e^{-i\tilde{\lambda} H/\hbar} H \right] \\
\Leftrightarrow i[\rho, A(t)] &= -i\rho \int_0^\beta d\lambda [H, A(t + \tilde{\lambda})] \\
\Leftrightarrow \frac{i}{\hbar}[\rho, A(t)] &= -\rho \int_0^\beta d\lambda \dot{A}(t + \tilde{\lambda}) = -\rho \int_0^\beta d\lambda \dot{A}(t - i\lambda\hbar), \quad (3.12)
\end{aligned}$$

where the derivation of  $A$  with respect to  $t$  is symbolized with the dot above  $A$ . For reasons of lucidity  $\tilde{\lambda} = -i\lambda\hbar$  is introduced through the computation.



Now inserting equation (3.11) and (3.12) in the Kubo relaxation function (3.10) yield the searching form of the Kubo relaxation function, where the right hand side of the following computation has to be integrated by parts, dedicated with PI.

$$\begin{aligned}
\Phi_{AB}(t) &= \frac{i}{\hbar} \lim_{s \rightarrow 0} \int_t^\infty d\tau \langle [A_I(\tau), B_I(0)] \rangle_0 e^{-s\tau} \\
(3.11) \quad \Phi_{AB}(t) &= \frac{i}{\hbar} \lim_{s \rightarrow 0} \int_t^\infty d\tau \frac{1}{Z_0} \text{Tr}\{[\rho_0, A_I(\tau)] B_I(0)\} e^{-s\tau} \\
(3.12) \quad \Phi_{AB}(t) &= - \lim_{s \rightarrow 0} \int_0^\beta d\lambda \int_t^\infty d\tau \langle \dot{A}_I(\tau - i\lambda\hbar) B_I(0) \rangle_0 e^{-s\tau} \\
\stackrel{\text{PI}}{\Leftrightarrow} \quad \Phi_{AB}(t) &= - \lim_{s \rightarrow 0} \int_0^\beta d\lambda \left\langle \left[ A_I(\tau - i\lambda\hbar) e^{-s\tau} \right]_t^\infty + s \int_t^\infty d\tau \dot{A}_I(\tau - i\lambda\hbar) e^{-s\tau} B_I(0) \right\rangle_0 \\
\Leftrightarrow \quad \Phi_{AB}(t) &= \int_0^\beta d\lambda \langle A_I(t - i\lambda\hbar) B_I(0) \rangle_0 = \int_0^\beta d\lambda \langle A_I(t) B_I(i\lambda\hbar) \rangle_0 \tag{3.13}
\end{aligned}$$

Later we will see that the scalar product defining at the memory-matrix-formalism has a similar structure as this form of the Kubo relaxation function. This provide the opportunity to transform the correlation function out of the language of the memory-matrix-formalism into the Kubo relaxation function, which in turn provide the opportunity to compute the correlation function perturbatively. However the should be enough for the first time. Later the transformation is discussed in more detail.

### 3.2.3 Kramer-Kronig-relation

All experiences of a human life demonstrating that an incident is always before the reaction of a system to it. In physics this is called causality. Causality and the condition that the dynamical susceptibility  $\chi_{AB}(t - t')$  is zero for times  $t$  smaller than  $t'$  are equivalent assertions. It's often useful to work in the frequency space why we want to investigate what causality means in Fourier space. Consider the Fourier transformation  $\chi_{AB}(\omega)$  where  $\omega$  is replaced by the complex number  $\omega' + i\omega''$ . For reasons of simplification the origin of the time axis is set to  $t'$ .

$$\chi_{AB}(\omega) = \int_{-\infty}^{\infty} dt e^{i(\omega' + i\omega'')t} \chi_{AB}(t) \tag{3.14}$$

The integral converge if the exponential functions decrease to zero. Causality in time space yield  $t > 0$  and because of that  $e^{-\omega''t}$  decreases only for  $\omega'' > 0$  to zero. In summary causality in Fourier space means that the susceptibility is holomorphic in the upper complex plane ( $\text{Im}\{\omega\} = \omega'' > 0$ ).

Cauchy's integral theorem offers us the opportunity to express the Fourier transformed susceptibility by a contour integral, where the arbitrary contour  $\Gamma$  has to be taken in the upper complex plane or more precisely in the regime where  $\chi_{AB}(\omega)$  is holomorphic.

$$\chi_{AB}(\omega) = \frac{1}{2\pi i} \oint_{\Gamma} d\zeta \frac{\chi_{AB}(\zeta)}{\zeta - \omega} \quad (3.15)$$

Our choice of the contour is some which goes from minus infinity to infinity along the real part axis. Along a semi circle in the upper half plane the contour is closed, see figure . For reason of convergency the contour along the real part axis is moved in the upper half plane infinitesimal indicated with  $i\eta$  where  $\eta \rightarrow 0$  is implicated.

The contribution of the semi circle vanishes because  $\chi_{AB}(\omega)$  decreasing very fast for large values of  $\omega$  is assumed. Only a integral along the real part axis survives which can be evaluated by formally writing  $\frac{1}{x+i\eta} = \text{PV} \frac{1}{x} - i\pi\delta(x)$  where PV stands for taking the principal value.

$$\begin{aligned} \chi_{AB}(\omega) &= \frac{1}{2\pi i} \int_{-\infty}^{\infty} d\omega' \frac{\chi_{AB}(\omega')}{\omega' - \omega - i\eta} \\ \Leftrightarrow \chi_{AB}(\omega) &= \frac{1}{2\pi i} \left[ \text{PV} \int_{-\infty}^{\infty} d\omega' \frac{\chi_{AB}(\omega')}{\omega' - \omega} + i\pi \int_{-\infty}^{\infty} d\omega' \chi_{AB}(\omega') \delta(\omega' - \omega) \right] \\ \Leftrightarrow \chi_{AB}(\omega) &= -\frac{i}{\pi} \text{PV} \int_{-\infty}^{\infty} d\omega' \frac{\text{Re}\{\chi_{AB}(\omega')\} + i \text{Im}\{\chi_{AB}(\omega')\}}{\omega' - \omega} \\ \Leftrightarrow \chi_{AB}(\omega) &= \frac{1}{\pi} \text{PV} \int_{-\infty}^{\infty} d\omega' \left[ \frac{\text{Im}\{\chi_{AB}(\omega')\}}{\omega' - \omega} - i \frac{\text{Re}\{\chi_{AB}(\omega')\}}{\omega' - \omega} \right] \end{aligned} \quad (3.16)$$

In the second step one right hand side the complex susceptibility is written explicitly by her real and imaginary part. Nothing keep us from doing this on the left side hand too and compare the real and imaginary parts of both sides respectively.

$$\text{Re}\{\chi_{AB}(\omega)\} = \frac{1}{\pi} \text{PV} \int_{-\infty}^{\infty} d\omega' \frac{\text{Im}\{\chi_{AB}(\omega')\}}{\omega' - \omega} \quad (3.17)$$

$$\text{Im}\{\chi_{AB}(\omega)\} = -\frac{1}{\pi} \text{PV} \int_{-\infty}^{\infty} d\omega' \frac{\text{Re}\{\chi_{AB}(\omega')\}}{\omega' - \omega} \quad (3.18)$$

These two relations are called Kramer-Kronig-relation. They take the real and imaginary part of the a function, here the susceptibility, in a very usefull relation. In the later computation they are used to compute the Green function on the real axis out off the Green function on the imaginary axis and vice versa. This is always needed if analytical continuation isn't possible, which is the case considering damping in the Green function.

### 3.2.4 Spectral representation



## 4 Calculation

In the last chapter the memory-matrix-formalism was introduced, which give us an exact formula to calculate correlation functions. Now this formalism is used to determine the static conductivity of the spin-fermion-model, introduced in chapter (), perturbate umklapp-scattering.

make link to  
chapter spin-  
fermion-model

### 4.1 Infinite conductivity in systems with unbroken translation symmetry

After Drude published his theory about the electrical transport in metals [Dru00] in the beginning of the last century it is well known that a broken translation symmetry is needed to get a finite static conductivity. Because of Neother's theorem it is also well known that a unbroken symmetry always implies a conserved quantity. In the case of translation symmetry this quantity is the momentum. Phenomenas breaking the translation symmetry are for example impurity scattering, electron-electron scattering and umklapp scattering. Let us firstly assume the standard spin-fermion-model without a translation symmetry breaking perturbation. In chapter () it is showed that in the used model the momentum is conserved but the currunt isn't conserved. This property is needed to calculate the static conductivity.

link to chapter  
spin-fermion-  
model

In general the static conductivity is given by taking the small frequencie limit of the conductivity and the conductivity itself is given by the current-current correlation function (J-J correlation function), which reslut directly from the linear response theory.

$$\sigma_{\text{dc}} = \lim_{z \rightarrow 0} \sigma(z) = \lim_{z \rightarrow 0} \beta \mathcal{C}_{\text{JJ}}(z) \quad (4.1)$$

The memory matrix formalism is used to calculate the J-J correlation function. Before we attend us to the calculation of the correlation function we have to think about the set of operators introduced by defining the projection operator. This set of operators has to be choosen for each calculation seperatly depending of the model and the quantity of interest. In our case we choose only a set of two operators namly the momentum and the current, because we want to figure out the influnece of the momentum on the current. That means the projector  $\mathcal{P}$  projects into the two dimensional sub-Hilbertspace, spanned P and J. Lets go back to the correlation function, defined by equation (), where the sum over  $k$  und  $l$  is implied. Because our interest is focused on the J-J correlation function each index  $j$  and  $l$  is set to  $J$ .

reference to cor-  
relation func-  
tion

$$\mathcal{C}_{\text{JJ}}(z) = \frac{i}{\beta} \left[ z \delta_{iJ} + i\beta (\dot{A}_i | \hat{Q} \frac{i}{z - \hat{Q} \hat{L} \hat{Q}} \hat{Q} | \dot{A}_k) \chi_{kJ}^{-1} \right]^{-1} \chi_{iJ}, \quad (4.2)$$

Now the sum over  $k$  is performed explicitly where both contributions for  $J$  and  $P$  vanish. Let us look separately on  $J$  and  $P$  starting with the latter case. In our observed model the momentum is conserved and so the time derivative of  $P$  is zero. No more words are needed to see that the expectation value doesn't contribute. In the case of  $J$  the time derivative doesn't vanish so the two dimensional sub-Hilbertspace and the action of  $J$  in this Hilbertspace has to be considered. In the investigated system the whole current lives in the  $J$ - $P$  Hilbertspace to any time, so no single part of  $J$  is transported out of the Hilbertspace. The appearing operator  $\mathcal{Q}$  is the inverse of  $\mathcal{P}$  and therefore projected out of the  $J$ - $P$  Hilbertspace. Combining both statements it is clear that  $\mathcal{Q}|\dot{J}\rangle = 0$ . The only resulting term choosing  $i = J$  is

$$C_{JJ}(z) = \frac{i}{\beta} z^{-1} \chi_{JJ}(\omega = 0) = \frac{i}{z} C_{JJ}(t = 0), \quad (4.3)$$

where the correlation function at  $t = 0$  is given by the scalar product  $(J(0)|J(0))$  defined in equation (). During the motivation of the previous chapter we explained that each observable can be split in one secular and one non-secular part. This is equatable with splitting a vector in a parallel and a perpendicular component, respectively.

$$|J\rangle = |J_{||}\rangle + |J_{\perp}\rangle \quad (4.4)$$

What does this mean in physical language? In the investigated system the current isn't conserved, but nevertheless a part of it is. This part is represented by the secular part and has to be parallel with the momentum. Therefore the projection from  $J$  at  $P$  yields the parallel component of  $J$ .

$$|J_{||}\rangle = \mathcal{P}|J\rangle = \frac{|P\rangle\langle P|}{\langle P|P\rangle} |J\rangle = \frac{\chi_{PJ}}{\chi_{PP}} |P\rangle \quad (4.5)$$

Firstly this gives us the opportunity to write the  $J$ - $J$  correlation function into two parts one parallel and one perpendicular correlation function using equation (4.4). The mixed correlation functions are zero by construction because  $|J_{||}\rangle$  and  $|J_{\perp}\rangle$  are orthogonal and therefore the scalar product of both is zero.

$$C_{JJ}(t = 0) = (J(0)|J(0)) = (J_{||}|J_{||}) + (J_{\perp}|J_{\perp}) \quad (4.6)$$

In a next step equation (4.5) is used to write the parallel  $J$ - $J$  correlation function in an expression depending on the  $P$ - $P$  correlation function which is nothing else  $(P|P)$ .

$$C_{JJ}(t = 0) = \frac{|\chi_{PJ}|^2}{|\chi_{PP}|^2} C_{PP}(t = 0) + (J_{\perp}|J_{\perp}) \quad (4.7)$$

Now let us insert back this expression into equation (4.3) which gives us multiplying by  $\beta$  the conductivity

$$\sigma(z) = \frac{|\chi_{PJ}|^2}{|\chi_{PP}|} \frac{i}{z} + \sigma_{\text{reg}}(z) \quad (4.8)$$

where the regular conductivity  $\sigma_{\text{reg}}(z) = \frac{i\beta}{z}(\mathbf{J}_\perp | \mathbf{J}_\perp)$  is introduced. The physical meaning of  $\sigma_{\text{reg}}(z)$  is discussed in a view steps, if we have the final expression for the conductivity. In the whole calculation there wasn't made a condition on  $z$ , so the equation for the conductivity is valid for each  $z$  in the complex plane. In reality the conductivity isn't depending on an complex frequency. Physical quantities are always real. Therefore we have to set  $z = \omega + i\eta$ , where  $\omega \in \mathbb{R}$  and the limit  $\eta \rightarrow 0$  is implied. Using  $\frac{1}{\omega + i\eta} = \mathcal{P}\frac{1}{\omega} - i\pi\delta(\omega)$  the conductivity is given by

$$\sigma(\omega) = \frac{|\chi_{\text{PJ}}|^2}{|\chi_{\text{PP}}|} \left( \mathcal{P}\frac{i}{\omega} + \pi\delta(\omega) \right) + \sigma_{\text{reg}}(\omega) \quad (4.9)$$

where in this special case  $\mathcal{P}$  symbolized that the prinzipal value is taken. Equation (4.9) yield us exactly the expected result. For small frequencies the main contribution is generated by the  $\delta$ -distribution, so the conductivity becomes infinity. This isn't really surprising because the translation symmetry isn't broken in the investigated system. If voltage is applied on a system like ours the electrons accelerate infinite long. There is nothing they can scatter on and loss some momentum. The electrons accelerate more and more and this results in an infinite conductivity. Only in a system with broken translation symmetry it's possible for the electrons to loss some momentum by scattering with the lattice for example. This results in a finite conductivity, so the  $\delta$ -peak becomes smaller. The factor in front of the  $\delta$ -distribution is the so called Drude-wight.

Let us now talk about the regular part of the conductivity. We don't want here to calculate some explicite expression, a small physical discussion about this part should be enough at this point. In every physical system there are some kind of effects which are always there and it's nearly impossible to suppress them. These effects are noise, fluctuations and other effects influenced by random forces. All of them are summarized in the regular conductivity.

## 4.2 Finite conductivity because of breaking the translation symmetry by umklapp scattering

After we saw that the conductivity is infinite in a system with conserved momentum, we consider now a system with broken translation symmetrie resulting in unconserved momentum. The regarded translation symmetry breaking pertubation considers umklapp scattering introduced by the Hamiltonian

$$H_U = \sum_{\mathbf{G}} J_{\mathbf{G}} \int_{\text{BZ}} \frac{d\mathbf{k}}{(2\pi)^2} \Phi_{\mu}(\mathbf{k}, \tau) \Phi_{\mu}(-\mathbf{k} + \mathbf{G}, \tau) \quad (4.10)$$

in chapter (). The electrical conductivity is like in the above section directly given by the current-current correlation function multiplied with  $\beta$ . In the previous chapter a general valid and exact expression for correlation functions was established.

link to umklapp scattering

$$\mathcal{C}_{lj}(z) = i \left[ z\delta_{il} - \Omega_{il} + i\Sigma_{il}(z) \right]^{-1} \mathcal{C}_{ij}(t=0) \quad (4.11)$$

link to equation

with  $\Omega_{il}$  and  $\Sigma_{il}(z)$  given by equation (). Setting  $l = j = J$  yield us the needed J-J correlation function. Now we have to look the squared brackets. In the definition of the functions  $\Omega_{il}$  and  $\Sigma_{il}(z)$  a sum over the set of operators defined by the The equilibrium-Hamiltonian and the umklapp-Hamiltonian are both symmetrical under time reversal and the operators



## 5 Conclusion



# A Properties of the Kubo relaxation function

In section 3.2.2 the Kubo relaxation function

$$\Phi_{AB}(t) = \frac{i}{\hbar} \lim_{s \rightarrow 0} \int_t^{\infty} d\tau \langle [A_I(\tau), B_I(0)] \rangle_0 e^{-s\tau}. \quad (\text{A.1})$$

and the three relations

1.  $\chi_{AB}(t) = -\Theta(t) \frac{d}{dt} \Phi_{AB}(t)$
2.  $\Phi_{AB}(t=0) = \chi_{AB}(\omega=0)$
3.  $\Phi_{AB}(\omega) = \frac{1}{i\omega} [\chi_{AB}(\omega) - \chi_{AB}(\omega=0)]$ .

connecting the dynamical susceptibility  $\chi_{AB}$  with  $\Phi_{AB}$  are introduced. In the following we want to proof these three relations.

The first one is easily gotten by derivating the Kubo relaxation function with respect to  $t$  and comparing the result with the definition of the dynamical susceptibility (3.8).

$$-\Theta(t) \frac{d}{dt} \Phi_{AB}(t) = \frac{i}{\hbar} \Theta(t) \langle [A_I(t), B_I(0)] \rangle_0 = \chi_{AB}(t) \quad (\text{A.2})$$

The second relation is found with the aim of the Laplace transformation of the Kubo relaxation function.

$$\Phi_{AB}(\omega) = \int dt \Phi_{AB}(t) e^{i\omega t} \quad (\text{A.3})$$

In this definition of the Laplace transformation compared to (3.3) we set  $s = -i\omega$  which correspond to a rotation of  $\frac{\pi}{2}$  of the definition space . Using (A.3) after setting  $t = 0$  in (A.1) yield

reference to a book of laplace transformation

$$\begin{aligned} \Phi_{AB}(t=0) &= \frac{i}{\hbar} \lim_{s \rightarrow 0} \int_0^{\infty} d\tau \langle [A_I(\tau), B_I(0)] \rangle_0 e^{-s\tau} \\ \Leftrightarrow \Phi_{AB}(t=0) &= \frac{i}{\hbar} \lim_{\substack{s \rightarrow 0 \\ \omega \rightarrow 0}} \int_{-\infty}^{\infty} d\tau \Theta(\tau) \langle [A_I(\tau), B_I(0)] \rangle_0 e^{i\omega\tau} e^{-s\tau} \end{aligned}$$

$$\begin{aligned}
&\Leftrightarrow \Phi_{AB}(t=0) = \lim_{\omega \rightarrow 0} \int_{-\infty}^{\infty} d\tau \chi_{AB}(\tau) e^{i\omega\tau} \\
&\Leftrightarrow \Phi_{AB}(t=0) = \chi_{AB}(\omega=0),
\end{aligned} \tag{A.4}$$

where it is assumed the susceptibility is a good function in the sense they decay fast enough and the convergence generating faktor is negligible. The third relation is computed with the aim of the first and second relation. Therefore relation one is multiplied with  $e^{i\omega t}$  and is integrated with respect to  $t$ .

$$\begin{aligned}
&\int_0^{\infty} dt e^{i\omega t} \chi_{AB}(t) = - \int_0^{\infty} dt e^{i\omega t} \frac{d}{dt} \Phi_{AB}(t) \\
&\stackrel{\text{PI}}{\Leftrightarrow} \chi_{AB}(\omega) = -e^{i\omega t} \Phi_{AB}(t) \Big|_0^{\infty} + i\omega \int_0^{\infty} dt e^{i\omega t} \Phi_{AB}(t) \\
&\Leftrightarrow \chi_{AB}(\omega) = \Phi_{AB}(t=0) + i\omega \Phi_{AB}(\omega) \\
&\Leftrightarrow \Phi_{AB}(\omega) = \frac{1}{i\omega} [\chi_{AB}(\omega) - \chi_{AB}(\omega=0)]
\end{aligned} \tag{A.5}$$

In the first step the right hand side is integrated by parts and in last step the first relation and (A.3) is used. So the third relation gives us the dependence between the Kubo relaxation function and the dynamical susceptibility in frequency space.

## B Analysis of Matsubara-sums

In the following appendix it is shown how to calculate two kinds of Matsubara-sums, where the difference is depending on the kind of singularity of the Green-functions. The first one has simple poles so that the sum can transform without any problems into a contour integral. These Matsubara-sums are easy to calculate by using the residue theorem. The second kind of sum contains one or more Green-functions, which have non-continuity at an arbitrary value. Therefore a little bit more work is to do, nevertheless the calculation isn't very complicated. These types of singularities are called branch cuts.

### B.1 Simple poles

Let us assume a Matsubara-sum like

$$S(i\omega_n) := \frac{1}{\beta} \sum_{\omega_n} G(k, i\omega_n) e^{i\omega_n \tau}, \quad (\text{B.1})$$

where  $G(k, i\omega_n)$  is a product of Green-functions, which are analytical except single poles in the complex plane. Often these kinds of sums appear by using Green-functions of free propagators. The exponential function is only needed for convergence.



## Todo list

noch schöner schreiben . . . . .	7
link to figure of contour . . . . .	10
make link to chapter spin-fermion-model . . . . .	13
link to chapter spin-fermion-model . . . . .	13
reference to correlation function . . . . .	13
reference to scalar product . . . . .	14
link to umklapp scattering . . . . .	15
link to equation . . . . .	16
reference to a book of laplace transformation . . . . .	19





# Bibliography

- [Sch08] F. Schwabl. *Advanced Quantum Mechanics*. 4. ed. 2008.
- [Sch06] F. Schwabl. *Statistische Mechanik*. 3., aktualisierte Aufl. 2006.
- [Dru00] P. Drude. „Zur Elektronentheorie der Metalle“. In: *Annalen der Physik* 306.3 (1900), pp. 566–613. DOI: 10.1002/andp.19003060312.

