

## **ELECTRICAL CHARACTERISTICS:**

1. DCR : 1-11 , 12-2 = 19m
$$\Omega$$
 MAX   
  $4-6$  = 17m $\Omega$  MAX   
  $9-8$  = 250m $\Omega$  MAX


2. INDUCTANCE (@250KHz, 0.3Vrms) : 
$$1-11 = 12-2 = 3.08 \text{uH} \pm 10\%$$
 (@250KHz, 0.6Vrms, 7Adc) :  $1-2 = 11.08 \text{uH}$  MIN (11-12 SHORT)

$$\&$$
 3. TURN RATIO (@100KHz, 0.03Vrms)   
  $4-6:1-11=1.286\pm5\%$    
  $9-8:1-11=1.286\pm5\%$ 

 $1-11: 12-2 = 1 \pm 5\%$ 

## 5. RoHS COMPLIANT

F	CHANGE DIM.	06/20 /2018	SHIRLEY	BETTY	BETTY	^ _		TITLE	FLYBACK
Ε	CHANGE DIM.	12/28 /2012	SHIRLEY	BETTY	BETTY			DWG. N	TRANSFORMER
D	DEL SHIELDING COVER	08/07 /2012	SHIRLEY	BETTY	BETTY		<u> </u>		ATS-1082R
	RELEASE	10/03 /2011	SHIRLEY	BETTY	BETTY	UNITS: M/M	SAFETY		SHEET 1 OF 1
NO:	DESCRIPTION	DATE	BY	СНК	APPD	,	P/N:		DRAW
	REVISIONS					10/03/11			SHIRLEY



3240300009 or 3240300001 PK-045\*5PCS 3231221901 \* 4PCS 每盘脆盘上放一块珍珠棉 纸箱底部放一块珍珠棉3240300009 3212320105 CARTON:PK-044\*1PCS 1 CARTON: 160 PCS

ONE TRAY: 40 PCS

ONE BOX: 4PCS TRAYS \* 5PCS 3240300009 or (3240300001)

ONE CARTON: 6 PCS 3212320105 960PCS

Γ								ππ	E
H								اعما	PACKING
1								M. Dwc	. NO
t									68SE66500
L							UNITS	SAFETY	
		RELEASE	07/01 /2016	Wang	Wang	Dai	M/M		SHEET 1 OF 1
Γ	Ю:	DESCRIPTEON	DATE	BY	CHK	APPD	_ /	P/N:	DRAW
Γ		REVISIONS					07/01/2016	,	汪诗梅



## Pb-free Soldering IR Reflow(SMD)



1,MSL Grade: 1 Level 2,Floor life: 2years 3,Condition:≤30°C RH 85% 2,Form-1(Reference JEDEC J-STD-020D Table 5-2)

	IR reflow profile	Pb-free		
step#	Profile Feature	Condition/Duration		
step1	Ramp-up rate	3°C/second max		
step2	Preheat:150°C-200°C(Ta-Tb)	t1-t2:60-120seconds		
step3	Ramp-up rate(TL to Tp)	3°C/second max		
sieps	Temperature maintained above 217°C	60-150seconds		
ston/	Peak temperature(Tp)	260+0/-5°C		
step4	Time within 5°C of actual peak temperature	30seconds max		
	Ramp-down rate(Tp to TL)	6°C/second max		

## 3,Form-2(Reference JEDEC J-STD-020D Table 4-2)

		,	
Package	Volume mm <sup>3</sup>	Volume mm <sup>3</sup>	Volume mm <sup>3</sup>
Thickness	<350	350-2000	>2000
<1.6mm	260+0/-5°C	260+0/-5°C	260+0/-5℃
1.6mm-2.5mm	260+0/-5°C	250+0/-5°C	245+0/-5℃
>2.5mm	250+0/-5° <b>C</b>	245+0/-5°C	245+0/-5℃