

FAIR Form 2 작성 기준

1. D1-4426 확인:

해당 자재 또는 공정 Spec이 D1-4426에 승인되어 있는지 확인한다.

이때 동일 업체에 승인된 주소가 2곳 이상인 경우 해당 Sepc 번호가 해당하는 주소를 필히 확인해야 한다 (Page 2 참고).

가. 특수공정의 경우 기입 방법:

- Field 8에 업체 Code, 이름, 주소를 기입
- Field 9에 "Yes" 기입
- Field 10에 "D1-4426" 기입

나. 원자재의 경우 기입 방법:

- Field 8에 업체 Code, 이름 기입
(Code만 기입하도록 되어 있으나, 기록 이해를 위해 이름까지 기입하는 게 좋겠음)
- Field 9에 "Yes" 기입
- Field 10에 "D1-4426" 및 RIR # 기입

2. D1-4426에 없는 공정 Spec은 일반 Spec이므로;

- Field 8,9,10 모두 "N/A" 기입

3. D1-4426에 없으나 해당 자재 Spec이 있는 경우, QPL을 확인하여;

- Field 8에 "QPL," + 업체 이름을 기입
(업체 Code를 확인할 수 없으므로, "QPL"이라고 기입하는 것으로 통일)
- Field 9에 "Yes" 기입
- Field 10에 RIR # 기입

4. 해당 자재 Spec이 없는 경우는 공정 Spec을 확인하여 (ex: Tedlar 는 BAC 5317 등);

- Field 8에 해당 Spec 번호, 업체 이름(ex: "BAC 5317, DuPont")을 기입
- Field 9에 "N/A" 기입
- Field 10에 RIR # 기입

5. AL Extrusion 등 Industrial Standard 자재인 경우 (ex: AMS-QQ-A-200/11)

- Field 6에 AMS-QQ-A-200/11와 같이 해당 자재 Spec. 번호 기입
- Field 8에 "STD," + 제작사 이름 기입 (Supplier Code 없는 Standard 자재 의미)
- Field 9에 "N/A" 기입
- Field 10에 RIR # 기입

Detail Information for Process Code number: 1024A

Process Code: 1024A

Nomenclature: Glass Fabric Preimpregnated Epoxy Resin Low Temperature Curing (QPL)

Specification Number: BMS 8-79

Specification Title: Glass Fabric Preimpregnated Epoxy Resin Low Temperature Curing

Country	State	Processor	Processor Name
JAPAN	KANAGAWA-KEN	534216	YOKOHAMA RUBBER COMPANY LTD
USA	CA	077951	CYTEC ENGINEERED MATERIALS INC.
USA	CA	219561	CYTEC ENGINEERED MATERIALS INC.
USA	UT	639973	HEXCEL COMPOSITES

Detail Information for Processor Code number: 219561	
Supplier Name: CYTEC ENGINEERED MATERIALS INC.* (Internal Support Only)	
Address:	645 NORTH CYPRESS STREET,
City/town:	ORANGE
Province/state:	CA 92666
Country:	USA
Area:	2A
Contact Name:	Brent Middleton
Title:	
Phone:	(714) 688-4473
Fax:	

* An acronym in the "Nadcap Commodity" column only indicates that Nadcap accreditation may be required for this Process Code. It does not provide any indication of this company's actual Nadcap accreditation status.

Process Code	Nadcap Commodity	Limitation Codes	Doc Notes	Nomenclature	Specification Number
002		None	None	Boeing approved QS as defined in Processor Rqmts Sec 6.6.1.	Quality System
1020A		None	None	Aramid Fabrics Preimpregnated With Epoxy Resin (350 F Curing) (QPL)	BMS 8-218
1020B		None	None	Aramid Fabrics Preimpregnated With Epoxy Resin (250 F Curing) (QPL)	BMS 8-219
1020C		None	None	Aramid Fabrics- Epoxy Resin Impreg.- for Int. Sandwich Panels and Laminates (QPL)	BMS 8-260
1023A		None	None	Carbon Fiber/Phenolic Prepreg. for Interior Sandwich Panels (QPL)	BMS 8-274
1024A		None	None	Glass Fabric Preimpregnated Epoxy Resin Low Temperature Curing (QPL)	BMS 8-79
1024C		None	None	Glass Fabric Preimpreg. High-Temperature-Resistance Epoxy Resin (QPL)	BMS 8-139
1024D		None	None	Epoxy Preimpreg. Glass Fabric for Interior Sandwich Panels / Laminates / Elec (QPL)	BMS 8-151
1025A		None	None	Glass Fabric Preimpreg. Modified Phenolic Resin for Crush Core Sandwich Panels (QPL)	BMS 8-222
1025B		None	None	Modified Phenolic Preimpreg. Glass Fabric for Int. Sandwich Panel and Laminate (QPL)	BMS 8-226
1029A		None	None	Nomex Paper and Glass Fabric- Resin Impreg.- for Interior Decorative Laminates (QPL)	BMS 8-143

초도품 검사 기록서 (AS 9102)

First Article Inspection Record (AS 9102)

AS 9102 Rev A

Sheet of

Form 2 : Product Accountability Raw Material, Specifications and Special Process(s), Functional Testing

1. Part Number	2. Part Name	3. Part Serial Number	4. FAI Report Number		
115U7676-777	PANEL ASSY LWE-TE	K0014	QPI9999		
5. Material or Process Name	6. Spec. No.	7. Code	8. Special Process Supplier Code (Name, Address)	9. CAV	10. CoC Number
BMS8-341,TY-2&3,,G R-1.0,,,FM-1,BMS5-1 54,TY2,CL1, GR3,CYTEC1515-3M ,IN,0^^36,0,	BMS8-341 TY-3	N/A	QPL, Cytec	Yes	RIR #5011
GLASS FABRIC PREPREG	BMS 8-79 CL-4 GR-B	N/A	219561, Cytec	Yes	D1-4426 RIR #7782
STRUCTURAL ADHESIVES	BMS 5-129 TY-2 C-1A GR-5	N/A	196991, Cytec	Yes	D1-4426 RIR #6869
WHITE TEDLAR	TWH10BS3	N/A	BAC 5317, DuPont	N/A	RIR #05-2929
ADHESIVE	BMS 5-92 TY-1 CL-4	N/A	QPL, 3M	Yes	RIR #1302
ANTI-STATIC COATINGS	BMS 10-21 TY-3	N/A	QPL, PRC Desoto	Yes	RIR #5394
NONCHROMATED PRIMER	BMS 10-103 TY-1	N/A	QPL, PRC Desoto	Yes	RIR #9750
COMPOSITE PARTS	BAC 5317 GR-A, CL-D	N/A	583971, KAL-ASD BUSAN, KOREA	Yes	D1-4426
LOW TEMPERATURE CURED PARTS	BAC 5317-2 GR-A, CL-D	N/A	583971, KAL-ASD BUSAN, KOREA	Yes	D1-4426
ELECTRICAL BONDING	BAC 5117-13	N/A	N/A	N/A	N/A
GROUND STUD INSTALLATION	BAC 5117-3	N/A	N/A	N/A	N/A
BLIND FASTNER INSTALLATION	BAC 5063-3	N/A	N/A	N/A	N/A
ANTI-STATIC COATINGS	BAC 5639	N/A	N/A	N/A	N/A
NONCHROMATED PRIMER APPLICATION	BAC 5325	N/A	N/A	N/A	N/A
CLEANING, DEBURRING, AND FINISHING	BAC 5748	N/A	N/A	N/A	N/A
SOLVENT CLEANING	BAC 5750	N/A	N/A	N/A	N/A
PREPARING EXTERIOR	BAC 5837	N/A	N/A	N/A	N/A
ADHESIVES APPLICATION	BAC 5010	N/A	N/A	N/A	N/A
Laminar X-500 Off-White Surfacer	8-W-5 (Base)	N/A	BAC 5837, Dexter Aerospace	N/A	RIR #6474
NDI	BAC 5980	N/A	583971, KAL-ASD BUSAN, KOREA	Yes	D1-4426
AL,EXTRUSION,7075,T73511, AMS-QQ-A-200/11, AND10138-1010, {,,},IN^^144	AMS-QQ-A- 200/11	N/A	STD, ALCOA	N/A	RIR #08-7668
11. Functional Test Procedure Number		12. Acceptance report number, if applicable			
13. Comments					
14. Prepared By			15. Date		

F-02-351 (1)

Rev. Date : 01 Nov 05