



LABORATORY TEST REPORT

Attention : Ms. Lincy Ann Thomas
Client : Katrina Factory FZE
Address and Location : N403 - Mena Jebel Ali - Jebel Ali Freezone – Dubai, United Arab Emirates

Report No.	AAFLC-696-26-00027-001	Sample No.	696-26-00027-001
Date received	27/04/2026	Date Reported	22/05/2026
Container Type	Sealed Bag	Sample Description	Wheat Flour
Weight	3 Kg	Sampled By	Client
Sample Temperature	(23 to 25) °C	Sample Preservation	Ambient Temperature
Production Date	March 2026	Expiry Date	March 2027
Lot No.	T55	No. of pages	05
Date of Analysis	27/04/2026-18/05/2026		

Analysis	Results	Unit	LOD/LOQ	M.U%	Method of Analysis
*Moisture	12.69 ± 0.13	%	-	1	TS EN ISO 712
*Ash	0.51 ± 0.05	%	-	10	GMMAY 88
*Protein	10.32 ± 0.52	%	-	5	TS 1620
Dry Gluten	11.85 ± 0.47	%	-	4	TS EN ISO 21415-3
Wet Gluten	32.48 ± 0.9744	%	-	3	TS EN ISO 21415-1
*Falling Number	308	sn	-	20	TS EN ISO 3093
Granulometry					
Over 6.0 mm Sieve	0.0	%	-	-	TS 4500
Over 5.0 mm Sieve	0.0	%	-	-	TS 4500
Over 4.0 mm Sieve	0.0	%	-	-	TS 4500
Over 2.0 mm Sieve	0.0	%	-	-	TS 4500
Between 500-1000 µm	0.1	%	-	-	TS 4500
Over 800 µm Sieve	0.0	%	-	-	TS 4500
Over 500 µm Sieve	0.2	%	-	-	TS 4500
Over 355 µm Sieve	0.5	%	-	-	TS 4500
Over 212 µm Sieve	6.2	%	-	-	TS 4500
Under 200 µm (Fine)	93	%	-	-	TS 4500
*Moisture	12.70	%	-	0.18	TS EN ISO 712
*Alveograph Analyses	Attached (Page no. 3)	-	-	-	TS EN ISO 27971
*P	66	mmH ₂ O	-	5	TS EN ISO 27971
*L	111	mm	-	14	TS EN ISO 27971
*W	182	10E-4 J	-	13.5	TS EN ISO 27971
*P/L	0.59	-	-	0.1	TS EN ISO 27971
*Extensograph Analyses	Attached (Page no. 4)	-	-	-	TS EN ISO 5530-2
*Growth Capacity (135 min)	Dough did not form	-	-	-	TS EN ISO 5530-2
*Energy (135 min)	Dough did not form	-	-	-	TS EN ISO 5530-2



Analysis	Results	Unit	LOD/LOQ	M.U%	Method of Analysis
*Maximum Resistance (138 min)	Dough did not form	-	-	-	TS EN ISO 5530-2
*Farinograph Analyses	Attached (Page no. 5)	-	-	-	TS EN ISO 5530-1
*Water Lift	64.2	%	-	0.7	TS EN ISO 5530-1
*Development Time	2.7	min	-	0.6	TS EN ISO 5530-1
*Stability	3.6	min	-	0.6	TS EN ISO 5530-1
*Degree of Softening	84	FU	-	9.2	TS EN ISO 5530-1



*Accredited Analysis

Remarks: The dough elasticity and stretchability are evaluated using the **Alveograph** and **Extensograph** analyses, where the **Alveograph** measures extensibility through the "**L**" value, the balance between tenacity and extensibility through the "**P/L**" ratio, and elasticity through the "**Ie**" (**Elasticity Index**) parameter, while the **Extensograph** directly measures dough stretching capacity and elastic tolerance through the "**Extensibility [mm]**" parameter at different resting intervals.

Analysis conducted by: Subcontract Lab	Test method deviation: None
--	-----------------------------

Signed for and on behalf of AmSpec Inspection & Testing Services

Mohammad Ziya Zaidi

Technical Manager | UAE
AMSPEC MIDDLE EAST

[signature]



Mohammad Ziya Zaidi

Test results relate only to the samples tested.

This report shall not be reproduced except in full, without the written approval of the Laboratory.

-End of text

Issued on 22.05.2026.

AMSPEC FIRST CLASS SUPERINTENDENT COMPANY

DISCLAIMER: ALL THE SAMPLES WERE TESTED AT A THIRD-PARTY LABORATORY