
BH DRAWINGS	
LEVEL	NUMBER
−3.850	DE040718A
+0.000	DE040719A
+5.135	DE040720A
+8.190...+9.965	DE040721A
+10.435...+12.435	DE040722A
+17.460	DE040723A
+22.760	DE040724A
+32.460...+42.125	DE040725A



GENERAL TOLERANCES	YLEISTOLERANSSIT	SFS-EN 22768-1												
		Dimension range/Mitta-alue												
LENGTH DIMENSIONS	PITUUSMITAT	>0.5 ≤3	>3 ≤6	>6 ≤30	>30 ≤120	>120 ≤400	>400 ≤1000	>1000 ≤2000	>2000 ≤4000	>4000 ≤8000	>8000 ≤12000	>12000 ≤16000	>16000 ≤20000	>20000
Machining	Koneistus	±0,1	±0,1	±0,2	±0,3	±0,5	±0,8	±1,2	±2	±3	±4	±5	±6	
Chamfers and radii	Pyöristykset, viisteet	±0,2	±0,5	±1	±2	±4								
Cutting, bending	Leikkaus, taivutus		±0,2	±0,5	±0,8	±1,2	±2	±3	±4	±5	±6	±7	±8	
thermal cutting	Polttoleikk. 3<s ≤50				±1,5	±1,5	±2,5	±3	±3,5					
	50<s ≤100				±2,5	±2,5	±3,5	±4	±4,5					
Welding	Hitsaus				±2	±2	±3	±4	±6	±8	±10	±12	±14	±16
ANGULAR DIMENSIONS	KULMAMITAT	Shorter side/Lyhyempi sivu L ≤ 10			10< L ≤ 50		50< L ≤120		120< L ≤ 315		315< L ≤1000		L ≤ 1000	
Machining	Koneistus	±1,8/100 mm			±0,9/100 mm		±0,6/100 mm		±0,3/100 mm					
Bending s<4	Taivutukset s<4	±2,6/100 mm			±1,5/100 mm		±0,7/100 mm		±0,4/100 mm					
Bending s ≥4 welding	Taiv. s ≥4 hitsaus	±5,2/100 mm			±3,5/100 mm		±1,8/100 mm		±1,3/100 mm		±0,9/100 mm		±0,6/100 mm	
WELD QUALITY ACCORDING TO SFS-EN ISO 5817, CLASSIFICATION C / HITSAUSLAADUT SFS-EN ISO 5817 MUKAAN, HITSILUOKKA C														

ATTENTION !!!

EXACT ELECTRICAL EQUIPMENT PLACES TO BE DETERMINED DURING INSTALLATION WORK CO-OPERATION WITH CINER AND LAHTI GLASS SUPERVISORS.

02.09.2025	MAKEOT		A
RevDate	Creator	RevInfo	Rev

SUPPLIED BY LAHTI GLASS

SUPPLIED BY CLIENT

LAHTI GLASS TECHNOLOGY

	Date	Name
Drawn	18.07.2025	/MAKEOT
Checked	/	
Office	/	

Work No. | Pcs | Actual Weight

Old Drawing | New Drawing | Model Drawing | Projection

EL.FIELD EQUIPMENT LAYOUT

BATCH HOUSE +17.460

CINER GLASS, BELGIUM

Scale 1:100

Size A1

Project 8220 | Pos. | Code DE040723 | Revision A

Drawing No.

Printed: 29.09.2025

This drawing and the design shown therein is the property of Lahti Glass Technology Oy. Any publication or use of this drawing for purposes other than we have furnished is hereby prohibited.

Do not take information by measuring from this copy