
fibers of the Latissimus dorsi. The lateral angle is the thickest part of the bone, and is sometimes called the head of the scapula. On it is a shallow pyriform, articular surface, the glenoid cavity, which is directed lateralward and forward and articulates with the head of the humerus; it is broader below than above and its vertical diameter is the longest. The surface is covered with cartilage in the fresh state; and its margins, slightly raised, give attachment to a fibrocartilaginous structure, the glenoidal labrum, which deepens the cavity. At its

apex is a slight elevation, the supraglenoid tuberosity, to which the long head of the Biceps brachii is attached. The neck of the scapula is the slightly constricted portion which surrounds the head; it is more distinct below and behind than above and in front.

The Coracoid Process (processus coracoideus). — The coracoid process is a thick curved process attached by a broad base to the upper part of the neck of the scapula; it runs at first upward and medialward; then, becoming smaller, it changes its direction, and projects forward and lateral-The ascending portion, flattened from before backward. presents in front a smooth concave surface, across which the Subscapularis passes. The horizontal portion is flattened from above downward; its upper surface is convex and irregular, and gives attachment to the Pectoralis minor; its under surface is smooth: its medial and lateral borders are rough; the former gives attachment to the Pectoralis minor and the latter to the coracoacromial ligament; the apex is embraced by the conjoined tendon of origin of the Coracobrachialis and short head of the Biceps brachii and gives attachment to the coracoclavicular fascia. On the medial part of the root of the coracoid process is a rough impression for the attachment of



the conoid ligament; and running from it obliquely forward and lateralward, on to the upper surface of the horizontal portion, is an elevated ridge for the attachment of the trapezoid ligament.

Structure.—The head, processes, and the thickened parts of the bone, contain cancellous tissue; the rest consists of a thin layer of compact tissue. The central part of the supraspinatous