NEW SYNTHETIC FIBER STUDY

The GLM Procedure

Class Level Information		
Class	Levels	Values
PERCENT	5	15 20 25 30 35

Number of Observations Read	25
Number of Observations Used	25

NEW SYNTHETIC FIBER STUDY

The GLM Procedure

Dependent Variable: STRENGTH

Source	DF	Sum of Squares	Mean Square	F Value	Pr > F
Model	4	475.7600000	118.9400000	14.76	<.0001
Error	20	161.2000000	8.0600000		
Corrected Total	24	636.9600000			

R-Square	Coeff Var	Root MSE	STRENGTH Mean
0.746923	18.87642	2.839014	15.04000

Source	DF	Type I SS	Mean Square	F Value	Pr > F
PERCENT	4	475.7600000	118.9400000	14.76	<.0001

Source	DF	Type III SS	Mean Square	F Value	Pr > F
PERCENT	4	475.7600000	118.9400000	14.76	<.0001


Fit Diagnostics for STRENGTH
Residual
Predicted Value
RStudent
Predicted Value
RStudent
Leverage
Residual
Quantile
STRENGTH
Predicted Value
Cook's D
Observation
Percent
Residual
Fit–Mean
Residual
Proportion Less
Observations 25
Parameters 5
Error DF 20
MSE 8.06
R-Square 0.7469
Adj R-Square 0.6963


Distribution of STRENGTH
F 14.76
Prob > F <.0001
STRENGTH
25
20
15
10
11
24
15
20
25
30
35
PRCENT COTTON

NEW SYNTHETIC FIBER STUDY

The GLM Procedure



NEW SYNTHETIC FIBER STUDY

The GLM Procedure

t Tests (LSD) for STRENGTH

Note: This test controls the Type I comparisonwise error rate, not the experimentwise error rate.

Alpha	0.05
Error Degrees of Freedom	20
Error Mean Square	8.06
Critical Value of t	2.08596
Least Significant Difference	3.7455



NEW SYNTHETIC FIBER STUDY

The GLM Procedure

Tukey's Studentized Range (HSD) Test for STRENGTH

Note: This test controls the Type I experimentwise error rate, but it generally has a higher Type II error rate than REGWQ.

Alpha	0.05
Error Degrees of Freedom	20
Error Mean Square	8.06
Critical Value of Studentized Range	4.23186
Minimum Significant Difference	5.373



NEW SYNTHETIC FIBER STUDY

The GLM Procedure

Sidak t Tests for STRENGTH

Note: This test controls the Type I experimentwise error rate, but it generally has a higher Type II error rate than REGWQ.

Alpha	0.05
Error Degrees of Freedom	20
Error Mean Square	8.06
Critical Value of t	3.14330
Minimum Significant Difference	5.644



NEW SYNTHETIC FIBER STUDY

The GLM Procedure

Bonferroni (Dunn) t Tests for STRENGTH

Note: This test controls the Type I experimentwise error rate, but it generally has a higher Type II error rate than REGWQ.

Alpha	0.05
Error Degrees of Freedom	20
Error Mean Square	8.06
Critical Value of t	3.15340
Minimum Significant Difference	5.6621



NEW SYNTHETIC FIBER STUDY

The UNIVARIATE Procedure
Variable: RESID

Moments			
N	25	Sum Weights	25
Mean	0	Sum Observations	0
Std Deviation	2.59165327	Variance	6.71666667
Skewness	0.11239681	Kurtosis	-0.8683604
Uncorrected SS	161.2	Corrected SS	161.2
Coeff Variation	.	Std Error Mean	0.51833065

Basic Statistical Measures			
Location		Variability	
Mean	0.00000	Std Deviation	2.59165
Median	0.40000	Variance	6.71667
Mode	-3.40000	Range	9.00000
		Interquartile Range	4.00000

Note: The mode displayed is the smallest of 7 modes with a count of 2.

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	0	Pr > |t|	1.0000
Sign	M	2.5	Pr >= |M|	0.4244
Signed Rank	S	0.5	Pr >= |S|	0.9896

Tests for Normality				
Test	Statistic		p Value	
Shapiro-Wilk	W	0.943868	Pr < W	0.1818
Kolmogorov-Smirnov	D	0.162123	Pr > D	0.0885
Cramer-von Mises	W-Sq	0.080455	Pr > W-Sq	0.2026
Anderson-Darling	A-Sq	0.518572	Pr > A-Sq	0.1775

Quantiles (Definition 5)	
Level	Quantile

100% Max	5.2
99%	5.2
95%	4.2
90%	3.4
75% Q3	1.4
50% Median	0.4
25% Q1	-2.6
10%	-3.4
5%	-3.6
1%	-3.8
0% Min	-3.8

Extreme Observations			
Lowest		**Highest**	
Value	**Obs**	**Value**	**Obs**
-3.8	21	2.6	9
-3.6	11	2.6	10
-3.4	8	3.4	17
-3.4	6	4.2	24
-2.8	2	5.2	3