

```
TITLE 'Low-Pressure Deposition Experiment';
DATA FILM;
    INPUT WPOSITION UNIFORMITY @@;
    LABEL WPOSITION='WAFER POSITION';
CARDS;
1 .      1 5.67  1 4.49
2 1.43   2 1.70  2 2.19
3 2.34   3 1.97  3 1.47
4 0.94   4 1.36  4 1.65
;
PROC GLM PLOTS=(DIAGNOSTICS);
    CLASS WPOSITION;
        MODEL UNIFORMITY=WPOSITION;
            OUTPUT OUT=NEW R=RESID;
PROC UNIVARIATE NORMAL;
    VAR RESID;
PROC VARCOMP DATA=FILM METHOD=TYPE1;
    CLASS WPOSITION;
        MODEL UNIFORMITY=WPOSITION/CL;
RUN;
```