

```
TITLE 'Low-Pressure Deposition Experiment';
DATA FILM;
    INPUT WPOSITION UNIFORMITY @@;
    LABEL WPOSITION='WAFER POSITION';
CARDS;
1 2.76 1 5.67 1 4.49
2 1.43 2 1.70 2 2.19
3 2.34 3 1.97 3 1.47
4 0.94 4 1.36 4 1.65
;
DATA FILM1;
SET FILM;
    LUNIFORMITY=LOG(UNIFORMITY);
PROC GLM PLOTS=(DIAGNOSTICS);
    CLASS WPOSITION;
        MODEL LUNIFORMITY=WPOSITION;
            OUTPUT OUT=NEW R=RESID;
PROC UNIVARIATE NORMAL;
    VAR RESID;
PROC VARCOMP DATA=FILM1 METHOD=TYPE1;
    CLASS WPOSITION;
        MODEL LUNIFORMITY=WPOSITION/CL;
RUN;
```