
STANDARD OPERATING PROCEDURE OF Reaction of Color Pigment or Dye to water at elevated VF-E22 **Lab /SOP/ 28**



1. Test tubes/Beakers
2.Thermometer
3.White cotton fabric or crockmeter test cloth
4. Graduated cylinder
5. Water
6. Hotplate with stirrer or water bath



Upper / lining material :
- Cut sample approximately 5 cm x 5 cm
Lace / webbing :
- Cut 3 - 4 pieces, approx. 30 mm long
Test two (2) samples per material.



Roll this in white cloth or crockmeter test cloth. Ensure the white cloth is outside so that it is easy to check the color migration. Fastened with white thread so that the rolled specimen will not tangle.



Boil water to 70°C.



Use thermometer to measure the water's temperature.



Place the test sample in the water that was pre-heated at 70°C. Let it stand for 10 minutes



Check discoloration of the water.



Check color migration of the white cloth .

Prepared by	Approved by	REVISION		DATE	