SCREEN PRINTING INNOVATION



Technical data sheet

G595 White

General information

Phathalate free oil-based white, Formulated to achieve maximum opacity on fabric with soft hand feeling. G595 white can applied either direct or transfer print.

Commercial trademark: Green

Mesh recommended: 21-120 according to design

Photo-emulsion: Solvent resist

Washing: Ink cleaner

Viscosity reducer: Reducer 25, 40 & 70 (1-5%)

Curing: 80°C for 2-3 seconds using flash cure unit

Fixation: 149°C for 2 minutes "Hot air"

Storage: Avoid freezing and high temperature

Container: 1kg - 5kg - 25kg

Note: Inks must be tested before using.

info@spi-egy.com Prepared by:

www.spi.com.eg Dr. Abd El-Moniem Mahmud



