
How to calculate the age of a live tree?

Way 1 - Try to find out when it's planted.

Way 2 - Count the numbers of branch whorls above chest height. Add 1 to your total. (Example: 4 whorls + 1 = 5 years)

Way 3 - Multiply the diameter by the growth factor.

Way 4 - Example: For White Oak tree, if the growth factor is 5 and its diameter is 22 inches, then its age is 22 × 5 = 110 years.



10. **Druxiness:** Druxiness is the name given to decayed spots or steaks of whitish colour in timber.



5.1.4 Seasoning of Timber

Seasoning is the process of drying timber in a controlled condition to remove all the sap and to reduce moisture content without introducing any splits and distortion in the wood.

5.1.4.1 Objectives of Seasoning

I. To reduce the weight of timber.

ii. To make timber fit for receiving coating of paints.

iii. To impart hardness, strength and stiffness to timber.

iv. To make timber safe from the attack of fungi, insects, etc.

v. To reduce the tendency of timber to warp, crack and shrink.

5.1.4.2 Methods of Seasoning of Timbers

1. Natural Seasoning
2. Artificial Seasoning

1. Natural Seasoning :



In this method, timber logs are sawn into planks or other marketable sizes after felling. The sawn timber is stacked under a covered shed. Sawn timber is stacked in such a way that sufficient space is left around each sawn piece, so that free circulation of air may take place without any difficulty. Timber pieces may be stacked horizontal or vertically. But horizontally stacking arrangement is

Civil_English_Unit_5.indd 109 12/21/2019 3:22:43 PM