

in the production of heat. This method is not adopted as it is not economical.

How to determine the age of a dead tree?

By counting the number of rings in the log.



(iii) Kiln Seasoning: This method of seasoning is carried out in air tight chambers or ovens. Converted timber pieces are stacked inside the chamber such that spaces are left for free circulation of air. Now, air fully saturated with moisture and heated about 40° c is forced inside of the chamber. The heated air gradually enters inside of the timber pieces and the moisture content in the timber is gradually reduced.



5.1.5 Timber Products and their Uses

1. Veneers
2. Plywood
3. Fibre board
4. Particle or Light board
5. Hard Board
6. Block board
7. Laminated Boards


5.1.5.1 Veneer

Veneers are thin sheets of wood with 0.4mm to 6mm thickness obtained by different knife cutting processes. These are produced by rotary cutters where a knife blade is firmly held against a leg which is rotated. The sheets that are turned out are cut into standard sizes. Teak, sissoo, rosewood are some of the Indian timbers capable of producing high-grade veneers.

TENJGC




Saw Blade



Knife Blade







Civil_English_Unit_5.indd 111 12/21/2019 3:22:44 PM