The offset at plinth level is sometimes omitted for the architectural purpose.

xiii) String Course

It is continuous horizontal course of masonry, generally provided at every floor level. This course remains projecting from the face of the wall and is intended to improve the elevation of the structure.



xiv) Lacing Course



The horizontal course provided to strengthen a wall of regular small stones is known as a lacing course.

6.2.3 Dressing of Stones

The process of cutting stones into suitable sizes and shapes is known as dressing of stones.

Objectives of Dressing

i. To convert the stone pieces into desired shape and size.
ii. To make thin mortar joints there by reducing the mortar consumption and to improve the quality of work.
iii. To give the desired surface finish.
iv. To make transport easy and economical.

Types of Dressing

1. Hammer Dressing.
2. Chisel Dressing.
3. Punched Dressing.
4. Furrowed Dressing.
5. Combed Dressing

6.2.3.1 Hammer Dressing

A hammer dressed stone shall have no sharp and irregular corners and shall have comparatively even surface. All the sharp and irregular corners of the stone obtained by quarrying shall be knocked off by using the flat face of a scrabbling hammer. The surface shall be dressed with the pointed end of the hammer.



6.2.3.2 Chisel Dressing

Stones available from the quarry is first dressed with hammer and then

Civil_English_Unit_6.indd 138 12/21/2019 4:39:51 PM