
wooden carrier into which a quill or pirn is placed.



Warp Yarns & Weft Yarn

Basic Weaving Operation – 4 basic steps

Primary Motions

Once the filling yarns have been prepared and the warp beam containing the sized yarns is placed at the back of the loom. The warp yarns are conveyed to a cylinder called the cloth beam which is in front.

The loom goes through a series of motions

Shedding: raising and lowering of warp yarns by means of the harness to form shed, opening between warp yarns through which weft yarn passes.

Picking: inserting of weft yarn by the shuttle through the shed.

Beating up: packing the weft yarn into the cloth to make it compact.

Taking up: winding newly formed cloth onto the cloth beam, **Letting off**: releasing yarn from a warp beam.



Loom

Definition of important terms:

- **Weft:** The horizontal yarns are called weft yarns.
- **Warp:** Warp yarns run vertically the length of the fabric, known as the grain.
- **Selvedge:** The weft yarns are wrapped around the warp yarns to create an edge to the fabric, known as the Selvedge.
- **Bias:** The diagonal or cross grain of a woven fabric.
- **Grain:** Runs the length of the fabric.

4.5.1. Classification Of Woven Fabrics

Basic/Simple Weaves

Plain Weave: - It is the simplest weave. Many fabrics that you commonly wear like mulmul dupattas, organdy and chiffon sarees are all plain weave. Each and every weft yarn goes alternately under and over the warp yarns across the width of the fabric.

Twill Weave :- This basic weave has a clear diagonal line on the face of the fabric. The denim or jean fabric you wear is twill weave. It is a very strong and durable weave. It is therefore commonly used in men's suit and coat fabrics. Twill weave fabrics show soil less quickly than plain weave.

Satin Weave : This basic weave has a beautiful shiny surface because of long floats on the surface of the fabric. In the satin weave warp yarns float over several weft yarns before interlacing with a weft yarn and so on.

XII Std - Home Science EM_Unit 4.indd 106 20-04-2020 6.44.14 PM