

Fig. 10: Quantisation

different quantisation level is applied to each coefficient depending on the spatial frequency it represents within the block.

High quantisation levels are allocated to coefficients representing low spatial frequencies. This is because the human eye is the most sensitive to low

spatial frequencies. Lower quantisation is applied to coefficients representing high spatial frequencies. This increases quantisation error at these high frequencies, introducing error noise that is irreversible at the receiver. However, these errors are tolerable since high-frequency noise is less visible than

low-frequency noise.

The DCT coefficient at the top left-hand is treated as a special case and given the highest priority. A more effective weighted quantisation may be applied to the chrominance frames since quantisation error is less visible in the chrominance component than in the luminance component. Quantisation error is more visible in some blocks than in others. One place where it shows up is in blocks that contain a high contrast edge between two plain areas. The quantisation

parameters can be modified to limit the quantisation error, particularly in high-frequency cells. ●

Daniel A. Figueiredo is scientist-D, and Sidhant Kulkarni and Umesh Shirale are pursuing M.Tech in electronics design and technology at DOEACC centre, Aurangabad

CERMET RESISTRONICS PVT. LTD.




www.resistorcermet.com

Manufacturing widest range of Resistors in India

Exports to Germany, New Zealand, Russia, China, Middle East, Brazil and forging new horizons ...

Metal Film
Carbon Film
Metal Oxide Film
Metal Glaze
Fusible Film
Unlacquered
Fusible WWR



Networks
Dividers
Current Sense
Shunts
Zero Ohm
Tape Jumpers
Custom Build



Breaking Resistors

Load Banks



Auto Applications

High Voltage



CERMET RESISTRONICS PVT. LTD. Factory & Office Address: Gat No. 61, Plot No. 01 & 02, Shindewadi, Taluka-Bhor, District- Pune - 412 205, INDIA.

Tel.: +91(2113)252726/27, +91-99755 96451/52/53/54, Email: sales@resistorcermet.com www.resistorcermet.com

Correspondence Address : 127, Satyam Industrial Estate, 163/164, Opp. S.N.D.T. College, Erandawane, Pune 411 038, INDIA. Tel: 020 25445365