```
import cv2
import numpy as np
from keras.datasets import mnist
from keras.layers import Dense, Flatten, MaxPooling2D, Dropout
from keras.layers.convolutional import Conv2D
from keras.models import Sequential
from tensorflow.keras.utils import to_categorical
import matplotlib.pyplot as plt

(X_train, y_train), (X_test, y_test) = mnist.load_data("C:\\Users\\
sathi\\OneDrive\\Desktop\\Handwritten digit recognizer\\mnist.h5")

plt.imshow(X_train[0], cmap="gray")
plt.show()
print (y_train[0])
```




```
5

print ("Shape of X_train: {}".format(X_train.shape))
print ("Shape of y_train: {}".format(y_train.shape))
print ("Shape of X_test: {}".format(X_test.shape))
print ("Shape of y_test: {}".format(y_test.shape))

Shape of X_train: (60000, 28, 28)
Shape of y_train: (60000,)
Shape of X_test: (10000, 28, 28)
Shape of y_test: (10000,)

# Reshaping so as to convert images for our model
X_train = X_train.reshape(60000, 28, 28, 1)
X_test = X_test.reshape(10000, 28, 28, 1)
```

```
print ("Shape of X_train: {}".format(X_train.shape))
print ("Shape of y_train: {}".format(y_train.shape))
print ("Shape of X_test: {}".format(X_test.shape))
print ("Shape of y_test: {}".format(y_test.shape))
```

```
Shape of X_train: (60000, 28, 28, 1)
Shape of y_train: (60000,)
Shape of X_test: (10000, 28, 28, 1)
Shape of y_test: (10000,)
```

```
#one hot encoding
y_train = to_categorical(y_train)
y_test = to_categorical(y_test)

model = Sequential()

## Declare the layers
layer_1 = Conv2D(64, kernel_size=3, activation='relu',
input_shape=(28, 28, 1))
layer_2 = MaxPooling2D(pool_size=2)
layer_3 = Conv2D(32, kernel_size=3, activation='relu')
layer_4 = MaxPooling2D(pool_size=2)
layer_5 = Dropout(0.5)
layer_6 = Flatten()
layer_7 = Dense(128, activation="relu")
layer_8 = Dropout(0.5)
layer_9 = Dense(10, activation='softmax')

## Add the layers to the model
model.add(layer_1)
model.add(layer_2)
model.add(layer_3)
model.add(layer_4)
model.add(layer_5)
model.add(layer_6)
model.add(layer_7)
model.add(layer_8)
model.add(layer_9)
```