

ASM.a chiplet boundaries must not overlap




`merged(2)` returns what two or more boundary polygons cover; no per-die identity needed

ASM.b minimum chiplet-to-chiplet spacing




the diagonal gap is as real as the orthogonal one for handling, underfill and assembly tolerance

ASM.e minimum chiplet area




a degenerate-polygon sanity check, not a minimum die size; a boundary of exactly `ASM_e` is not flagged

ASM.f attachment geometry must not straddle a chiplet edge



read the selectors in order: `overlapping` keeps pads sharing area, `not_inside` keeps what is not fully contained

ASM.g die edge to interposer wire-bond pad



pads are read from the carrier with each die cell pruned by name; an adapter that declares no pads gets ASM.g reported not applicable, never passed