

Test Report

Report No.: DGC260427006NE01

Page 1 of 7

Applicant : Shenzhen INNO Technology Co., LTD
Address : F9, Building 20, Xiangnan District 4, Zhangkeng Community, Minzhi Street, Longhua District, Shenzhen, Guangdong, China

The following sample(s) was/were submitted and identified on behalf of the client as:

Product Name : USB2CAN-CORE
Manufacturer : Shenzhen INNO Technology Co., LTD
Address : F9, Building 20, Xiangnan District 4, Zhangkeng Community, Minzhi Street, Longhua District, Shenzhen, Guangdong, China

Date of Sample Received : Apr. 27, 2026
Test period : Apr. 27, 2026 - Apr. 30, 2026

Test requested

In accordance with RoHS Directive 2011/65/EU and amendment 2015/863/EU, to determine Cadmium (Cd), Lead (Pb), Mercury (Hg), Chromium (Cr (VI)), PBBs, PBDEs, Di (2-ethyl hexyl)-phthalate (DEHP), Dibutyl phthalate (DBP), Butylbenzyl phthalate (BBP), Diisobutyl phthalate (DIBP) content on submitted samples.

Conclusion

Pass

Approved by:

Richard Ke
Richard Ke
(Signed for and on behalf)

**Date:**

Apr. 30, 2026





Test Report

Report No.: DGC260427006NE01

Page 2 of 7

Photograph of Received Sample :



Test Report

Report No.: DGC260427006NE01

Page 3 of 7

Test method:

1. For the Cadmium (Cd), Lead (Pb), Mercury (Hg), Chromium (Cr (VI)), PBBs, PBDEs:

With reference to IEC 62321 Procedures for the Determination of Levels of Regulated Substances in Electrotechnical Products, XRF scanning first test, then using chemical test method to confirm.

Testing Item		Test Method	Measuring Instrument	MDL
Screening test		IEC 62321-3-1: 2013 scanning	XRF	--
Wet Chemical test	Lead (Pb)	IEC 62321-5: 2013	ICP-OES	2mg/kg
	Cadmium (Cd)	IEC 62321-5: 2013	ICP-OES	2mg/kg
	Mercury (Hg)	IEC 62321-4: 2013+AMD1:2017	ICP-OES	2mg/kg
	Chromium (Cr (VI))▼	IEC 62321-7-2:2017	UV-Vis	8mg/kg
		IEC 62321-7-1: 2015		0.10µg/cm ²
	PBBs, PBDEs	IEC 62321-6: 2015	GC-MS	5 mg/kg

2. For the DEHP, DBP, BBP and DIBP:

Testing Item	Pretreatment Method	Measuring Instrument	MDL
Di (2-ethyl hexyl)-phthalate (DEHP)	IEC 62321-8: 2017	GC-MS	30mg/kg
Butylbenzyl phthalate (BBP)			30mg/kg
Dibutyl phthalate (DBP)			30mg/kg
Diisobuty phthalate (DIBP)			30mg/kg

Test Report

Report No.: DGC260427006NE01

Page 4 of 7

1. Description of the test subject:

Sample No.	Location	Sample Description
1	PCB board	Black transistor
2	PCB board	Brown patch capacitor
3	PCB board	Black IC
4	PCB board	White SMD LED
5	PCB board	Light brown patch capacitor
6	PCB board	Black IC
7	PCB board	Black patch resistor
8	PCB board	Green PCB board
9	PCB board	Green PCB board soldering

2. Test results (Unit: mg/kg):

No.	Test Method	Heavy Metals and Flame Retardants					Phthalates				Conclusion
		Cd	Pb	Hg	Cr (V I)	Br (PBBs, PBDEs)	DEHP	BBP	DBP	DIBP	
1	Screening	BL	BL	BL	BL	BL	N.A.	N.A.	N.A.	N.A.	Pass
2	Screening	BL	BL	BL	BL	BL	N.A.	N.A.	N.A.	N.A.	Pass
3	Screening	BL	BL	BL	BL	BL	N.A.	N.A.	N.A.	N.A.	Pass
4	Screening	BL	BL	BL	BL	BL	BL	BL	BL	BL	Pass
5	Screening	BL	BL	BL	BL	BL	N.A.	N.A.	N.A.	N.A.	Pass
6	Screening	BL	BL	BL	BL	BL	N.A.	N.A.	N.A.	N.A.	Pass
7	Screening	BL	BL	BL	BL	BL	N.A.	N.A.	N.A.	N.A.	Pass
8	Screening	BL	BL	BL	BL	IN	BL	BL	BL	BL	Pass
	Wet Chem.	---	---	---	---	N.D.	---	---	---	---	
9	Screening	BL	BL	BL	BL	N.A.	N.A.	N.A.	N.A.	N.A.	Pass

Test Report

Report No.: DGC260427006NE01

Page 5 of 7

Note:

- (1) (a) It is the result on total Br while test PBBs, PBDEs by XRF, It is the result on total Cr while test Cr (VI) by XRF.
 (b) Results are obtained by XRF for primary screening and further chemical testing by ICP-OES (for Pb, Cd and Hg), UV-Vis (for Cr (VI)) and GC-MS (for PBBs, PBDEs) is recommended to be performed, if the concentration exceeds the below warning value according to IEC 62321-3-1:2013 (unit: mg/kg).

Element	Polymer	Metal	Composite Materials
Cadmium (Cd)	$BL \leq 70 < X < 130 \leq OL$	$BL \leq 70 < X < 130 \leq OL$	$LOD < X < 150 \leq OL$
Lead (Pb)	$BL \leq 700 < X < 1300 \leq OL$	$BL \leq 700 < X < 1300 \leq OL$	$BL \leq 500 < X < 1500 \leq OL$
Mercury (Hg)	$BL \leq 700 < X < 1300 \leq OL$	$BL \leq 700 < X < 1300 \leq OL$	$BL \leq 500 < X < 1500 \leq OL$
Chromium (Cr)	$BL \leq 700 < X$	$BL \leq 700 < X$	$BL \leq 500 < X$
Bromine (Br)	$BL \leq 300 < X$	--	$BL \leq 250 < X$

- (c) The XRF screening test for RoHS elements –The reading may be different to the actual content in the sample be of non-uniformity composition.

- (d) The Screening results of Phthalates are for primary screening, and further chemical testing by GC-MS are recommended to be performed if the concentration exceeds the warning value. Where n= number of mixed tests.

Compound	Polymer
DBP	$BL \leq 1000/n < X$
BBP	$BL \leq 1000/n < X$
DEHP	$BL \leq 1000/n < X$
DIBP	$BL \leq 1000/n < X$

- (e) OL=Over Limit, BL=Below Limit, IN=Inconclusive, LOD= Limit of Detection;

Test Report

Report No.: DGC260427006NE01

Page 6 of 7

(2) mg/kg=ppm=0.0001%, N.D.=Not detected(<MDL), MDL=Method Detection Limit,

“---”=Not conducted, “--”=Not regulated, “N.A.”=Not applicable.

(3)“▼” =Metal sample

a. The sample is positive for Cr (VI) if the Cr (VI) concentration is greater than 0.13 µg/cm².

The sample coating is considered to contain Cr (VI) ;

b. The sample is negative for Cr (VI) if Cr (VI) concentration is less than 0.10 µg/cm².

The coating is considered a non-Cr (VI) based coating ;

c. The result between 0.10 µg/cm² and 0.13 µg/cm² is considered to be inconclusive

- unavoidable coating variations may influence the determination ;

Information on storage conditions and production date of the tested sample is unavailable and thus Cr (VI) results represent status of the sample at the time of testing.

(4) RoHS Requirement

Restricted substances	Limits
Lead (Pb)	0.1% (1000 ppm)
Cadmium (Cd)	0.01% (100 ppm)
Chromium(VI) (Cr (VI))	0.1% (1000 ppm)
Mercury (Hg)	0.1% (1000 ppm)
Polybrominated biphenyls (PBBs)	0.1% (1000 ppm)
Polybrominated diphenyl ethers (PBDEs)	0.1% (1000 ppm)
Di (2-ethyl hexyl)-phthalate (DEHP)	0.1% (1000 ppm)
Butylbenzyl phthalate (BBP)	0.1% (1000 ppm)
Dibutyl phthalate (DBP)	0.1% (1000 ppm)
Diisobutyl phthalate (DIBP)	0.1% (1000 ppm)

The above limits are reference with RoHS Directive 2011/65/EU and amendment 2015/863/EU.

(5) Unless otherwise specified, refer to ILAC-G8:09/2019 and use the binary decision rule of simple acceptance (W=0) for conformity assessment.

Test Report

Report No.: DGC260427006NE01

Page 7 of 7

声明: Statement:

1.检测报告无批准人签字、“检测专用章”或“报告章”无效;

1.This report is considered invalid without approved signature, Detection special seal or Report seal;

2.样品及样品信息由申请者提供, 申请者应对其真实性负责, NTEK 未核实其真实性;

2. The sample(s) and sample information was/were provided by the client who should be responsible for the authenticity which NTEK hasn't verified;

3. 本报告检测结果仅对受测样品负责;

3. The result(s) shown in this report refer(s) only to the sample(s) tested;

4. 未经 NTEK 书面同意, 不得部分复制本报告;

4. Without written approval of NTEK, this report can't be reproduced except in full;

5. 如检测报告中的英文内容与中文内容有差异, 以中文为准。

5. In case of any discrepancy between the English version and Chinese version of the testing reports(if generated), the Chinese version shall prevail.

备注:报告未加盖 CMA 资质章时, 本报告中的数据结果仅供科研、教学、企业内部质量控制、企业产品研发等目的用。

Remark: When the report without CMA qualification seal, the testing data and result(s) in this report is(are) just for scientific research, education, internal quality control and product development etc.

*** End of Report***