

MUI Scripts

Release

A typical release goes like this:

Prepare

The following steps must be proposed as a pull request.

1. Generate the changelog with `yarn release:changelog` The output must be prepended to the top level `CHANGELOG.md` `yarn release:changelog --help` for more information.
2. Clean the generated changelog, to match the format of <https://github.com/mui/material-ui/releases>.
3. Update the root `/package.json`'s version
4. `yarn release:version` (🔔 manually remove `^` from packages with prerelease version, eg. `-alpha`)
5. Open PR with changes and wait for review and green CI
6. Merge PR once CI is green and it has been approved

Release

1. checkout merge commit of the merged PR
2. `yarn`
3. `yarn release:build`
4. `yarn release:publish` You need your 2FA device.
5. `yarn release:tag`

Documentation

Push the next branch on the release branch to deploy the documentation with the latest changes. It lives at <https://material-ui.netlify.app/>. Force push if necessary.

Note: if you don't have the `material-ui-docs` remote already, you should add it with

```
git remote add material-ui-docs https://github.com/mui/material-ui-docs.git
```

```
yarn docs:deploy
```

Announce

Follow the instructions in <https://mui-org.notion.site/Releases-7490ef9581b4447ebdbf86b13164272d>.