Dongguan Zhongchi Electronics Co.Ltd.

Approval Sheet

Customer:		
-----------	--	--

ZC.P/N: ZCD0915-13W9208NM

Description: Lora Fiberglass Antenna

Checked By			
Audit	Producer	Date	
KUI LIU	ZLB	2021.04.13	

Customer signature		
Quality	Engineer	Purchasing

Product Number: ZCD0915-13W9208NM Product Name:Lora Fiberglass Antenna

Index:

- 1. Revision History / Page 3
- 2. Specification / Page 4
- 3. Characteristics and Reliability Test / Page 5
- 4. Antenna S Parameter Test Data / Page 6
- 5. Antenna Radiation Pattern Test Data / Page 7 ~ 10
- 6. Mechanical and Packing Drawing / Page 11 ~ 12
- 7. Material Description and RoHS Test Report / Page 13 ~ end

Product Number: ZCD0915-13W9208NM Product Name:Lora Fiberglass Antenna

1. Revision History

Revision	Date	Change Notification	Description
1.0	2021.04.13	First Edition	

Product Number: ZCD0915-13W9208NM Product Name: Lora Fiberglass Antenna

2. Specification

Sample Photo			
A. Electrical Characteristics			
Frequency	900~930 MHz		
V.S.W.R.	<= 2.0 @ 900~930 MHz		
Antenna Gain	7.0 +/- 0.8 dBi @ 900~930 MHz		
Efficiency(%)	>=60 % @ 900~930MHz		
Radiation Pattern	Omni-Directional		
Max Input Power	>= 2 W		
Polarization	Linear polarization/Vertical		
Impedance	50 Ohm		
B. Material & Mechanical Characteristics			
Material of Radiator	CU		
Material of Plastic	FRP (white light)		
Cable Type	RG-141 50 Ω		
Connector Type	N-J Double tooth connector		
C. Environmental			
Operation Temperature	- 40 °C ~ + 65 °C		
Storage Temperature	- 40 °C ~ + 65 °C		
Antenna Color Storage life	< 2 year		

Product Number: ZCD0915-13W9208NM Product Name:Lora Fiberglass Antenna

3. Characteristics and Reliability Test

T	est Items	Test Condition and Procedure	Requirements
C1	S.W.R.	Set DUT on Network Analyzer; make individual	Directive DUT specification
		calibration to test	
C2	Antenna	Set DUT on Antenna Chamber; make individual	Directive DUT specification
1	Gain	calibration to test	
M1	Vibration	GB / T2423 . 48-1997	1. No Visual Damage
1		Amplitude: 0.03 inch (1.5mm); Freq: 20 to 80 to 20 Hz	2. Frequency Tol.<= 5%
		3 directions; 2 hours for each direction	
M2	Random	GB / T2423.8-1995	1. No parts separated
	Drop	Height: 1.0 Meter;	2. Frequency Tol.<= 5%
		3 directions; 1 time for each direction	
М3	Solderability	GB 2423 . 28- 82	1. Mounted on PCB
		Solder iron: 260±5°C; Duration: 5 seconds	2. No Visual Damage
М4	Terminal-	Holding with individual specification; force applied	1. Directive DUT specification
1	Pull Test	to axis of terminal	2. Frequency Tol.<= 5%
M5	Terminal-	Holding with individual specification; applied	1. Directive DUT specification
	Torque Test	clockwise and counterclockwise to the axis of	2. Frequency Tol.<= 5%
		terminal	
М6	Dimension	Inspection of dimension, color, material, package,	Directive DUT specification
		surface process	
E1	Salt Spray	GB / T 2423 . 17- 93	After 2 Hours Recovery
		Temp: 35°C; RH: >= 95%; NaCl solution: >= 5%;	1. No Visual Damage
		Time: 24 hours	2. Frequency Tol.<= 5%
E2	Humidity	GB / T 2423 . 4 - 93	After 2 Hours Recovery
1		Temp: 80°C / 12 H; -40°C / 12H RH: >= 90%;	1. No Visual Damage
1		Time: 24 hours	2. Frequency Tol.<= 5%
E3	Thermal	GB / T 2423 . 22 - 87	After 2 Hours Recovery
1	Shock	1 Cycle: - 40°C (30 minutes) to + 80°C (30 minutes)	1. No Visual Damage
1		Cycles: 24	2. Frequency Tol.<= 5%
E4	Life (High	GB /T 2423 . 2 - 89	After 2 Hours Recovery
	Temp.)	Temp: 80°C; Time: 24 hours	1. No Visual Damage
			2. Frequency Tol.<= 5%
R1	RoHS	With Reference to IEC 62321:2008 with flow chart	Directive RoHS 2011/65/EU
R2	PFOS	With Reference to USA EPA 3540C:1996 by LC/MS	Directive RoHS 2006/122/EC
R3	PFOA	With Reference to USA EPA 3540C:1996 by LC/MS	Directive RoHS 2006/122/EC


Product Number: ZCD0915-13W9208NM Product Name:Lora Fiberglass Antenna 4. Antenna - S Parameter Test Data

| Second State | State

频率	增益(dBi)	效率
902MHz	5. 28	74. 28%
903MHz	5.34	74.71%
904MHz	5.46	74.70%
905MHz	5. 57	74. 44%
906MHz	5.70	73.97%
907MHz	5. 79	73.53%
908MHz	5. 87	73.08%
909MHz	5.96	73.10%
910MHz	6.07	73.48%
911MHz	6.17	73.77%
912MHz	6.27	74.19%
913MHz	6.38	74.75%
914MHz	6.51	75.72%
915MHz	6.63	76.61%
916MHz	6.75	77.04%
917MHz	6.82	77.18%
918MHz	6.87	77.08%
919MHz	6.93	77.09%
920MHz	6.95	76.55%
921MHz	6.94	75.86%
922MHz	6.94	75.17%
923MHz	6.94	74.89%
924MHz	6.98	75.09%
925MHz	6.95	75.58%
926MHz	7.09	76.13%
927MHz	7.15	77.08%
928MHz	7.22	78.26%
929MHz	7.28	79.11%
930MHz	7. 29	79.37%


Product Number: ZCD0915-13W9208NM Product Name:Lora Fiberglass Antenna
5. Antenna - Radiation Pattern Test Data


PIN=0



7. Material Description


See attached files






PIN=0

PIN=90



THETA=90

6. Mechanical Drawing See attached files



產品包裝規範

PACKING CRITERION

★★★☆

Page: 1 of 1 Date: 2021..04.20

ZCD0915-13W9208NM Revision : A Part Number : Name: Lora Fiberglass Antenna Customer: ALL 1 . Assembly fitting Foam S1eeve 930 U-shaped holder, Imr200 wire transfer, the bubble bag wrapped 2 . Antenna feeding tube and then loaded into the carton 950 Paper Tube 3.Encasement 700 Paper Tube (This is the side wheat, CARTON Length of1500mm) 30PCS/CARTON 4. Seal the box Glue Paper Seal for outer box UNITS: mm

CHECKED BY: DESIDNED BY: HC APPROVED BY: