

Version History

[illegible]

Approval

[illegible]

T_EMPLOYEE

Source File Layout									Blue Compass Application DB (Destination)						
Source Table	Source Column	Data Type	Length	Description	Value Map Ref	Source File Notes	Required (R/O/C)	Default Value	Target Table	Target Column	Data Type	DB Field Length	UI Field Length	Related BRs	Mapping Notes
T_EMPLOYEE	ID	NUMBER	19,0	Unique Identifier for records in this table.	n/a		R	n/a	OrganizationModule.StaffMember	ProvenanceSourceIdentifier	nvarchar	500	n/a	BR-C05-001	
T_EMPLOYEE	ID_HIERARCHY	NUMBER	19,0		n/a		O	n/a	n/a	n/a	n/a	n/a	n/a		This data element will not be converted.
T_EMPLOYEE	ID_WORKFLOW	NUMBER	19,0	Workflow Business Process State	n/a		O	n/a	n/a	n/a	n/a	n/a	n/a		This data element will not be converted.
T_EMPLOYEE	ID_ARCHIVE	NUMBER	19,0		n/a		O	n/a	n/a	n/a	n/a	n/a	n/a		This data element will not be converted.
T_EMPLOYEE	STATE_LABEL	VARCHAR2	255		n/a		O	n/a	n/a	n/a	n/a	n/a	n/a		This data element will not be converted.
T_EMPLOYEE	C_ACCESSIBILITY	NUMBER	1,0	Accessibility	n/a		O	n/a	n/a	n/a	n/a	n/a	n/a		This data element will not be converted.
T_EMPLOYEE	C_CREATED_BY	VARCHAR2	255	Created By	n/a		O	n/a	n/a	n/a	n/a	n/a	n/a		This data element will not be converted.
T_EMPLOYEE	C_CREATED_DATE	TIMESTAMP	6	Created Date	n/a	1/30/25 The T_EMPLOYEE table includes a column C_EMPLOYMENT_END_DATE but	O	n/a	OrganizationModule.StaffMember	EmploymentProfileDateRangeStartDate	date	n/a	n/a		
T_EMPLOYEE	C_ETK_USER_ID	NUMBER	10,0	ETK User Id	n/a		O	n/a	n/a	n/a	n/a	n/a	n/a		This data element will not be converted.
T_EMPLOYEE	C_EMAIL_ADDRESS	VARCHAR2	255	Email Address	n/a		O	n/a	OrganizationModule.StaffMemberEmailAddresses	EmailAddress	nvarchar	255	255		
T_EMPLOYEE	C_FIRST_NAME	VARCHAR2	255	First Name	n/a		R	n/a	OrganizationModule.StaffMember	NameFirstName	nvarchar	100	100	BR-C05-008	
T_EMPLOYEE	C_HIERARCHY	NUMBER	10,0	Hierarchy	n/a		O	n/a	n/a	n/a	n/a	n/a	n/a		This data element will not be converted.
T_EMPLOYEE	C_ICM_ID	VARCHAR2	255	ICM ID	n/a	1/30/25 The C_ICM_ID column in the T_AGENCY table is from the system prior to WISITS. Not in scope to be migrated.	O	n/a	n/a	n/a	n/a	n/a	n/a		This data element will not be converted.
T_EMPLOYEE	C_JOB_TITLE	VARCHAR2	255	Job Title	n/a		O	n/a	OrganizationModule.StaffMember	EmploymentProfileJobTitle	nvarchar	250	n/a	BR-C05-009	The source data is free form text so store the inbound value as if a user selected "Other" and keyed in a custom value.
T_EMPLOYEE	C_LAST_NAME	VARCHAR2	255	Last Name	n/a		R	n/a	OrganizationModule.StaffMember	NameLastName	nvarchar	100	100	BR-C05-010	
T_EMPLOYEE	C_MIDDLE_NAME	VARCHAR2	255	Middle Name	n/a		O	n/a	OrganizationModule.StaffMember	NameMiddleName	nvarchar	100	100	BR-C05-011	
T_EMPLOYEE	C_MOBILE_PHONE	VARCHAR2	255	Mobile Phone	n/a	Staff member phone with phone type = Mobile	O	n/a	OrganizationModule.StaffMemberPhones	PhoneNumber	nvarchar	250	11	BR-C05-012	Set TypeDisplayName = "Mobile"
T_EMPLOYEE	C_REFERENCE	VARCHAR2	255	Reference	n/a		O	n/a	n/a	n/a	n/a	n/a	n/a		This data element will not be converted.
T_EMPLOYEE	C_SUFFIX	VARCHAR2	255	Suffix	n/a		O	n/a	OrganizationModule.StaffMember	NameSuffixName	nvarchar	100	100	BR-C05-013	
T_EMPLOYEE	C_UPDATED_BY	VARCHAR2	255	Updated By	n/a		O	n/a	n/a	n/a	n/a	n/a	n/a		This data element will not be converted.
T_EMPLOYEE	C_UPDATED_DATE	TIMESTAMP	6	Updated Date	n/a		O	n/a	n/a	n/a	n/a	n/a	n/a		This data element will not be converted.
T_EMPLOYEE	C_USERNAME	VARCHAR2	255	Username	n/a		O	n/a	n/a	n/a	n/a	n/a	n/a		This data element will not be converted.
T_EMPLOYEE	C_WORK_PHONE	VARCHAR2	255	Work Phone	n/a	Staff member phone with phone type = Work	O	n/a	OrganizationModule.StaffMemberPhones	PhoneNumber	nvarchar	250	11	BR-C05-014	Set TypeDisplayName = "Work"
T_EMPLOYEE	C_EMPLOYMENT_END_DATE	DATE	n/a	Associated user will be deactivated on this date.	n/a	1/30/25 The T_EMPLOYEE table includes a column	O	n/a	OrganizationModule.StaffMember	EmploymentProfileDateRangeEndDate	date	n/a	n/a		
T_EMPLOYEE	C_DEFAULT_ROLE	NUMBER	10,0	Default Role	n/a	2/5/25 DHS provided the value list "System Roles 2-5-2025.xlsx"	O	n/a	n/a	n/a	n/a	n/a	n/a		This data element will not be converted. All C_ROLE values are
Additional Table Updates Needed															
OrganizationModule.StaffMember															

Source File Layout									Blue Compass Application DB (Destination)						
Source Table	Source Column	Data Type	Length	Description	Value Map Ref	Source File Notes	Required (R/O/C)	Default Value	Target Table	Target Column	Data Type	DB Field Length	UI Field Length	Related BRs	Mapping Notes
n/a	n/a	n/a	n/a	n/a	n/a	n/a	R	n/a	OrganizationModule.StaffMember	StaffMemberKey	uniqueidentifier	n/a	n/a		There will be 1 Staff Member record for each Agency that a staff member is associated with. See the M_EMPLOYEE_AGENCY tab for Organization Level Staff Member Mapping Information
OrganizationModule.StaffMemberEmailAddresses															
n/a	n/a	n/a	n/a	n/a	n/a	n/a	R	n/a	OrganizationModule.StaffMemberEmailAddresses	StaffMemberKey	nvarchar	255	n/a		Use the system generated value.
n/a	n/a	n/a	n/a	n/a	n/a	n/a	R	n/a	OrganizationModule.StaffMemberEmailAddresses	IsPrimary	nvarchar	MAX	n/a		There is only one inbound email address so set isPrimary = true.
OrganizationModule.StaffMemberPhones															
n/a	n/a	n/a	n/a	n/a	n/a	n/a	R	n/a	OrganizationModule.StaffMemberPhones	StaffMemberKey	uniqueidentifier	n/a	n/a		Use the system generated value.
n/a	n/a	n/a	n/a	n/a	n/a	n/a	R	1	OrganizationModule.StaffMemberPhones	TypeCodeSystemIdentifier	bigint	n/a	n/a		Set to "1"
n/a	n/a	n/a	n/a	n/a	n/a	n/a	R	n/a	OrganizationModule.StaffMemberPhones	TypeDisplayName	nvarchar	4000	n/a		Set the value based on which phone number is being loaded C_MOBILE_PHONE = "Mobile" C_WORK_PHONE = "Work".
n/a	n/a	n/a	n/a	n/a	n/a	n/a	R	n/a	OrganizationModule.StaffMemberPhones	TypeIdentifier	bigint	n/a	n/a		Set to the value that corresponds to the TypeDisplayName being loaded.
n/a	n/a	n/a	n/a	n/a	n/a	n/a	R	n/a	OrganizationModule.StaffMemberPhones	IsPrimary	bit	n/a	n/a		If there is both a work phone and a mobile phone, set work phone to primary.

Source File Layout							Blue Compass Application DB (Destination)									
Source Table	Source Column	Data Type	Length	Description	Value Map Ref	Source File Notes	Required (R/O/C)	Default Value	Target Table	Target Column	Data Type	DB Field Length	UI Field Length	Related BRs	Mapping Notes	
M_EMPLOYEE_AGENCY	ID	NUMBER	19,0	Unique Identifier in this table			R	n/a	n/a	n/a	n/a	n/a	n/a		This data element will not be converted.	
M_EMPLOYEE_AGENCY	ID_OWNER	NUMBER	19,0	The Employee ID			R	n/a	n/a	n/a	n/a	n/a	n/a		This data element will not be converted.	
M_EMPLOYEE_AGENCY	LIST_ORDER	NUMBER	10,0	What order to display. WISITS list function.			O	n/a	n/a	n/a	n/a	n/a	n/a		This data element will not be converted.	
M_EMPLOYEE_AGENCY	C_AGENCY	NUMBER	10,0	The Agency ID		1/30/25 The C_AGENCY column indicates which agency an employee works for. There can be multiple values. Additional agencies would be listed in the M_EMPLOYEE_AGENCY table. (Colum L "*Element Table*" in the Data dictionary). Employee Groups, employee manager, employee roles. can link employee to multiple roles or agencies.	R	n/a	OrganizationModule.StaffMember	OrganizationKey	uniqueidentifier	n/a	n/a	BR-C05-001 BR-C05-002	The M_EMPLOYEE_AGENCY.ID_OWNER points to the T_EMPLOYEE.ID for a staff member (stored as the [ProvenanceSourceIdentifier] in the employee's StaffMember table entry). The M_EMPLOYEE_AGENCY.C_AGENCY points to the Organization table entry for the Agency (Each Agency's "T_AGENCY.ID" value is stored as the [ProvenanceSourceIdentifier] in the Agency's Organization table entry. Each Agency Org has 1 Location.	
								n/a	OrganizationModule.StaffMemberLocationAssignment	LocationKey	uniqueidentifier	n/a	n/a	BR-C05-003	SELECT emp.ID AS EMPLOYEE_ID, emp.C_FIRST_NAME AS EMPLOYEE_FIRST_NAME, emp.C_LAST_NAME AS EMPLOYEE_LAST_NAME, agn.ID AS AGENCY_ID, agn.C_NAME AS AGENCY_NAME FROM WISITS_ETKDB_PROD.T_EMPLOYEE emp JOIN WISITS_ETKDB_PROD.M_EMPLOYEE_AGENCY em_agn ON emp.ID = em_agn.ID_OWNER JOIN WISITS_ETKDB_PROD.T_AGENCY agn ON em_agn.C_AGENCY = agn.ID WHERE emp.ID = '64798'; -- Example with multiple agencies	
Additional Table Updates Needed																
OrganizationModule.StaffMember																
n/a	n/a	n/a	n/a	n/a	n/a	n/a	R	n/a	OrganizationModule.StaffMember	StaffMemberKey	uniqueidentifier	n/a	n/a	BR-C05-002	Use the system generated value. There will be 1 Staff Member record for each Agency that a staff member is associated with. See the T_EMPLOYEE tab for additional Staff Member level Mapping Information	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	R	1	OrganizationModule.StaffMember	Version	int	n/a	n/a	BR-C05-002	Set to "1".	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	R	Migrated Data	OrganizationModule.StaffMember	ProvenanceTypeDisplay Name	nvarchar	4000	n/a	BR-C05-002	Set to "Migrated Data"	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	R	12800007	OrganizationModule.StaffMember	ProvenanceTypeIdentifier	bigint	n/a	n/a	BR-C05-002	Set to "12800007"	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	R	1	OrganizationModule.StaffMember	ProvenanceTypeCodeSystemIdentifier	bigint	n/a	n/a	BR-C05-002	Set to "1"	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	R	n/a	OrganizationModule.StaffMember	EntityCreatedAccountIdentifier	nvarchar	254	n/a	BR-C05-002	Default account for "Migration".	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	R	n/a	OrganizationModule.StaffMember	EntityCreatedTimestamp	datetime2	7	n/a	BR-C05-002	Migration Date	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	R	n/a	OrganizationModule.StaffMember	EntityUpdatedAccountIdentifier	nvarchar	254	n/a	BR-C05-002	Default account for "Migration".	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	R	n/a	OrganizationModule.StaffMember	EntityUpdatedTimestamp	datetime2	7	n/a	BR-C05-002	Migration Date	
OrganizationModule.StaffMemberLocationAssignment																
n/a	n/a	n/a	n/a	n/a	n/a	n/a	R	n/a	OrganizationModule.StaffMemberLocationAssignment	StaffMemberLocationAssignmentKey	uniqueidentifier	n/a	n/a	BR-C05-003	Use the system generated value.	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	R	1	OrganizationModule.StaffMemberLocationAssignment	Version	int	n/a	n/a	BR-C05-003	Set to "1".	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	R	n/a	OrganizationModule.StaffMemberLocationAssignment	StaffMemberKey	uniqueidentifier	n/a	n/a	BR-C05-003	Use the system generated value.	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	R	n/a	OrganizationModule.StaffMemberLocationAssignment	EntityCreatedAccountIdentifier	nvarchar	254	n/a	BR-C05-003	Default account for "Migration".	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	R	n/a	OrganizationModule.StaffMemberLocationAssignment	EntityCreatedTimestamp	datetime2	7	n/a	BR-C05-003	Migration Date	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	R	n/a	OrganizationModule.StaffMemberLocationAssignment	EntityUpdatedAccountIdentifier	nvarchar	254	n/a	BR-C05-003	Default account for "Migration".	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	R	n/a	OrganizationModule.StaffMemberLocationAssignment	EntityUpdatedTimestamp	datetime2	7	n/a	BR-C05-003	Migration Date	

Source File Layout									Blue Compass Application DB (Destination)							
Source Table	Source Column	Data Type	Length	Description	Value Map Ref	Source File Notes	Required (R/O/C)	Default Value	Target Table	Target Column	Data Type	DB Field Length	UI Field Length	Related BRs	Mapping Notes	
M_EMPLOYEE_MANAGER	ID	NUMBER	19,0	Unique Identifier in this table	n/a		R	n/a	n/a	n/a	n/a	n/a	n/a		This data element will not be converted.	
M_EMPLOYEE_MANAGER	ID_OWNER	NUMBER	19,0	The Employee's T_EMPLOYEE.ID	n/a		R	n/a	n/a	n/a	n/a	n/a	n/a		This data element will not be converted.	
M_EMPLOYEE_MANAGER	LIST_ORDER	NUMBER	10,0	What order to display. WISITS list function.	n/a		O	n/a	n/a	n/a	n/a	n/a	n/a		This data element will not be converted.	
M_EMPLOYEE_MANAGER	C_MANAGER	NUMBER	10,0	The Manager's T_EMPLOYEE.ID	n/a	1/30/25 The value stored in the C_MANAGER column contains the “ID” value of another T_EMPLOYEE record (belonging to the employee’s manager). Additional IDs could be listed in the M_EMPLOYEE_MANAGER table. (Colum L “*Element Table*” in the Data dictionary). Employee Groups, employee manager, employee roles. can link employee to multiple instances.	R	n/a	OrganizationModule.StaffMemberRelationships	RelatedStaffMemberKey	uniqueidentifier	n/a	n/a	BR-C05-006, BR-C05-007	The M_EMPLOYEE_MANAGER.ID_OWNER points to the T_EMPLOYEE.ID for an employee (staff member). Use the ID_OWNER value to lookup the StaffMember table entry for the employee (stored as the [ProvenanceSourceIdentifier] in the employee's StaffMember table entry). The M_EMPLOYEE_MANAGER.C_MANAGER points to the T_EMPLOYEE.ID for the employee’s manager (who is also a staff member). Use the C_MANAGER value to lookup the StaffMember table entry for the manager (stored as the [ProvenanceSourceIdentifier] in the manager's StaffMember table entry). An employee can have multiple managers. <u>Example SQL:</u> <pre>SELECT emp.ID AS EMPLOYEE_ID, emp.C_FIRST_NAME AS EMPLOYEE_FIRST_NAME, emp.C_LAST_NAME AS EMPLOYEE_LAST_NAME, mgr.ID AS MANAGER_ID, mgr.C_FIRST_NAME AS MANAGER_FIRST_NAME, mgr.C_LAST_NAME AS MANAGER_LAST_NAME FROM WISITS_ETKDB_PROD.T_EMPLOYEE emp JOIN WISITS_ETKDB_PROD.M_EMPLOYEE_MANAGER em_mgr ON emp.ID = em_mgr.ID_OWNER JOIN WISITS_ETKDB_PROD.T_EMPLOYEE mgr ON em_mgr.C_MANAGER = mgr.ID WHERE emp.ID = <value></pre>	
Additional Table Updates Needed																
OrganizationModule.StaffMemberRelationships																
n/a	n/a	n/a	n/a	n/a	n/a	n/a	R	n/a	OrganizationModule.StaffMemberRelationships	StaffMemberKey	uniqueidentifier	n/a	n/a	BR-C05-007	Use the system generated value.	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	R	n/a	OrganizationModule.StaffMemberRelationships	RelatedStaffMemberDisplayName	nvarchar	250	n/a	BR-C05-007	Concatenate the C_FIRST_NAME and C_LAST_NAME (with a space between) from the manager's T_EMPLOYEE record.	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	R	1	OrganizationModule.StaffMemberRelationships	TypeCodeSystemIdentifier	bigint	n/a	n/a	BR-C05-007	Set to "1"	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	R	Supervisor	OrganizationModule.StaffMemberRelationships	TypeDisplayName	nvarchar	4000	n/a	BR-C05-007	Set TypeDisplayName = "Supervisor"	
n/a	n/a	n/a	n/a	n/a	n/a	n/a	R	1900049	OrganizationModule.StaffMemberRelationships	TypeIdentifier	bigint	n/a	n/a	BR-C05-007	Set to the value that corresponds to the TypeDisplayName being loaded.	

Source File Layout									Blue Compass Application DB (Destination)							
Source Table	Source Column	Data Type	Length	Description	Value Map Ref	Source File Notes	Required (R/O/C)	Default Value	Target Table	Target Column	Data Type	DB Field Length	UI Field Length	Related BRs	Mapping Notes	
M_EMPLOYEE_ROLES	ID	NUMBER	19,0	Unique Identifier in this table	n/a		R	n/a	n/a	n/a	n/a	n/a	n/a		This data element will not be converted.	
M_EMPLOYEE_ROLES	ID_OWNER	NUMBER	19,0	The Employee ID	n/a		R	n/a	n/a	n/a	n/a	n/a	n/a		This data element will not be converted.	
M_EMPLOYEE_ROLES	LIST_ORDER	NUMBER	10,0	What order to display. WISITS list function.	n/a		O	n/a	n/a	n/a	n/a	n/a	n/a		This data element will not be converted.	
M_EMPLOYEE_ROLES	C_ROLE	NUMBER	10,0	The Employee's ETK Role ID	ETK_ROLE	2/5/25 DHS provided the value list "System Roles 2-5-2025.xlsx". 1/30/25 The valid values for the C_ROLE column are defined in a core "ETK role" table. The actual values are the same concept as the values provided in "System Role Descriptions 1-29-2025.docx".	R	n/a	OrganizationModule. StaffMemberLocationAssignment GrantedRoles	GrantedSystemRole Key	uniqueiden tifier	n/a	n/a	BR-C05-004, BR-C05-005	The M_EMPLOYEE_ROLES.ID_OWNER points to the T_EMPLOYEE.ID for an employee (staff member). Use the ID_OWNER value to lookup the StaffMember table entry for the employee (stored as the [ProvenanceSourceIdentifier] in the employee's StaffMember table entry). Example SQL: SELECT emp.ID AS EMPLOYEE_ID, emp.C_FIRST_NAME AS EMPLOYEE_FIRST_NAME, emp.C_LAST_NAME AS EMPLOYEE_LAST_NAME, rol.ROLE_ID AS ROLE_ID, rol.NAME AS ROLE_NAME FROM WISITS_ETKDB_PROD.T_EMPLOYEE emp JOIN WISITS_ETKDB_PROD.M_EMPLOYEE_ROLES em_rol ON emp.ID = em_rol.ID_OWNER JOIN WISITS_ETKDB_PROD.ETK_ROLE rol ON em_rol.C_ROLE = rol.ROLE_ID WHERE emp.ID = '64343'; -- Example with multiple roles	
Additional Table Updates Needed																
OrganizationModule.StaffMemberLocationAssignmentGrantedRoles																
n/a	n/a	n/a	n/a	n/a	n/a	n/a	R	n/a	OrganizationModule. StaffMemberLocationAssignment GrantedRoles	StaffMemberLocatio nAssignmentKey	uniqueiden tifier	n/a	n/a	BR-C05-004, BR-C05-005	Set to the value generated when creating the Staff Member Location Assignment (See M_EMPLOYEE_AGENCY tab of this spreadsheet)	

ETK_ROLE

ROLE_ID	NAME	DESCRIPTION	BUSINESS_KEY	Blue Compass Role name
1	Administrator	Role with administration permissions.	role.administration	Administrator
162	Agency Admin	Agency Admin	role.agencyAdmin	N/A - This role will not be converted
18414	Agency Call Center	Agency Call Center	role.agencyCallCenter	N/A - This role will not be converted
18843	Analyst	DHS Only – Analyst Role	role.analyst	Analyst
19087	Automation Superuser	Role with full permissions needed for testing. Changing these permissions will likely cause automation scripts to fail.	role.automationSuperuser	N/A - This role will not be converted
19169	Call Center	Call Center	role.callCenter	Call Center
19614	Consultant	Consultant Role	role.consultant	Load to "ICA Consultant Level I" or "Level II"?
20157	Consultant Supervisor	Consultant Supervisor	role.consultantSupervisor	ICA Consultant Supervisor
20904	DHS Administrator	DHS Administrator Role	role.dhsAdministrator	DHS Oversight
26220	DO NOT USE - Deprecated - Security Officer	Nobody should have access to this role, because it was not implemented.	role.securityOfficer	N/A
152	FEA Operations	FEA Operations Role	role.feaOperations	FEA Operations
77335457	FEA Supervisor	Role roughly equivalent to Consultant Supervisor for ICAs, but this is for FEAs.	role.feaSupervisor	FEA Supervisor
158	Financial Eligibility	Financial Eligibility	role.financialEligibility	N/A - This role will not be converted
22485	Functional Screener	Functional Screener	role.functionalScreener	ICA Functional Screener
156	ICA Quality Management	Role for ICAs to be able to check and improve the integrity of their participant records.	role.qualityManagement	ICA Quality Management
22954	Intake Referral Specialist	Intake Referral Specialist	role.intakeReferralSpecialist	ICA Intake Referral Specialist
28497756	ProviderPortal	Role for Providers who have been granted access to the system through the Provider portal.	role.providerPortal	N/A - This role will not be converted
150	Read Only	Read Only	role.readOnly	Split into one of four "Read Only" roles based on the Type of Organization defined in the [OrganizationModule].[OrganizationOrganizationTypes]. [DisplayName] that the StaffMember record is associated with. When DisplayName is = "FEA" set to "FEA Read Only" "DHS" set to "DHS Read Only" "ICA" set to " ICA Read Only" "SDPC" set to "SDPC Read Only"
160	SDPC Nurse	SDPC Nurse	role.sdpcNurse	SDPC Nurse
154	SDPC Nurse Manager	SDPC Nurse Manager Role	role.sdpcNurseManager	SDPC Nurse Manager
25719	SDPC Operations	SDPC Operations Role	role.sdpcOperations	SDPC Operations
53446756	SDPC Quality Management	SDPC Quality staff responsible for SDPC related reports and quality such as Case Note Deletion	role.spdcQualityManagement	SDPC Quality Management
96550855	State Data Reporting IT Analyst	Role exclusively for those end-users who are proficient enough with WISITS's data set and SQL to know how to successfully build SQL queries / reports without direct supervision.	role.StateDataReportingITAnalyst	State Data Reporting IT Analyst
26343	System Administrator	System Administrator	role.systemAdministrator	N/A background system role
12900985	TMG Data Team	TMG Role exclusively for TMG to view created reports	role.DataTeam	N/A - This role will not be converted
26621	Transfer Officer	Transfer Officer	role.transferOfficer	N/A - This role will not be converted

Context

Item Description	Details
Purpose of this migration	To convert and load staff member related information from the source system files into Blue Compass.
External system that Blue Compass will receive data from	WISITS
Migration Direction (Inbound/Outbound/Both)	Inbound
Transfer Medium (Webservice, SFTP, etc.)	SFTP
Where is the file sent to or picked up from (End-point or Landing Zone location URL)?	TBD
File Type (xml, .csv, delimited flat file etc.)	.dmp
For inbound, what field(s) are used to match to data in Blue Compass	T_EMPLOYEE.ID
If there are multiple files in the migration: What field(s) are used to link them together?	T_EMPLOYEE.ID
How are errors handled?	Error Report
What is the file naming convention? (Ideally all files will have CCYYMMDD_HHmm as part of the file name)	n/a

Business Rules

BR #	Description
BR-C05-001	Employees in the T_EMPLOYEE table can be assigned to multiple agencies. Entries in the M_EMPLOYEE_AGENCY table are used to associate employees with an agencies. The logic for locating the agencies that an employee is associated with is located in the M_EMPLOYEE_AGENCY tab of this mapping document.
BR-C05-002	Staff member records in Blue Compass are maintained at the "Organization" level. A staff member record needs to be created for each Agency (Organization) that the employee is associated with (in the M_EMPLOYEE_AGENCY table).
BR-C05-003	When creating a staff member OrganizationModule.StaffMember entry to store the T_EMPLOYEE data, also create a corresponding StaffMemberLocationAssignment to link the staff member to the location. This is needed in order to load the employee's corresponding roles.
BR-C05-004	Employees in the T_EMPLOYEE table can have multiple roles stored in M_EMPLOYEE_ROLES table. The logic for locating the employee's role values is defined in the M_EMPLOYEE_ROLES tab of this mapping document.
BR-C05-005	For each employee roll identified, lookup the value in the ETK_ROLE tab of this mapping document to locate the corresponding Blue Compass role to load into the StaffMemberLocationAssignmentGrantedRoles for the employee.
BR-C05-006	Employees in the T_EMPLOYEE table can have multiple managers stored in M_EMPLOYEE_MANAGER table. The logic for locating the employee's manager(s) are defined in the M_EMPLOYEE_ROLES tab of this mapping document.
BR-C05-007	For each M_EMPLOYEE_MANAGER table entry identified for the employee, create an entry in the OrganizationModule.StaffMemberRelationships table. This step will need to run after all (employee) staff member records have been created so that the referenced "manager" staffmemberkey is available. Locate the staff member key for the related "manager" staff member within the organization's staff member records.
BR-C05-008	On the T_EMPLOYEE tab Source data element: T_EMPLOYEE.C_FIRST_NAME has (Length: 255) and target data element: NameFirstName has (Length: 100). Any data beyond 100 characters will be truncated. <i>Note: There are no entries that exceed the target length as of May 2025.</i>
BR-C05-009	On the T_EMPLOYEE tab Source data element: T_EMPLOYEE.C_JOB_TITLE has (Length: 255) and target data element: EmploymentProfileJobTitle has (Length: 250). Any data beyond 250 characters will be truncated. <i>Note: There are no entries that exceed the target length as of May 2025.</i>
BR-C05-010	On the T_EMPLOYEE tab Source data element: T_EMPLOYEE.C_LAST_NAME has (Length: 255) and target data element: NameLastName has (Length: 100). Any data beyond 100 characters will be truncated. <i>Note: There are no entries that exceed the target length as of May 2025.</i>
BR-C05-011	On the T_EMPLOYEE tab Source data element: T_EMPLOYEE.C_MIDDLE_NAME has (Length: 255) and target data element: NameMiddleName has (Length: 100). Any data beyond 100 characters will be truncated. <i>Note: There are no entries that exceed the target length as of May 2025.</i>
BR-C05-012	On the T_EMPLOYEE tab Source data element: T_EMPLOYEE.C_MOBILE_PHONE has (Length: 255) and target data element: PhoneNumber has (Length: 250). Any data beyond 250 characters will be truncated. <i>Note: There are no entries that exceed the target length as of May 2025.</i>

Business Rules

BR #	Description
BR-C05-013	On the T_EMPLOYEE tab Source data element: T_EMPLOYEE.C_SUFFIX has (Length: 255) and target data element: NameSuffixName has (Length: 100). Any data beyond 100 characters will be truncated. <i>Note: There are no entries that exceed the target length as of May 2025.</i>
BR-C05-014	On the T_EMPLOYEE tab Source data element: T_EMPLOYEE.C_WORK_PHONE has (Length: 255) and target data element: PhoneNumber has (Length: 250). Any data beyond 250 characters will be truncated. <i>Note: There are no entries that exceed the target length as of May 2025.</i>

Requirements

Requirement Tracking		
Requirement ID	Description	Traceability Notes
R386	Solution must allow for import and integration of data from multiple data sources to support program-specific Care Management System rules.	
R446	Solution must allow for the collection of current, updated, and historical case information including:	
R467	Solution must allow for the collection of current, updated, and historical Participant SDPC case and case transfer information.	
R478a	Allow the import from other data sources to complete current, updated, and historical case information;	

Error Handling

This tab will be populated during development phase			
System Error			
Error Code	Error Message	Corrective Action	
ICD-C05-SE-001			
ICD-C05-SE-002			
ICD-C05-SE-003			
Rule Violation			
Error Code	Error Message	Corrective Action	Related BRs
ICD-C05-RV-001			
ICD-C05-RV-002			
ICD-C05-RV-003			