Highest Joules/cc Conductive Polymer Solid Electrolytic Chip Capacitors



FEATURES

- Highest Energy per volume
- Conductive polymer electrode
- Benign failure mode under recommended use conditions
- Low ESR
- Undertab terminations layout:
- High Volumetric Efficiency
- Low profile case sizes
- High capacitance in smaller dimensions
- Close positioning of several parts for efficient high density PCB layout
- 3x reflow 260°C compatible



COMPLIANT


APPLICATIONS


• Power backup for SSDs (MLC, SLC, EFD, PCle), battery-powered portable equipment, industrial alarms, smart power meters, and mobile devices.

CASE DIMENSIONS: millimeters (inches)

Code	EIA Code	EIA Metric	L±0.20 (0.008)	W+0.20 (0.008) -0.10 (0.004)	H max.	W _P ±0.10 (0.004)	W _N ±0.10 (0.004)	A _P ±0.10 (0.004)	A _N ±0.10 (0.004)	S Min.
L	1210	3528-10	3.50 (0.138)	2.80 (0.110)	1.00 (0.039)	2.50 (0.098)	2.10 (0.083)	1.15 (0.045)	1.35 (0.053)	1.00 (0.039)
Т	1210	3528-12	3.50 (0.138)	2.80 (0.110)	1.20 (0.047)	2.50 (0.098)	2.10 (0.083)	1.15 (0.045)	1.35 (0.053)	1.00 (0.039)
Н	1210	3528-15	3.50 (0.138)	2.80 (0.110)	1.50 (0.059)	2.50 (0.098)	2.10 (0.083)	1.15 (0.045)	1.35 (0.053)	1.00 (0.039)
Х	2917	7343-15	7.30 (0.287)	4.30 (0.169)	1.50 (0.059)	3.25 (0.128)	3.25 (0.128)	2.00 (0.079)	3.20 (0.126)	2.10 (0.083)
3	2924	7361-15	7.30 (0.287)	6.10 (0.240)	1.50 (0.059)	4.75 (0.187)	4.75 (0.187)	2.00 (0.079)	3.20 (0.126)	2.10 (0.083)
4	2924	7361-20	7.30 (0.287)	6.10 (0.240)	2.00 (0.079)	4.75 (0.187)	4.75 (0.187)	2.00 (0.079)	3.20 (0.126)	2.10 (0.083)

MARKING






MAXIMUM ENERGY PER CASE SIZE

Case Size	Approved (mJ)
L	4.7
Т	6.5
Н	2.6
X	18.2
3	19.6
4	38.8

HOW TO ORDER



Highest Joules/cc Conductive Polymer Solid Electrolytic Chip Capacitors

TECHNICAL SPECIFICATIONS

Technical Data:	All technical data relate to an ambient temperature of +25°C									
Capacitance Range:		4.7 μF to 1500 μF								
Capacitance Tolerance:		±20%								
Leakage Current DCL:	0.1CV									
Rated Voltage (V _R)	≤ +85°C:	6.3	16	20	25	35	50			
Surge Voltage (V _S)	≤ +85°C:	8	21	26	33	46	65			
Temperature Range:	erature Range: -55°C to +105°C									
Reliability:	liability: 1% per 1000 hours at 85°C, V _R with 0.1Ω/V series impedance									
60% confidence level										

NOTE: Conductive Polymer Capacitors are designed to operate within the limits of the environmental conditions specified for each series. If operated continuously at their maximum temperature and / or humidity limit, or beyond these limits, capacitors may exhibit a parametric shift in capacitance and increases in ESR. These changes may occur earlier if the specified environmental conditions are exceeded. Similarly, their normal operational time period will be significantly extended if their general duty cycle includes operation below maximum temperature within humidity controlled environments. Careful attention should be paid to maximum temperature with associated high humidity environments as well as voltage derating, ripple current and current surges. Please reference the AVX Conductive Polymer Capacitor Guidelines for more information or contact factory for application assistance.

CAPACITANCE AND RATED VOLTAGE RANGE (LETTER DENOTES CASE SIZE)

Capac	itance	Rated Voltage DC to 85°C, [mJ]												
μF	Code	6.3V (J)		16V (C)		20V (D)		25V (E)		35V (V)				
4.7	475									L(300)/T(200)	[1.8]			
10	106									T(200)	[3.9]			
22	226							T(200)	[4.3]					
33	336			L(200)/T(200	0) [3.3]			T(250)	[6.5]					
47	476			L(250)/T(150,2	200) [4.7]			X(100)	[9.2]	X(100)	[18.2]			
100	107	L(200)	[1.2]					3(70)/4(100)	[19.6]	4(100)	[38.8]			
150	157	L(200)/T(200)	[1.7]	X(100)	[14.9]			4(70)	[29.3]					
220	227	H(170)/T(200)	[2.6]	4(70)	[21.8]	4(100)	[34.7]							
330	337			4(70)	[32.7]									
470	477	X(50)	[5.4]											
1000	108	3(100) X(200)/4(55)	[11.6]											
1500	158	4(55)	[17.4]											

Available Ratings, (ESR ratings in mOhms in brackets) [Energy in mJ]

Engineering samples - please contact manufacturer

*Codes under development - subject to change

Note: Voltage ratings are minimum values. AVX reserves the right to supply higher ratings in the same case size, to the same reliability standards.



Highest Joules/cc Conductive Polymer Solid Electrolytic Chip Capacitors

RATINGS & PART NUMBER REFERENCE

			Rated	Maximum	DCL	DF	ESR				ENERGY		
AVX Part No.	Case Size	Capacitance (µF)	Voltage (V)	Operating Temperature (°C)	Max. (μA)	Max. (%)	Max. @ 100kHz (mΩ)	MSL	Product Category	Energy (mJ)	Energy/volume (mJ/cm³)	Energy/area (mJ/cm²)	
6.3 Volt @ 85°C													
TCNL107M006#0200	L	100	6.3	105	60	10	200	3	3	1.2	118	11.8	
TCNL157M006#0200	L	150	6.3	105	90	10	200	3	3	1.7	177	17.7	
TCNT157M006#0200	Т	150	6.3	105	90	10	200	3	3	1.7	147	17.7	
TCNH227M006#0170	H	220	6.3	105	132	10	170	5	3	2.6	173	26.0	
TCNT227M006#0200	Т	220	6.3	85	132	10	200	3	5	2.6	216	26.0	
TCNX477M006#0050	X	470	6.3	85	282	10	50	3	5	5.4	115	17.3	
TCNX108M006#0200	Х	1000	6.3	85	600	30	200	3	5	11.6	246	36.9	
TCN3108M006#0100	3	1000	6.3	105	600	20	100	4	3	11.6	176	26.4	
TCN4108M006#0055	4	1000	6.3	85	600	20	55	4	5	11.6	132	26.4	
TCN4158M006#0055	4	1500	6.3	85	900	20	55	4	5	17.4	198	39.6	
						@ 85°C							
TCNL336M016#0200	L	33	16	85	52.8	6	200	3	5	3.3	334	33.4	
TCNT336M016#0200	T	33	16	85	52.8	6	200	3	5	3.3	277	33.4	
TCNL476M016#0250	L	47	16	85	75.2	6	250	3	5	4.7	476	47.6	
TCNT476M016#0150	T	47	16	85	75.2	6	150	3	5	4.7	395	47.6	
TCNT476M016#0200	Т	47	16	85	75.2	6	200	3	5	4.7	395	47.6	
TCNX157M016#0100	X	150	16	85	240	6	100	3	5	14.9	316	47.4	
TCN4227M016#0070	4	220	16	105	352	20	70	4	2	21.8	249	49.8	
TCN4337M016#0070	4	330	16	105	528	20	70	4	3	32.7	374	74.7	
						@ 85°C							
TCN4227M020#0100	4	220	20	85	440	10	100	4	5	34.7	389	77.9	
						@ 85°C							
TCNT226M025#0200	T	22	25	105	55	6	200	3	3	4.3	364	43.9	
TCNT336M025#0250	Т	33	25	105	82.5	10	250	5	3	6.5	547	65.8	
TCNX476M025#0100	X	47	25	105	117.5	6	100	3	2	9.2	195	29.3	
TCN3107M025#0070	3	100	25	105	250	6	70	4	2	19.6	298	44.6	
TCN4107M025#0100	4	100	25	105	250	6	100	4	2	19.6	219	43.9	
TCN4157M025#0070	4	150	25	105	375	6	70	4	2	29.3	335	67.0	
TON II 4751 4005 II 5			0.5			@ 85°C					1 100	100	
TCNL475M035#0300	L	4.7	35	105	16.5	6	300	3	2	1.8	186	18.6	
TCNT475M035#0200	T	4.7	35	85	16.5	10	200	3	5	1.8	154	18.6	
TCNT106M035#0200	T	10	35	85	35	10	200	3	5	3.9	328	39.5	
TCNX476M035#0100	X	47	35	105	165	10	100	3	2	18.2	387	58.0	
TCN4107M035#0100	4	100	35	105	350	10	100	4	3	38.8	435	87.1	

Energy is calculated by this formula (consider derating factor):

Energy = $\frac{1}{2}$ C x ((Vr x X)² – Vx²)

where C = Capacitance

Vr = Rated Voltage

X = Recommended derating factor

Vx= 3V (invariable)

Moisture Sensitivity Level (MSL) is defined according to J-STD-020.

All technical data relates to an ambient temperature of +25°C. Capacitance is measured at 120Hz, 0.5RMS with DC bias of 2.2 volts. DCL is measured at rated voltage after 5 minutes.


ESR allowed to move up to 1.25 times catalog limit post mounting.


For typical weight and composition see page 226.


NOTE: AVX reserves the right to supply a higher voltage rating in the same case size, to the same reliability standards.

RECOMMENDED DERATING FACTOR

Voltage and temperature derating as percentage of Vr







Highest Joules/cc Conductive Polymer Solid Electrolytic Chip Capacitors

PRODUCT CATEGORY 2, 3 (TEMPERATURE RANGE -55°C TO +105°C)

TEST	Condition Characteristics												
		e after application of rate		Visual examination DCL		no visible damage 1.25 x initial limit							
Endurance	room tem 105°C ter	ours at 85±2°C and then le perature. Also determine inperature, category volta	after application of ge for 2000 +48/-0	ΔC/C		within ±10/-20% of initial value for Vr ≤ 16V within ±20% of initial value for Vr ≥ 20V							
		then leaving 1-2 hours a er supply impedance to b		DF	1.5 x	1.5 x initial limit							
				ESR	2 x in	itial limit							
				Visual examination		sible dam							
0. 1.7				DCL	1.25	x initial lin	nit						
Storage Life	105°C, 0	V, 2000h		ΔC/C		within +10/-20% of initial value for Vr ≤ 16V within ±20% of initial value for Vr ≥ 20V							
				DF	1.5 x	1.5 x initial limit							
				ESR	2 x in	2 x initial limit							
				Visual examination	no visible damage								
	Determin	e after storage without	applied voltage	DCL	3 x in	3 x initial limit							
Humidity		C and 95±2% relative hid then recovery 1-2 hou		ΔC/C	withir	within +30/-20% of initial value							
_	temperat		113 at 100111	DF	1.5 x	1.5 x initial limit							
				ESR	2 x in	2 x initial limit							
	Step	Temperature°C +20±2	Duration(min) 15		+20°C	-55°C	+20°C	+85°C	+105°C	+20°C			
Temperature	2	-55+0/-3	15	DCL	IL*	n/a	IL*	10 x IL*	12.5 x IL*	IL*			
Stability	3 4	+20±2 +85+3/-0	15 15	ΔC/C	n/a	+0/-20%	±5%		+30/-0%	±5%			
	5	+105+3/-0 +20±2	15 15	DF	IL*	1.5 x IL*	IL*	1.5 x IL*		IL*			
		oerature: 105°C+3/0°C lge: Category voltage at	105°C	Visual examination	no vis	no visible damage							
Surge	Surge vol	tage: 1.3 x category vol	tage at 105°C	DCL	initial	initial limit							
Voltage	Series protection resistance 1000±100Ω Discharge resistance: 1000Ω Number of cycles: 1000x Cycle duration: 6 min; 30 sec charge,			ΔC/C	I	n +10/-20 n +20/-30							
		5 min 30 sec disc	cnarge	DF	1.25	x initial lin	nit						

^{*}Initial Limit

Initial measurement max. 1hr after the removal from dry pack or after pretreatment at 85°C for 24 hours.

PRODUCT CATEGORY 5 (TEMPERATURE RANGE -55°C TO +85°C)

TEST		Condition		Characteristics									
				Visual examination		no visible damage							
		after application of rated		DCL		1.25 x initial limit							
Endurance		urs at 85±2°C and then le		ΔC/C				lue for Vr ≤					
	<0.10/V.	emperature. Power supply	y impedance to be		_		tial value t	for Vr ≥ 20V	<u> </u>				
	≥0.112/ V.			DF	_	tial limit							
				ESR	2 x initia								
				Visual examination		le damage							
				DCL		nitial limit							
Storage Life	85°C, 0V	, 2000h		ΔC/C				lue for Vr ≤					
						within ±20% of initial value for Vr ≥ 20V							
				DF		1.5 x initial limit							
				ESR	2 x initial limit								
	Determin	ne after storage with	out applied	Visual examination	no visible damage								
	voltage	at 65±2°C and 95±2°	% relative	DCL	_	5 x initial limit							
Humidity		for 500 hours and the		ΔC/C		within +40/-20% of initial value							
	1-2 hour	s at room temperatu	ire.	DF	1.5 x initial limit 2 x initial limit								
	Step	Temperature°C	Duration(min)	ESR		1							
	3tep	+20±2	15		+20°C	-55°C	+20°C	+85°C	+20°C				
Temperature	2	-55+0/-3	15	DCL	IL*	n/a	IL*	10 x IL*	IL*				
Stability	3 4	+20±2 +85+3/-0	15 15	ΔC/C	n/a	+0/-20%	±5%	+20/-0%	±5%				
	5	+20±2	15	DF	IL*	1.5 x IL*	IL*	1.5 x IL*	IL*				
		perature: 85+3/0°C lge: Rated voltage		Visual examination	no visible damage								
Surge		tage: 1.3 x rated voltagotection resistance 100		DCL	initial lin	initial limit							
Voltage	Discharge Number of	e resistance: 1000Ω of cycles: 1000x ration: 6 min; 30 sec ch	narge,	ΔC/C		within +10/-20% of initial value for $Vr \le 16V$ within +20/-30% of initial value for $Vr \ge 20V$							
		5 min 30 sec dis	scharge	DF	1.25 x ii	1.25 x initial limit							

^{*}Initial Limit

Initial measurement max. 1hr after the removal from dry pack or after pretreatment at 85°C for 24 hours.

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

AVX:

<u>TCN4108M006R0055</u> <u>TCN4227M016R0070</u> <u>TCN4337M016R0070</u> <u>TCN4477M016R0100</u> <u>TCN3108M006R0100</u> TCN4107M025R0100 TCN4107M035R0100 TCN3107M025R0070