

Factores de capacidad de carga de Terzaghi

Table 3.1 Terzaghi's bearing capacity factors using equations (3.8)–(3.11), for *general* failure mode.

ϕ' (deg)	N_c	N_q	N_γ	ϕ' (deg)	N_c	N_q	N_γ
0	5.700	1.000	0	27	29.235	15.896	11.602
1	6.015	1.105	0.014	28	31.611	17.808	13.693
2	6.300	1.220	0.035	29	34.243	19.981	16.175
3	6.621	1.347	0.063	30	37.163	22.456	19.129
4	6.964	1.487	0.099	31	40.412	25.282	22.653
5	7.338	1.642	0.144	32	44.036	28.517	26.871
6	7.726	1.812	0.200	33	48.090	32.230	31.935
7	8.152	2.001	0.267	34	52.637	36.504	38.035
8	8.602	2.209	0.348	35	57.754	41.440	45.410
9	9.085	2.439	0.444	36	63.528	47.156	54.360
10	9.607	2.694	0.559	37	70.067	53.799	65.266
11	10.160	2.975	0.694	38	77.495	61.546	78.614
12	10.764	3.288	0.854	39	85.966	70.614	95.028
13	11.409	3.634	1.041	40	95.663	81.271	115.311
14	12.109	4.019	1.262	41	106.807	93.846	140.509
15	12.861	4.446	1.520	42	119.668	108.750	171.990
16	13.678	4.922	1.822	43	134.580	126.498	211.556
17	14.559	5.451	2.175	44	151.950	147.736	261.603
18	15.518	6.042	2.589	45	172.285	173.285	325.342
19	16.557	6.701	3.074	46	196.219	204.191	407.113
20	17.691	7.439	3.641	47	224.550	241.800	512.836
21	18.923	8.264	4.305	48	258.285	287.855	650.673
22	20.271	9.190	5.085	49	298.718	344.636	831.990
23	21.747	10.231	6.000	50	347.510	415.146	1072.797
24	23.361	11.401	7.076	51	406.821	503.382	1395.915
25	25.134	12.720	8.342	52	479.489	614.718	1834.301
26	27.085	14.210	9.836	53	569.275	756.453	2436.199

N_γ values are from Kumbhojkar (1993).

N_c, N_q, N_γ Factores de capacidad de carga,