

BASF
We create chemistry

Care Creations™

Hydrasensyl® Glucan Green

Beyond hydration, High purity multifunctional skin care active

Asia Pacific

Skin’s structural bio-macromolecules

Unique biological structures, exhibiting physical and mechanical properties that are unlike anything engineered by man

Mention the word ‘**biology**’ – and most people think immediately about **cells**.

However, large portions of the human body are **non-cellular**.

This extracellular matrix (ECM) provides the **structural support** around cells.







Non-living, but **cell-derived materials** combine with cells to form living, yet **mechanically robust** tissues


Merging hyaluronic acid and collagen

BASF We create chemistry | Care Creations™


Merging the properties of hyaluronic acid and collagen

Hyaluronic acid

50% of the body’s hyaluronic acid is found in skin



Long chain of disaccharide units made of two glucose derivatives



Forms a skin-own viscous gel, resisting pressure


10^3 binds up to 1.000 times its weight in water

Merging the properties of hyaluronic acid and collagen


Collagen

- **25%** of all proteins in the body is collagen
- Triple helix structure: rope-like fibers
- Structure provides resistance to stretching and tearing forces
- **10^4** Collagen can resist a tensile strain 10.000 times of its own weight

Similarity of Hydrasensyl® Glucan Green and hyaluronic acid



Structure of the β-1,3(1,4)-Glucan



Structure of the β-1,3(1,6)-Glucan

β-Glucan in hyaluronic acid


- Macromolecular chain with disaccharide units of glucose derivatives
- Molecular weight of several mio. Dalton
- Hydrogen bonds between chains
- High water binding capacity


β-Glucan in Hydrasensyl® Glucan Green

- Macromolecular chain with units of glucose
- Molecular weight of several mio. Dalton
- Hydrogen bonds between chains
- High water binding capacity

\+ Anti-inflammatory properties

Similarity of Hydrasensyl® Glucan Green and hyaluronic acid





Structure of the β-1,3(1,6)-Glucan

β-Glucan in Hydrasensyl® Glucan Green

- Macromolecular chain with units of glucose
- Molecular weight of several mio. Dalton
- Hydrogen bonds between chains
- High water binding capacity

\+ Anti-inflammatory properties

Similarity of Hydrasensyl® Glucan Green and collagen



3D Polypeptide structure



3D Polysaccharide structure

Triple helix in collagen

- Three intertwined polypeptide helices
- Long, fibrous protein
- Highly stable towards tensile strain


Triple helix in Hydrasensyl® Glucan Green

- Three intertwined polysaccharide helices
- Long, fibrous polysaccharide
- Highly stable towards temperature, pH or electrolyte strain

Merging the properties of hyaluronic acid and collagen


Hydrasensyl® Glucan Green

Collagen-like 3D structure



Triple helix

Hyaluronic acid-like primary structure



Long chain of disaccharide units made of two glucose derivatives

- Structuring formulation texture
- High stability towards pH, temperature, electrolyte load
- Perceivable sensory improvement
- Short and long-term skin hydration
- Increased skin smoothness

\+ Anti-inflammatory properties

Manufacture, quality & formulation

BASF We create chemistry | Care Creations™

Hydrasensyl® Glucan Green: Manufacturing




- Specific BASF proprietary manufacturing process to obtain the native polysaccharide
- Exclusion of any toxic or ecotoxic solvents and chemicals during the production
- No precipitation or drying leading to denatured structures, yielding a limpid and uncolored liquid
- Isolation and purification process enriches the β-glucan and maintains its specific functionality
- Highly consistent quality, characterized by an exceptional purity of the active matter

Hydrasensyl® Glucan Green: Ultrapure beta-glucan

Comparison with other commercial Beta-Glucans


- Fermentation process and purification by ultrafiltration assures an exceptional purity of the active matter
- Method for purity determination: Ratio of total sugars (BCS analytical method PR-124) / dry weight




Analyzed version: Hydrasensyl® Glucan, *same active matter as* Hydrasensyl® Glucan Green, *but preserved with phenoxyethanol*

BASF We create chemistry | Care Creations™

Hydrasensyl® Glucan Green: Ultrapure beta-glucan fibers




Hydrasensyl® Glucan Green




Well organized fibers

Commercially available beta-glucan solution (from yeast)



Less ramification

Commercially available beta-glucan solution (from oat)



No formation of fibers

Hydrasensyl® Glucan Green has a unique fiber structure, in contrast to other beta-glucans

Atomic Force Microscopy 3D pictures

Analyzed version: Hydrasensyl® Glucan*, same active matter as* Hydrasensyl® Glucan Green*, but preserved with phenoxyethanol*


BASF We create chemistry | Care Creations™

Anti-inflammatory effect (*in vitro*)

BASF We create chemistry | Care Creations™

Inhibition of different inflammation pathways (*in vitro*)

Interleukin-8 inflammation mediator release induced by the opportunistic pathogen *Staphylococcus aureus*






Model of microbiota-induced pro-inflammatory reaction. S. Aureus *is a potentially pathogenic germ which increases on dry skin with a disturbed barrier.*

Method: dosage of IL-8 (ELISA) on human keratinocytes
Mean ± SD, n=6; Mann-Whitney test (**) p<0.01

PGE_2 inflammation mediator release induced by UVB





Model of UV-induced pro-inflammatory reaction.


Method: dosage of PGE2 (ELISA) on UVB-irradiated human keratinocytes
Mean ± SD, n=6 ; One way ANOVA and Fisher LSD test; (*) p<0.05; (**) p<0.01; (***) p<0.001

BASF We create chemistry | Care Creations™

Inhibition of different inflammation pathways (*in vitro*)

New

Interleukin-1α inflammation mediator release induced by the chemical irritant SLS



Model of SLS-induced pro-inflammatory reaction. SLS is a chemical anionic surfactant well-known to cause stratum corneum barrier impairment and contact irritancy.

Method: dosage of IL-1α (ELISA) on SLS-"irritated" human keratinocytes
Mean ± SD, n=6; Mann-Whitney test (**) p<0.01


Reduces the release of pro-inflammatory mediators induced by *S. aureus*, UVB or SLS on keratinocytes

Skin protection and soothing against irritations induced by microorganisms, sun or chemicals


BASF We create chemistry | Care Creations™

Inhibition of different inflammation pathways (*in vitro*)


Interleukin-8 inflammation mediator release induced by the opportunistic pathogen *Staphylococcus aureus*



PGE_2 inflammation mediator release induced by UVB



Interleukin-1α inflammation mediator release induced by the chemical irritant SLS





Keratinocytes stimulated by S. aureus*, UVB or SLS*
Dose of Hydrasensyl Glucan: 2.5%
Hydrasensyl® Glucan: Same active matter as Hydrasensyl® Glucan Green*, but preserved with phenoxyethanol*
Method: ELISA dosage - Mean ± SD, n=6; (**) p<0.01

Reduces the release of pro-inflammatory mediators of keratinocytes induced by *S. aureus*, UVB or SLS


Skin protection and soothing against irritations induced by microorganisms, sun or chemicals

BASF We create chemistry | Care Creations™

Anti-inflammatory effect (*in vivo*)

BASF We create chemistry | Care Creations™

Immediate soothing effect: Clinical study on erythema reduction after sun exposure (Post-treatment)




12 volunteers

Individual MED evaluation:
Solar simulator, geometrical progression between each of 6 successive UV doses.

Irradiation:
Performed on sub-sites on the back, solar simulator, 1.5 MED.


Test product application:
Three standardized applications (2mg/cm²), double blind and intra-individual. An untreated area was used as control.


Erythema evaluation:
Skin colorimetric measurements with a Chromameter™ CR 400 Minolta, analyzed parameter a* = green-red color axis.



BASF We create chemistry | Care Creations™

Immediate soothing effect: Clinical study on erythema reduction after sun exposure (Post-treatment)





Barrier impairment by surfactants

New



Surfactants
(e. g. Sodium Lauryl Sulfate)

Can induce skin barrier damage with an increase of TEWL

1 day

after occlusive SLS patch

Maximum TEWL

Baseline (D0) for the study

2-3 weeks

after occlusive SLS patch


Complete self-repair of the barrier

BASF We create chemistry | Care Creations™

Barrier repair after SLS-induced skin damage: Clinical study



22 Chinese volunteers, 18-50 years old, on the inner side of the forearm. Randomized, double-blind product application, twice daily.




BASF We create chemistry | Care Creations™

Barrier repair after SLS-induced skin damage: TEWL results



22 Chinese volunteers, 18-50 years old, on the inner side of the forearm. Randomized, double-blind product application, twice daily.




Reduction of the trans-epidermal water loss (TEWL) after SLS-induced damage: Accelerated repair of the skin barrier

BASF We create chemistry | Care Creations™

Instant moisturization (*in vivo*)


BASF We create chemistry | Care Creations™

Single application: Hydrasensyl® Glucan Green vs hyaluronic acid



30 Chinese volunteers 20-45 years old**,** randomized, double-blind single application, on the inner side of the forearm.

Hydration (Corneometer)



Statistics:
Percentage on
30 volunteers
Student t test or Wilcoxon test
(*) p<0.05
(**) p<0.01


Better moisturization than hyaluronic acid

BASF We create chemistry | Care Creations™


Long-term moisturization & smoothness (*in vivo*)

BASF We create chemistry | Care Creations™

Hydration & skin smoothness: Clinical study



22 Caucasian volunteers, 25-55 years old, with dry skin on the inner side of the forearm (Corneometer® value < 60 A.U.)




Tested version: Hydrasensyl® Glucan*, same active matter as* Hydrasensyl® Glucan Green*, but preserved with phenoxyethanol*

BASF We create chemistry | Care Creations™

Short and long-term hydration: Clinical study




22 Caucasian volunteers, 25-55 years old, with dry skin on the inner side of the forearm (Corneometer® value < 60 A.U.)




Tested version: Hydrasensyl® Glucan*, same active matter as* Hydrasensyl® Glucan Green*, but preserved with phenoxyethanol*

BASF We create chemistry | Care Creations™

Surface smoothness: Clinical study



22 Caucasian volunteers, 25-55 years old, with dry skin on the inner side of the forearm (Corneometer® value < 60 A.U.)



Tested version: Hydrasensyl® Glucan*, same active matter as* Hydrasensyl® Glucan Green*, but preserved with phenoxyethanol*

BASF We create chemistry | Care Creations™


Sensory improvement

BASF We create chemistry | Care Creations™

1. Spider diagram on Hydrasensyl® Glucan Green
2. Sensory assessment: Sun gel with Hydrasensyl® Glucan Green
3. Sensory assessment: Facial Mask with Hydrasensyl® Glucan Green

BASF We create chemistry | Care Creations™

1. Sensory assessment: Spider diagram on Hydrasensyl® Glucan Green



Free statements of the volunteers

"During distribution first smooth, then absorption."

"Cools during distribution."

"The distribution process was very nice, because it was so slippery."

"The skin feeling was better and better."

"Felt like a gel and became blunt/breaking very quickly during distribution. Wondered about the present beautiful skin feeling."

"The first few seconds a different skin sensation. Then when it absorbs it is cool, because it 'breaks open'. Pleasant skin feeling."


Protocol

- Test product: Hydrasensyl® Glucan, same active matter as Hydrasensyl® Glucan Green, but preserved with phenoxyethanol
- Air-conditioned room at 40% rel. humidity and 22°C
- 17 volunteers, 40µl were distributed for 20 sec. on the volar forearm
- Volunteer feedback during distribution, after 1 min. and after 3 min.

BASF We create chemistry | Care Creations™

2. Sensory assessment: Sun gel with Hydrasensyl® Glucan Green

UV-CN-19-ZX101802 vs. UV-CN-18-AC101603 (without active)



BASF
We create chemistry
Care Creations™

Parameter List


Phase	Parameter	Score 1	Score 15	Phase	Parameter	Score 1	Score 15
Before use	The dripping of mask fluid	More	Less	Instant after use	Retention of the liquid	More	Less
	Ease to Expansion	Difficult	Easy		Smooth feeling	Less	More
	Softness of mask cloth	Hard	Soft		Soothing feeling	Less	More
	The silky feel of the mask cloth	Less	More	After absorb	Residue feeling	More	Less
	Degree of absorption of mask cloth	Less	More		Smooth feeling	Less	More
	Residue in mask sachet	More	Less		Light feeling	Less	More
	Ease of film deformation	More	Less		Stickiness	More	Less
	Sense of sandwich	More	Less		Absorbency	Difficult	Easy
	The smoothness of the liquid	Less	More		softness	Hard	Soft
During use	Degree of absorption of mask cloth	Less	More		Moist feeling	Less	More
	The dripping of mask fluid	More	Less	After 5min	Residue feeling	More	Less
	Softness of mask cloth	Hard	Soft		Smooth feeling	Less	More
	Thickness of mask cloth	Thick	Thin		Light Feeling	Less	More
	Conformability	Less	More		Stickiness	More	Less
	breathability	Less	More		Absorbency	Difficult	Easy
	Soothing feeling	Less	More		Softness	Hard	Soft
Overall	Overall preference (adjusted)	Dislike	Like		Moist feeling	Less	More
	Skin irritation	More	Less		Soothing feeling	Less	More

BASF We create chemistry | Care Creations

Before use evaluation

Before use

Hydrasensyl® Glucan Green is very well incubated in mask fabric, with least residue in mask sachet, and make the fabric not easy to deformat.




BASF We create chemistry | Care Creations

During use evaluation

During use

Hydrasensyl® Glucan Green has best soothing feeling both in-use and instant after use. Its breathability and smooth feeling is also better than other test samples. And its essence residue is the least instantly.




BASF We create chemistry | Care Creations

Instant after use

Instant after use

Hydrasensyl® Glucan Green has best smoothness feeling instant after absorbed. And its light feeling, stickiness feeling and moist feeling are all comparable with the best samples.




BASF We create chemistry | Care Creations

5min after use


5min after use

Hydrasensyl® Glucan Green shows good performance on less stickiness feeling, more softness feeling, more moist feeling and also less skin irritation.



BASF We create chemistry | Care Creations

Conclusion



Overall, Hydrasensyl® Glucan Green has significant higher rating on preference than SC-Glucan, and slighter better feedback than other test samples

Positive attributes of Hydrasensyl® Glucan Green

- Before use : Hydrasensyl® Glucan Green is very well incubated in mask fabric, with least residue in mask sachet
- During use : Hydrasensyl® Glucan Green has best soothing feeling both in-use and instant after use
- Instant after use :Hydrasensyl® Glucan Green has best smoothness feeling instant after absorbed
- 5min after use : Hydrasensyl® Glucan Green shows the best performance in reduce of skin irritation

Positive application of Hydrasensyl® Glucan Green in sheet masks

- Nourishing texture with cushion
- Easy to use because of good incubation
- Comfortable, breathable soothing feeling in use and instant after use
- Smooth, light skin feeling instant after use

BASF We create chemistry | Care Creations

Hydrasensyl® Glucan Green: Application fields



Majority of formulations prepared with Hydrasensyl® Glucan, *containing the same active matter as* Hydrasensyl® Glucan Green, *but preserved with phenoxyethanol*

BASF We create chemistry | Care Creations™

Hydrasensyl® Glucan Green: Formulation and storage

Storage conditions

Storage conditions:
10-30°C, protect from moisture and heat

Shelf life:
24 months

Packaging:
5 kg (Art. No. 50676937)
20 kg (Art. No. 50681201)

Formulation method

Dose of use: 2,5%

Hydrasensyl® Glucan Green can be easily added to the aqueous phase at ambient temperature. It retains its stability also when exposed to higher temperature and over extended time, and between pH 2 to 12.
At temperatures below 10 °C, Hydrasensyl® Glucan Green forms a thermo-reversible gel. It is insensitive to the presence of electrolytes.



Formulations prepared with Hydrasensyl® Glucan, *containing the same active matter as* Hydrasensyl® Glucan Green, *but preserved with phenoxyethanol*

BASF We create chemistry | Care Creations™

Hydrasensyl® Glucan Green: Properties



Hydrasensyl® Glucan Green	
Description	Purified solution of native β-1,3(1,6)-Glucan derived from fermentation
INCI	Water (and) Beta-Glucan
Dose of use	2.5%
Aspect	Colorless, clear to opalescent viscous liquid
Solubility	Soluble in water
Preservative system	2% Pentylene Glycol (vegetal origin) + 0.5% Caprylyl Glycol
Regulatory data	PCPC ✓ / IECSC ✓ / IECIC 2015 ✓ / JP cosmetics ✓ — China IECIC listed

BASF We create chemistry | Care Creations™

Hydrasensyl® Glucan Green : Positioning

Positioning

- Multiple effects at **economic price**
- Clinical **efficacy results**:
  1. Cumulative and persistent **skin hydration**
  2. Cumulative and persistent **skin smoothness**
  3. Curative **soothing**
- **Inhibition of different inflammation pathways**
- High **active matter / purity**
- **Postbiotic concept**
- **Pleasant skin feel**
- **High stability** in formulations
- Transparent + colorless
- Liquid, easy to use

Positioning vs. beta-glucans


- Strong *in vivo* data
- High purity / High content of beta-glucan in active matter
- Transparent + colorless
- Affordable price range (large production scale)

Positioning vs. sclerotium gum

- Hydrasensyl® Glucan is *not* a thickener or formulation stabilizer
- Proven multiple efficacy on skin
- Liquid, easy to use
- Pleasant skin feel
- Transparent + colorless

BASF We create chemistry | Care Creations™

Hydrasensyl® Glucan Green : Multiple positioning



BASF We create chemistry | Care Creations™

BASF Probiotic / Fermentation Solutions

Probiotic ferment*



Relipidium®

Lactobacillus ferment that rebalances skin microflora and improves barrier of dry skin



Phytofirm® Biotic

Lactobacillus ferment to redesign and rejuvenate skin

* Also called Postbiotic

Probiotic lysate




Vitacell®

Purified cytosolic fraction of *Saccharomyces cerevisiae to energize dull and tired skin*

Purified native fermented Beta-Glucan

Hydrasensyl® Glucan Green

Obtained by the fermentation of glucose from corn origin with Athelium sp. Which imparts improved skin hydration, smoothness and reduced TEWL , inflammation



A complete portfolio of natural solutions for the skin

BASF We create chemistry | Care Creations™

Hydrasensyl® Glucan Green
Purified native Beta-Glucan from Fermentation



Native Beta-Glucan from Athelium

Hydrasensyl ® Glucan Green is obtained by the fermentation of Athelium sp. on natural substrates



Glucose from corn origin



Athelium sp

Inhibition of inflammatory pathways

In vitro 2.5%

Interleukin (IL-8)	PGE2	Interleukin-1a
-43%	-24%	-17%

Smoothness | Soothing | Hydration & TEWL

Smoothness

After 14 days:

Smoother skin

+24%

Soothing

After 6 hrs:

UV-induced erythema

-12%

Hydration

After 14 days:

+42%

Hydration at 2.5%

-30%

TEWL at 2.5%

Description:
Purified solution of native β-1,3 (1,6)-Glucan derived from fermentation

Dose of use:
2,5-5%

Available *in vivo* studies:
- Short-term, long-term and sustainable hydration
- Erythema soothing
- Skin smoothness

Formulation notes:
- Recommended pH: 2-12
- Usually no incompatibilities with other raw materials

INCI:
Water (and) Beta-Glucan

Beyond hydration, economic multifunctional skin care active

BASF We create chemistry | Care Creations™

Product position_Hydration_Hydrasensyl® Glucan Green

From the plant… **… to final product**

SOURCING



Fermentation process and purification by ultrafiltration assures an exceptional purity of the active matter

EXTRACTION




Aqueous solution of
1 % native Beta-Glucan


CHARACTER



- Triple-helical structure
- MW: several Moi.Dalton



POSITIONNING



- BASF is the only company able to supply pure fibrous scleroglucan
- Natural biopolymer with soothing, hydration efficacy and more elegant skin feel

EFFICACY




Quick soothing
Short and long-term hydration
Skin softness effect
Sensorial benefits

BASF We create chemistry | Care Creations™

Product position_Hydration_ Hydrasensyl® Glucan Green

Key take away

Anti-inflammatory



Long-lasting moisturization

Elegant skin feel

Soothing efficacy

“The Day and After” Solutions

BASF We create chemistry | Care Creations™

The Day, and After



After Hygiene

“Keep hand hygiene, while preserving skin comfort”

1



Mask Under

“Mask protects you, while we protect you from mask related skin concerns”

2



Back Home Therapy

“Me “healing” time: from wellness to soul”

3

BASF We create chemistry | Care Creations™



PatcH$_2$O®:
Anti-thirst hydration round the clock

Hydrasensyl® Glucan Green :
Immediate skin smoothening & long lasting hydration

Hydra-boost repair lotion

This quick hydrating, fast spreading lotion gives your skin a much needed hydration boost delivered by its combination of hydration actives!

“I frequently wash my hands to keep them clean but this has made my skin dry and itchy.”

BASF We create chemistry | Care Creations™

Hydra-boost repair lotion

Sensory profile

- Silky smooth nourishing after feel
- Hydrated skin feel

SC-CN-19-CL102201

Phase	Trade Name	INCI Name	% By weight	Function
A	**Emulgade® sucro plus**	Sucrose Polystearate, Cetyl Palmitate	3.00	Emulsifier (O/W)
	Emulgade® PL 68/50	Cetearyl Glucoside, Cetearyl Alcohol	1.00	Emulsifier (O/W)
	Myritol® 318	Caprylic/Capric Triglyceride	3.00	Emollient
	Cetiol® C 5C	Coco-caprylate/Caprate	5.00	Emollient
	Cegesoft® SBE	Butyrospermum Parkii Butter	3.00	Emollient
	Cetiol® Ultimate	Undecane, Tridecane	2.00	Emollient
B	**Water, demin**	Aqua	69.50	
	Eumulgin® SG	Sodium Stearoyl Glutamate	0.3	Emulsifier (O/W)
	Rheocare® XGN	Xantham gum	0.3	Rheology modifier
	Pentylene Glycol Care	Pentylene Glycol	2.00	Preservative
	Glycerin	Glycerin	3.00	Humectant
C	Lactic Acid (10% solution)	Lactic Acid	0.90	pH Adjustment
	Euxyl® PE 9010 (Schulke)	Phenoxyethanol, Ethylhexylglycerin	0.90	Preservative
	Tapioca Pure (Akzo Nobel)	Tapioca starch	1.00	Skin feel modifier
	PatcH2O® A00297	**Aqua, Glycerin, Glyceryl Polyacrylate, Trehalose, Urea, Serine, Pentylene glycol, Algin, Caprylyl glycol, Sodium Hyaluronate, Pullulan, Disodium Phosphate, Potassium Phosphate**	**3.00**	**Active ingredient**
	Hydrasensyl® Glucan Green	**Beta-glucan, Aqua**	**2.50**	**Active ingredient**
	Fragrance	Parfum	q.s.	Fragrance

Specification

pH value (23°C)	About 6.90
Viscosity (Brookfield; LVDV-I+; S63; 12.0 rpm; 23°C)	About 1750 mPas

Return

BASF We create chemistry | Care Creations™



Hydrasensyl® Glucan Green: Helps to smoothen cuticle for particle adhesion effect

After Hygiene

Ultra-care Calming Wipe

For an easy-to-use wet wipe that offers calming and anti-inflammatory sanitation

“Keep calm, keep moisturizing whenever and wherever you want!”

BASF We create chemistry | Care Creations™

Sensory profile

- Soothing hydrated after skin feel

Ultra-care Calming Wipe

SC-CN-19-SH102506

Phase	Trade Name	INCI Name	% By weight	Function
A	Water, demin	Aqua	86.10	
	Sodium Benzoate	Sodium Benzoate	0.50	Preservative
	D-Panthenol Care	Panthenol	0.40	Active ingredient
	Hydrasensyl® Glucan Green	**Beta-Glucan, Aqua**	**3.00**	**Active ingredient**
B	Mimiskin™	Liquid crystalline wax dispersion in water	5.00	Active ingredient
	Water, demin	Aqua	5.00	
C	Citric Acid	Citric Acid	q.s.	pH Adjustment


Specification

pH value (25°C)	4.93

BASF We create chemistry | Care Creations™

Mask Under

Pollution Shield Cream



Hydrasensyl® Glucan Green:
Erythema reduction after sun exposure

Purisoft® :
Helps to smoothen cuticle for particle adhesion effect

PatcH$_2$O®:
Pollution protection from external elements

For a breathable, anti-dust adhesion gel shield that boosts skin's hydration all day long.

"Wearing a mask and leaving the house exposes me to pollution which irritates my skin "

BASF We create chemistry | Care Creations™

Performance Proven Formulation

Pollution Shield Cream

Sensory profile

- Soft cushiony skin feel
- Hydrated after skin feel

Clinical test formulation

Trade Name	INCI Name	% By weight	Function
Water	Water	Qsf 100	
Edeta® BD	Disodium EDTA	0.05	Chelate
Keltrol® CG	Xanthan gum	0.20	Reology modifier
Eumulgin® S 2	Steareth-2	2.00	Emulsifier
Eumulgin® S 21	Steareth-21	2.50	Emulsifier
Lanette® O	Cetearyl Alcohol	1.00	Consistency factor
Cetiol® Sensoft	Propylheptyl Caprylate	15.00	Emollient
PatcH$_2$O®	**Water, Glycerin, Trehalose, Urea, Serine, Pentylene Glycol, Glyceryl Polyacrylate, Algin, Caprylyl Glycol, Sodium hyaluronate, Pullulan, Disodium phosphate, Potassium Phosphate**	**3.00**	**Active ingredient**
Hydrasensyl® Glucan Green	**Beta Glucan, Water**	**2.50**	**Active ingredient**
Purisoft POE LS 9726	**Water (and) Glycerin (and) Moringa Oliefera Seed Extract.**	**1.50**	**Active ingredient**
Sodium hydroxide	Sodium hydroxide, water (30% solution)	0.10	
Germazide® PSB	Phenoxyethanol, Chlorphenesin, Benzoic Acid, Butylene Glycol, Sorbic Acid	1.25	Preservative
Simugel® SMS 88 (Seppic)	Polyacrylate-X & Isohexadecane & Polysobate 60	4.00	Polymer

BASF We create chemistry | Care Creations™

Value added sheet masks

BASF Beauty Care solutions brings to you masks of your choice which are single-use, portable packets of goodness that can be tailored to your skin's daily needs, anywhere you go.



Anasensyl® LS 9322:
Calming and anti-inflammatory effect on skin

Sublimalg® LS 9700:
Skin exfoliation, purification, smoothening & energization

Hydrasensyl® Glucan green
Quick restoration of moisture with a silky, gliding feel

Neurobiox®:
Skin renewal acceleration, Pore refining, Complexion / Radiance increase, Cell communication

"Brands pushing the idea of #homespa."

BASF We create chemistry | Care Creations™

Facial Mask

Prejuvenating Sheet Mask

SC-CN-19-SH031901

Phase	Ingredients	INCI	% by Weight	Function
A	Water	Aqua	75.40	
	Pluracare® E400	PEG-8	1.00	Surfactant
	Glycerin	Glycerol	5.00	Humectant
	D-Panthenol® USP	Panthenol	0.20	Active Ingredient
	Rheocare® XGN	Xanthan Gum	0.10	Rheology Modifier
	Rheocare® HSP-1180	Polyacrylamidomethylpropane Sulfonic Acid	0.10	Rheology Modifier
	Dipropylene Glycol Care	Dipropylene Glycol	3.00	Solvent
	L-Arginine	Arginine	q.s.	pH Adjustment
	Hispagel® 200 NS	Glycerin, Glyceryl Polyacrylate	7.00	Rheology Modifier
B	Symsave® H	Hydroxyacetophenone	0.20	Auxiliary
	Pentylene Glycol Care	Pentylene Glycol	2.00	Solvent
	Hydrasensyl® Glucan Green	**Beta-Glucan, Aqua**	**5.00**	**Active Ingredient**
C	Emulgade® CM	Cetearyl Isononanoate, Ceteareth-20, Cetearyl Alcohol, Glyceryl Stearate, Glycerin, Ceteareth-12, Cetyl Palmitate	1.00	Emulsifier (O/W)

Specification	
pH value (25°C)	6.36
Viscosity (Brookfield; RVF; spindle 3; 20 rpm; 25°C)	4,610 mPa s


BASF We create chemistry | Care Creations™

“Fast Action” Solutions

BASF We create chemistry | Care Creations™

Our solutions to quickly bring perceivable benefits to the skin





Improve your skin barrier to supercharge your skin in water

Experience instant fresh skin to fastly recover skin confidence

- Supercharge skin in H_2O
- Protect skin looking-health
- Maximize the Glow

“ I spend 7 hours a day working in front of a computer screen”
“ I don’t drink enough water” - “ My skin is too dull”
“ My skin looks and feels dehydrated whatever my daily routine”

Keep & reinforce skin hydrating system

Reinforce skin defense mechanism

Perfect the glow for healthy looking

Urban Guardian Shield Cream



To deeply hydrate and hardly protect your skin against daily agressions


Phase	Tradename	Supplier/manufacturer	Concentration %	Function
A	Water, demin.		40.18	
	1,3-Butanediol		8.00	Humectant
	Glycerin		10.00	Humectant
	Elestab® CPN		0.25	Preservative
	Hispagel® Oil LV		3.00	Humectant
	Edeta® BD		0.02	Complexing agent
	Tinocare® GL		2.00	Active ingredient
B	Pluracare® E 4000 Flakes		1.00	Rheology modifier
	Xiameter PMX-200 Silicone Fluid 100CS	Dow Corning	3.50	Skin feel modifier
	Cetiol® SN-1		6.00	Emollient
	Cegesoft® PFO		2.00	Emollient
	Lanette® O		1.00	Consistency agent
	Eutanol® G		2.00	Emollient
	Luvitol® Lite EM		4.00	Emollient
	Cetiol® SB 45		1.00	Emollient
	Cetiol® MM		1.00	Emollient
	Cutina® GMS V		2.00	Consistency agent
	Eumulgin® BA 25		1.50	Emulsifier (O/W)
	Emulgade® Sucro Plus		2.00	Emulsifier (O/W)
	Cutina® FS 45		1.00	Consistency agent
	Cosmedia® DC		1.00	Film forming agent
C	Simulgel EG	Seppic	0.80	Rheology modifier
D	Protectol® PE		0.50	Preservative
	Vitamin E-Acetate Care		0.25	Active ingredient
	Mimiskin™		5.00	Film forming agent
	PatcH2O™ A00297		1.00	Active ingredient

Manufacturing Process

1. Heat phase A and phase B to 80-85℃ separately.
2. Add phase A into phase B under homogenizer.
3. Add phase C into phase A/B under homogenizer until uniform.
4. Cool down to 42℃, then add phase D one by one.

Formula n°: SC-CN-19-SH111203

Hydrasensyl® Glucan Green – Fast comfort & Express hydration



Technology/proof of fast efficacy

Merging the properties of hyaluronic acid and collagen

Collagen-like triple helix 3D structure

Long chain made of glucose

Anti-inflammatory properties

-17% IL-1a inflammation mediator release induced by the chemical irritant SLS

-24% PGE2 inflammation mediator release induced by UVB

-43% IL-8 inflammation mediator release induced by *S. aureus*

Fast benefits improving comfort hydration


6 h - 24 h **Fast Erythema Reduction**




-8% (°) Erythema 6 h *vs* Placebo (°) p<0.1

-12% (**) Erythema 24 h *vs* Placebo (**) p<0.01

2 weeks 14D **Express Smoothness & Hydration**



Smoothness up to 14D *vs* Placebo (***) p<0.001



Hydration up to 14D *vs* Placebo (***) p<0.001

Description:
Purified solution of native β-1,3 (1,6)-Glucan derived from fermentation

Natural origin: 99.5%

Dose of use: 2,5%

Product form: liquid

Available *in vivo* studies:
- Short-term, long-term and sustainable hydration
- Erythema soothing
- Skin smoothness

Formulation notes:
- Recommended pH: 2-12
- Usually no incompatibilities with other raw materials

Application area: Face, body

INCI:
Water (and) Beta-Glucan

Multifunctional high purify and high active matter

BASF We create chemistry | Care Creations™

BASF

We create chemistry

Care Creations™