



Plane-wave cutoff convergence of the symmetric H-terminated diamond slabs, both panels plotted as a deviation from the same 120 Ry reference and on a common y-scale so the two are directly comparable. (a) The mean in-plane stress drifts by 2.2-2.8 kbar between 60 and 120 Ry, in the same direction on every surface: a residual Pulay contribution to the stress rather than any change in the surface. (b) The in-plane anisotropy, on the identical ruler, never leaves 0.07 kbar of its converged value, so anisotropy-derived quantities are already converged at 60 Ry while the mean stress is not -- the difference is visible rather than asserted. 90 Ry (dashed) is adopted for production, where the residual is 0.07 kbar in the mean stress and 0.01 kbar in the anisotropy, both far below the surface-to-surface differences the campaign is measuring. Positive sigma means the cell is compressed.