Fault-Injection Analysis Report

```
============================================================
  Model-Physical Analysis Report
============================================================

  Total enriched fault results: 179,400

  Most critical tensor: sequential_1_1/dense_3_1/BiasAdd (rate=0.335)
  Most critical operator: CONV_2D (rate=0.046)

  Semantic vs Physical verdict: physical
    Semantic  Gini=0.6030  Entropy=2.3286
    Physical  Gini=0.8140  Entropy=5.1156
    Criticality is more concentrated by physical address range than by tensor/operator.

  Hottest physical region: [0x1540, 0x1580) rate=0.408 (500.0 faults)
  Most vulnerable bit position: bit 7 (rate=0.038)

============================================================
```

Criticality by Tensor

tensor_index	tensor_type	tensor_name	total	critical	crash	degraded	critical_rate	degraded_rate	tensor_size
2.0	bias	sequential_1_1/dense_3_1/BiasAdd	3500	1172	0	1217	33.49%	34.77%	40
8.0	bias	sequential_1_1/conv2d_4_1/Relu;sequen...	1000	271	0	320	27.10%	32.00%	128
4.0	bias	sequential_1_1/dense_2_1/Relu;sequent...	2100	361	0	448	17.19%	21.33%	128
10.0	bias	sequential_1_1/conv2d_3_1/Relu;sequen...	8800	1193	0	1917	13.56%	21.78%	64
6.0	bias	sequential_1_1/conv2d_5_1/Relu;sequen...	100	9	0	33	9.00%	33.00%	256
11.0	weight	sequential_1_1/conv2d_3_1/convolution	22500	258	0	1154	1.15%	5.13%	144
9.0	weight	sequential_1_1/conv2d_4_1/convolution	37100	135	0	896	0.36%	2.42%	4608
3.0	weight	sequential_1_1/dense_3_1/MatMul	30500	110	0	393	0.36%	1.29%	320
5.0	weight	sequential_1_1/dense_2_1/MatMul	35500	85	0	509	0.24%	1.43%	2048
7.0	weight	sequential_1_1/conv2d_5_1/convolution	38300	82	0	381	0.21%	0.99%	18432

Criticality by Operator

op_index	op_name	total	critical	crash	critical_rate	degraded_rate
0	CONV_2D	31300	1451	0	4.64%	9.81%
7	FULLY_CONNECTED	34000	1282	0	3.77%	4.74%
6	FULLY_CONNECTED	37600	446	0	1.19%	2.55%
2	CONV_2D	38100	406	0	1.07%	3.19%
4	CONV_2D	38400	91	0	0.24%	1.08%


Bit-Position Vulnerability
Critical Rate
0.00
0.01
0.02
0.03
0.04
0
1
2
3
4
5
6
7
Bit Index