

Quiz navigation

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25
26	27	28	29	30
31	32	33	34	35
36	37	38	39	40
41	42	43	44	45
46	47	48	49	50
51	52	53	54	55
56	57	58	59	60
61	62	63	64	65
66	67	68	69	70
71	72	73	74	75
76	77	78	79	80
81	82	83	84	85
86	87	88	89	90
91	92	93	94	95
96	97	98	99	100
101	102	103	104	105
106	107	108	109	110
111	112	113	114	115
116	117	118	119	120
121	122	123	124	125

Show one page at a time

Finish review

Course Home

Course Info ▾

Syllabus

Participants list

Grade/Attendance ▾



Operating System

2Week [16 September - 22 September]

SOC3010 OS QUIZ1 FALL 2024

Started on	2024-09-27 22:18
State	Finished
Completed on	2024-09-27 23:58
Time taken	1 hour 40 mins
Marks	753.57/885.00
Grade	8.51 out of 10.00 (85%)

Question 1

Correct

Mark 10.00 out of 10.00

What is the output generated by the following shell script when it is executed.

```
#!/bin/bash
len_str(){
STR="Hello Good Morning"
L=${#STR}
return $L
}
print_str(){
len=$?
echo $len
}
len_str
print_str
```

Answer: 18

The correct answer is: 18

Question 2

Correct

Mark 5.00 out of 5.00

In Windows 10 using BOOTMGR, the list of operating systems is read from the file in the BOOT directory on the active partition.

Select one:

- ☐ 1. BOOT.INI
- ☐ 2. grub.cfg
- ☒ 3. BCD
- ☐ 4. menu.lst

The correct answer is: BCD

Offline-Attendance

Grades

Students Notifications ▾

Others ▾

Activities/Resources +

Question **3**

Correct

Mark 5.00 out of 5.00

..... is a dynamically allocated memory to a process during its run time.

Select one:

- ☐ 1. Stack
- ☐ 2. Data
- ☒ 3. Heap ✓
- ☐ 4. Text

The correct answer is: Heap

Question **4**

Correct

Mark 5.00 out of 5.00

End of line (EOL) indicator used in Windows regular file is

Select one:

- ☐ 1. Line Feed followed by Carriage Return
- ☐ 2. Carriage Return(CR)
- ☒ 3. Carriage Return followed by Line Feed ✓
- ☐ 4. Line Feed(LF)

The correct answer is: Carriage Return followed by Line Feed

Question **5**

Incorrect

Mark 0.00 out of 5.00

Write a command in linux to display last line of a file sfile

Answer: ✗

The correct answer is: tail -1 sfile

Question **6**

Correct

Mark 5.00 out of 5.00

..... is the core component of the operating system which interacts directly with hardware and provides low level services to upper layer components.

Select one:

- ☒ 1. Kernel ✓
- ☐ 2. Shell
- ☐ 3. Linker
- ☐ 4. Compiler

The correct answer is: Kernel

Question **7**
Incorrect
Mark 0.00 out of 5.00

Latest Linux Release version

Answer: ❌

The correct answer is: 6.10.1

Question **8**
Correct
Mark 5.00 out of 5.00

A is a program that acts as the interface between user and the kernel, allowing the user to enter commands for the operating system to execute.

Answer: ✅

The correct answer is: Shell

Question **9**
Correct
Mark 5.00 out of 5.00

BASH stands for

Select one:

- ☐ 1. Berkeley Active Shell
- ☐ 2. Bourne Shell
- ☐ 3. Beat Around Shell
- ☒ 4. Bourne Again Shell ✅

The correct answer is: Bourne Again Shell

Question **10**
Correct
Mark 5.00 out of 5.00

Name the boot loader used by Linux

Select one:

- ☐ 1. NTLDR
- ☒ 2. LILO ✅
- ☐ 3. NTDETECT
- ☐ 4. BOOTMGR

The correct answer is: LILO

Question **11**

Correct

Mark 5.00 out of 5.00

If any parent process terminates without reaping a child, then the orphaned child will be reaped by

Select one:

- ☐ 1. Zombie process
- ☐ 2. swapper process
- ☒ 3. init process ✓
- ☐ 4. process scheduler

The correct answer is: init process

Question **12**

Correct

Mark 10.00 out of 10.00

The Linux command to replace all the occurrences of the word "printf" in the file prog1.c with the word "PRINTF"

Select one:

- ☐ 1. sed 'r/printf/PRINTF/g' prog1.c
- ☒ 2. sed 's/printf/PRINTF/g' prog1.c ✓
- ☐ 3. sed 's/PRINTF/printf/g' prog1.c
- ☐ 4. sed 'r/PRINTF/printf/g' prog1.c

The correct answer is: sed 's/printf/PRINTF/g' prog1.c

Question **13**

Correct

Mark 10.00 out of 10.00

Give a command in linux to reverse a string "WINE Is Not windows Emulator"

Answer: ✓

The correct answer is: echo "WINE Is Not windows Emulator" | rev

Question **14**

Correct

Mark 5.00 out of 5.00

..... developed the self-contained Linux kernel from scratch with the major design goal of UNIX Compatibility.

Select one:

- ☐ 1. Dennis Ritchie
- ☒ 2. Linus Torvalds ✓
- ☐ 3. Brian Kernighan
- ☐ 4. Ken Thompson

The correct answer is: Linus Torvalds

Question **15**
Correct
Mark 10.00 out of 10.00

Identify the INCORRECT Process Life Cycle

Select one:

- ☒ 1. start, ready, wait, running, terminated ✓
- ☐ 2. start, ready, running, terminated
- ☐ 3. start, ready, running, wait, ready, running, terminated
- ☐ 4. start, ready, running, ready, running, wait, ready, running, terminated

The correct answer is: start, ready, wait, running, terminated

Question **16**
Correct
Mark 10.00 out of 10.00

Reorder the following operating system types based on their evolution over time from the very first computer generation to present time.

- a) Real Time operating System
- b) Distributed operating System
- c) Time-sharing operating systems
- d) Batch operating system
- e) Network operating System

Select one:

- ☐ 1. d) b) c) a) e)
- ☐ 2. c) d) b) e) a)
- ☒ 3. d) c) b) e) a) ✓
- ☐ 4. a) b) c) d) e)

The correct answer is: d) c) b) e) a)

Question **17**
Correct
Mark 10.00 out of 10.00

The Linux command to find the length of 15th line in your file prog1.c

Select one:

- ☒ 1. head -15 prog1.c | tail -1 | wc -c ✓
- ☐ 2. sed -n '15 p' prog1.c | wc -w
- ☐ 3. head -15 prog1.c | tail -1
- ☐ 4. sed -n '15 p' prog1.c

The correct answer is: head -15 prog1.c | tail -1 | wc -c

Question **18**
Correct
Mark 10.00 out of 10.00

The Linux command to get last word from 10th line in file prog1.c

Select one:

- ☒ 1. sed -n '10 p' prog1.c | rev | cut -f1 -d' ' | rev ✓
- ☐ 2. head -10 prog1.c | tail -1 | wc -c
- ☐ 3. head -10 prog1.c | tail -1 | rev | cut -f1 -dc' '
- ☐ 4. sed -n '10 p' prog1.c

The correct answer is: sed -n '10 p' prog1.c | rev | cut -f1 -d' ' | rev

Question **19**
Correct
Mark 10.00 out of 10.00

Full form of UUID

Answer: ✓

The correct answer is: Universally Unique Identifier

Question **20**
Correct
Mark 5.00 out of 5.00

A filename included in a directory is called a file link.

Answer: ✓

The correct answer is: hard

Question **21**
Correct
Mark 5.00 out of 5.00

Unix is which kind of Operating System?

Select one:

- ☐ 1. Multi User
- ☐ 2. Multi-Tasking
- ☐ 3. Multi Processing
- ☒ 4. All of the above ✓

The correct answer is: All of the above

Question **22**
Correct
Mark 10.00 out of 10.00

In Intel processors, paging is enabled by setting the Flag in the Register.

Select one:

- ☐ 1. PG , cr4
- ☐ 2. PAE, cr4
- ☐ 3. PAE, cr0
- ☒ 4. PG, cr0 ✓

The correct answer is: PG, cr0

Question **23**
Correct
Mark 5.00 out of 5.00

Write a linux command to create an empty file fempty in your directory (without using any editor)

Answer: ✓

The correct answer is: touch fempty

Question **24**

Correct

Mark 5.00 out of 5.00

Process is

Select one:

- ☒ 1. a program in execution ✓
- ☐ 2. program in High level language kept on disk
- ☐ 3. contents of main memory
- ☐ 4. a job in secondary memory

The correct answer is: a program in execution

Question **25**

Correct

Mark 5.00 out of 5.00

.....is a sequence of instructions executed by the kernel to handle a system call, an exception or an interrupt.

Select one:

- ☐ 1. System call
- ☐ 2. Signal
- ☒ 3. Kernel Control path ✓
- ☐ 4. Re-entrant

The correct answer is: Kernel Control path

Question **26**

Correct

Mark 10.00 out of 10.00

Select all the functions performed by the Operating System

Select one or more:

- ☒ 1. Processor Management ✓
- ☒ 2. Memory Management ✓
- ☒ 3. File Management ✓
- ☐ 4. Linking
- ☐ 5. Compilation
- ☒ 6. Device Management ✓
- ☐ 7. Editing
- ☐ 8. Assembling

The correct answers are: File Management, Device Management, Processor Management, Memory Management

Question **27**

Correct

Mark 5.00 out of 5.00

..... is a program that acts as an interface between the user and the computer hardware and controls the execution of all kinds of programs.

Select one:

- ☒ 1. operating system ✓
- ☐ 2. Shell
- ☐ 3. Compiler
- ☐ 4. Linker

The correct answer is: operating system

Question **28**

Correct

Mark 10.00 out of 10.00

Write the value of B when the following shell script is executed

```
#!/bin/bash
A=1
B=1
n=8
until [ $A -gt $n ]
do
    B=$(expr $B \* $A)
    A=$(expr $A + 1)
done
echo $B
```

Answer:



The correct answer is: 40320

Question **29**

Incorrect

Mark 0.00 out of 5.00

The function essentially sets up the execution environment for the first Linux process (process 0).

Select one:

- ☐ 1. first startup
- ☐ 2. setup
- ☐ 3. second startup
- ☒ 4. start_kernel ✗

The correct answer is: second startup

Question **30**
Correct
Mark 10.00 out of 10.00

Select synchronization mechanisms which are suitable for Multiprocessor systems.

Select one or more:

- ☐ 1. Kernel preemption disabling (Non-Preemptive Kernels)
- ☐ 2. Interrupt disabling
- ☒ 3. Semaphores ✓
- ☒ 4. Spin locks ✓

The correct answers are: Semaphores, Spin locks

Question **31**
Correct
Mark 10.00 out of 10.00

Two operating modes of the Intel processor are, and

Select one or more:

- ☒ 1. Real Mode ✓
- ☐ 2. Private Mode
- ☒ 3. Protected Mode ✓
- ☐ 4. Virtual mode

The correct answers are: Real Mode, Protected Mode

Question **32**
Correct
Mark 5.00 out of 5.00

Which process loads the gdt and idtr registers with the addresses of the GDT and IDT tables?

Select one:

- ☐ 1. Process 2
- ☒ 2. Process 0 ✓
- ☐ 3. Process 3
- ☐ 4. Process 1

The correct answer is: Process 0

Question **33**
Correct
Mark 10.00 out of 10.00

Keyboard default rate is cps (characters per second) & repeat delay isms.

Select one:

- ☒ 1. 10.9, 250 ✓
- ☐ 2. 11.9, 150
- ☐ 3. 10.9, 150
- ☐ 4. 11.9, 250

The correct answer is: 10.9, 250

Question **34**

Incorrect

Mark 0.00 out of 10.00

The main difference between Multi-programmed Batch Systems and Time-Sharing Systems is that in case of Multi-programmed batch systems, the objective is to, whereas in Time-Sharing Systems, the objective is to

Select one:

- ☐ 1. minimize processor use, maximize response time
- ☐ 2. minimize processor use, minimize response time
- ☒ 3. maximize processor use, maximize response time ✖
- ☐ 4. maximize processor use, minimize response time

The correct answer is: maximize processor use, minimize response time

Question **35**

Correct

Mark 10.00 out of 10.00

Logical address generated by the processor consists of two parts. What are they?

Select one or more:

- ☒ 1. Offset ✔
- ☐ 2. linear address
- ☐ 3. Physical address
- ☒ 4. Segment address ✔

The correct answers are: Offset, Segment address

Question **36**

Correct

Mark 5.00 out of 5.00

Which among the following interacts directly with system hardware?

Select one:

- ☐ 1. Shell
- ☐ 2. Applications
- ☐ 3. Commands
- ☒ 4. Kernel ✔

The correct answer is: Kernel

Question **37**

Incorrect

Mark 0.00 out of 10.00

Give a command to delete first line from your file txtfile

Answer: ✖

The correct answer is: sed -i '1 d' txtfile

Question **38**

Correct

Mark 5.00 out of 5.00

First version of UNIX was created in in 1969.

Select one:

- ☐ 1. Motorola Labs
- ☒ 2. Bell Labs ✓
- ☐ 3. Intel labs
- ☐ 4. Hitachi Labs

The correct answer is: Bell Labs

Question **39**

Correct

Mark 10.00 out of 10.00

Full form of GRUB

Answer: ✓

The correct answer is: GRand Unified Bootloader

Question **40**

Correct

Mark 10.00 out of 10.00

Identify all the special files used for Inter-Process Communication :

Select one or more:

- ☒ 1. Character-oriented device file ✗
- ☐ 2. Block-oriented device file
- ☐ 3. Regular file
- ☐ 4. Directory
- ☒ 5. Socket ✓
- ☒ 6. Pipe (FIFO) ✓
- ☐ 7. Symbolic link

The correct answers are: Pipe (FIFO), Socket

Question **41**

Incorrect

Mark 0.00 out of 5.00

Write a command in linux to display first line of a file sfile.

Answer: ✗

The correct answer is: head -1 sfile

Question **42**

Correct

Mark 5.00 out of 5.00

RTOS stands for

Select one:

- ☒ 1. Real Time Operating System ✓
- ☐ 2. Random Task Operating System
- ☐ 3. Real Task Operating System
- ☐ 4. Random Time Operating System

The correct answer is: Real Time Operating System

Question **43**

Correct

Mark 5.00 out of 5.00

Which procedure or function copies the contents of first sector, that is, Boot Loader into RAM, starting from physical address 0x00007c00, then jumps into that address and executes the code just loaded.

Select one:

- ☐ 1. setup function
- ☒ 2. BIOS Bootstrap procedure ✓
- ☐ 3. first startup function
- ☐ 4. second startup function

The correct answer is: BIOS Bootstrap procedure

Question **44**

Correct

Mark 10.00 out of 10.00

.....is used to create a new hard link that has the pathname p2 for a file identified by the pathname p1.

Select one:

- ☐ 1. ln p2 p1
- ☐ 2. ln -s p2 p1
- ☒ 3. ln p1 p2 ✓
- ☐ 4. ln -s p1 p2

The correct answer is: ln p1 p2

Question **45**

Correct

Mark 5.00 out of 5.00

Kernel code executes in a special privileged mode called mode with full access to all resources of the computer.

Answer:



The correct answer is: Kernel

Question **46**

Correct

Mark 5.00 out of 5.00

What is the command to find currently running process in your system?

Answer: ✓

The correct answer is: ps -la

Question **47**

Correct

Mark 5.00 out of 5.00

..... links are short files that contain an arbitrary pathname of another file.

Answer: ✓

The correct answer is: Symbolic

Question **48**

Correct

Mark 5.00 out of 5.00

A Operating System runs on a server and provides the server the capability to manage data, users, groups, security, applications, and other networking functions

Select one:

- ☐ 1. Distributed
- ☒ 2. Network ✓
- ☐ 3. Batch
- ☐ 4. Real Time

The correct answer is: Network

Question **49**

Correct

Mark 10.00 out of 10.00

Write command to search for all the lines containing the word "echo" in sample.sh

Answer: ✓

The correct answer is: grep "echo" sample.sh

Question **50**
Correct
Mark 10.00 out of 10.00

Indicate correct order of execution of the following procedures/functions during system Startup-

Start_kernel, Setup(), second Startup(), BIOS bootstrap procedure, first startup(), bootloader

Select one:

- ☐ 1. BIOS bootstrap procedure, Setup(), bootloader, first startup(), second Startup(), Start_kernel
- ☒ 2. BIOS bootstrap procedure, bootloader, Setup(), first startup(), second Startup(), Start_kernel ✓
- ☐ 3. Bootloader, Start_kernel, Setup(), first startup(), second Startup(), BIOS bootstrap procedure
- ☐ 4. BIOS bootstrap procedure, Start_kernel, bootloader, Setup(), first startup(), second Startup()

The correct answer is: BIOS bootstrap procedure, bootloader, Setup(), first startup(), second Startup(), Start_kernel

Question **51**
Incorrect
Mark 0.00 out of 10.00

After switching on the Power or pressing the Reset button, to begin the boot, a special hardware circuit known as circuit raises the logical value of the RESET pin of the CPU,

Answer: reset



The correct answer is: POWER ON RESET(POR)

Question **52**
Correct
Mark 10.00 out of 10.00

State the function performed by the following bash script.

```
#!/bin/bash
for F in $HOME/*.c
do
    echo $F
done
```

Select one:

- ☐ 1. echoes \$F on the screen
- ☒ 2. displays names of all files with extension .c in current home directory ✓
- ☐ 3. displays contents of all files with extension .c in current home directory
- ☐ 4. deletes all files with extension .c in current home directory

The correct answer is: displays names of all files with extension .c in current home directory

Question **53**

Incorrect

Mark 0.00 out of 5.00

Which function Initializes the provisional kernel Page Tables contained in `swapper_pg_dir` and `pg0` to identically map the linear addresses to the same physical addresses?

Select one:

- ☐ 1. first startup
- ☒ 2. setup 
- ☐ 3. second startup
- ☐ 4. start_kernel

The correct answer is: second startup

Question **54**

Correct

Mark 10.00 out of 10.00

In Real mode of the CPU, the Physical Address is computed using the following formula

Select one:

- ☐ 1. linear address * 16 + offset
- ☐ 2. linear address shifted left by 4 bits + offset
- ☒ 3. Segment address * 16 + offset 
- ☐ 4. Segment address shifted left by 16 bits + offset

The correct answer is: Segment address * 16 + offset

Question **55**

Correct

Mark 5.00 out of 5.00

UNIX is the acronym for

Select one:

- ☒ 1. Uniplexed Information & Computing Services 
- ☐ 2. Universal Information Exchange
- ☐ 3. Universal Information & Computing System
- ☐ 4. Universal Network Interface

The correct answer is: Uniplexed Information & Computing Services

Question **56**

Correct

Mark 5.00 out of 5.00

Windows allows up to partitions on a GPT drive

Select one:

- ☒ 1. 128 
- ☐ 2. 16
- ☐ 3. 64
- ☐ 4. 4

The correct answer is: 128

Question **57**

Correct

Mark 5.00 out of 5.00

Name the boot loader used by WINDOWS NT, 2000, XP

Select one:

- ☐ 1. LILO
- ☐ 2. BOOTMGR
- ☒ 3. NTLDR ✓
- ☐ 4. GRUB2

The correct answer is: NTLDR

Question **58**

Incorrect

Mark 0.00 out of 5.00

Write the Linux command to get (display) only first 10 lines from file sfile

Answer:



The correct answer is: head -10 sfile

Question **59**

Correct

Mark 5.00 out of 5.00

..... system call decreases the file link count and removes the corresponding directory entry. The file is deleted only when the link count assumes the value 0.

Answer:



The correct answer is: unlink

Question **60**

Correct

Mark 10.00 out of 10.00

Write the value of a when the following shell script is executed

```
b=75
c=67
a=$(expr $b / $c)
echo $a
```

Answer:



The correct answer is: 1

Question **61**

Correct

Mark 5.00 out of 5.00

The physical starting address of the Page Directory Table is stored in processor control register

Select one:

- ☐ 1. cr1
- ☐ 2. cr2
- ☒ 3. cr3 ✓
- ☐ 4. cr0

The correct answer is: cr3

Question **62**

Correct

Mark 10.00 out of 10.00

Full form of BIOS.....

Answer: BASIC INPUT OUTPUT SYSTEM ✓

The correct answer is: BASIC INPUT OUTPUT SYSTEM

Question **63**

Correct

Mark 10.00 out of 10.00

Full form of MBR.....

Answer: MASTER BOOT RECORD ✓

The correct answer is: Master Boot Record

Question **64**

Correct

Mark 5.00 out of 5.00

Symbolic links are also known as links.

Answer: soft ✓

The correct answer is: soft

Question **65**

Correct

Mark 5.00 out of 5.00

Which of the following statement is FALSE ?

Select one:

- ☐ 1. Unix supports multiple users
- ☒ 2. Shell takes care of inter process communication ✓
- ☐ 3. Linux is an open source operating system and the source code is shared
- ☐ 4. Shell provides the feature of I/O Redirection

The correct answer is: Shell takes care of inter process communication

Question **66**

Correct

Mark 5.00 out of 5.00

.....creates a new soft link with pathname p2 that refers to pathname p1

Select one:

- ☐ 1. ln p1 p2
- ☐ 2. ln -s p2 p1
- ☐ 3. ln p2 p1
- ☒ 4. ln -s p1 p2 ✓

The correct answer is: ln -s p1 p2

Question **67**

Correct

Mark 15.00 out of 15.00

Write the value of B when the following shell script is executed

```
#!/bin/bash
A=1
B=0
C=1
n=50
while [ $C -le $n ]
do
    B=$(expr $B + $A)
    A=$(expr $A + 2)
    C=$(expr $C + 1)
done
echo $B
```

Answer:



The correct answer is: 2500

Question **68**

Incorrect

Mark 0.00 out of 5.00

How many privilege levels are in Linux?

Select one:

- ☒ 1. 3 ✗
- ☐ 2. 1
- ☐ 3. 4
- ☐ 4. 2

The correct answer is: 2

Question **69**

Correct

Mark 5.00 out of 5.00

Write the command to make the script test.sh executable.

Answer: ✓

The correct answer is: chmod +x test.sh

Question **70**

Correct

Mark 10.00 out of 10.00

Write the shebang construct which every shell script must begin with and tells the system that the commands that follow are to be executed by the Bourne Again shell.

Answer: ✓

The correct answer is: #!/bin/bash

Question **71**

Incorrect

Mark 0.00 out of 5.00

The function initializes the hardware devices in the computer and sets up the environment for the execution of the LINUX kernel program.

Select one:

- ☐ 1. setup ()
- ☐ 2. first startup()
- ☐ 3. second startup()
- ☒ 4. Boot Loader ✗

The correct answer is: setup ()

Question **72**

Correct

Mark 5.00 out of 5.00

Which function creates the process 1 by invoking the kernel_thread() function

Select one:

- ☐ 1. setup
- ☐ 2. second startup
- ☐ 3. first startup
- ☒ 4. start_kernel ✓

The correct answer is: start_kernel

Question **73**
Correct
Mark 10.00 out of 10.00

In Electronics, the term PCB stands for

Select one:

- ☒ 1. Printed Circuit Board ✓
- ☐ 2. Process Communication Block
- ☐ 3. Process Control Block
- ☐ 4. Print Control Block

The correct answer is: Printed Circuit Board

Question **74**
Correct
Mark 5.00 out of 5.00

..... function is used to move the file position indicator to the beginning of the file.

Select one:

- ☐ 1. lseek(fd, 0L, -1)
- ☐ 2. lseek(fd, 0L, 2)
- ☒ 3. lseek(fd, 0L, 0) ✓
- ☐ 4. lseek(fd, 0L, 1)

The correct answer is: lseek(fd, 0L, 0)

Question **75**
Incorrect
Mark 0.00 out of 10.00

The circuit is used to convert an analog input signal, i.e., output of a RC circuit (rising charging level of a capacitor) to a digital output signal.

Answer: ✗

The correct answer is: Schmitt trigger

Question **76**
Incorrect
Mark 0.00 out of 5.00

Linux + GNU Utilities =

Answer: ✗

The correct answer is: Free UNIX

Question **77**
Correct
Mark 10.00 out of 10.00

SPOOL is an acronym for

Select one:

- ☐ 1. Symmetrical Processor Operations Online
- ☐ 2. Simultaneous Programmable Object Oriented Language
- ☐ 3. Simultaneous Printing Online Offline Logic
- ☒ 4. Simultaneous Peripheral Operations On Line ✓

The correct answer is: Simultaneous Peripheral Operations On Line

Question **78**
Correct
Mark 5.00 out of 5.00

In Operating System, the term PCB stands for

Select one:

- ☒ 1. Process Control Block ✓
- ☐ 2. Print Control Block
- ☐ 3. Process Communication Block
- ☐ 4. Printed Circuit Board

The correct answer is: Process Control Block

Question **79**
Correct
Mark 5.00 out of 5.00

..... function completes the initialization of the Linux kernel. Nearly every kernel component is initialized by this function. It creates the PROCESS 1 (init)

Select one:

- ☐ 1. second startup
- ☒ 2. start_kernel ✓
- ☐ 3. setup
- ☐ 4. first startup

The correct answer is: start_kernel

Question **80**
Incorrect
Mark 0.00 out of 10.00

Write a linux command to search for a file hello.c in all directories

Answer: ✗

The correct answer is: find / -name helo.c

Question **81**

Correct

Mark 5.00 out of 5.00

..... function is used to move the file position indicator to the end of the file.

Select one:

- ☐ 1. lseek(fd, 0L, 1)
- ☐ 2. lseek(fd, 0L, -1)
- ☒ 3. lseek(fd, 0L, 2) ✓
- ☐ 4. lseek(fd, 0L, 0)

The correct answer is: lseek(fd, 0L, 2)

Question **82**

Correct

Mark 5.00 out of 5.00

End of line (EOL) indicator used in Linux regular file is

Select one:

- ☐ 1. Carriage Return followed by Line Feed
- ☐ 2. Carriage Return(CR)
- ☐ 3. Line Feed followed by Carriage Return
- ☒ 4. Line Feed(LF) ✓

The correct answer is: Line Feed(LF)

Question **83**

Correct

Mark 10.00 out of 10.00

Full form of GUID ...

Answer: ✓

The correct answer is: Globally Unique Identifier

Question **84**

Correct

Mark 5.00 out of 5.00

Name the boot loader used by WINDOWS VISTA, 7,8, 10

Select one:

- ☐ 1. LILO
- ☐ 2. NTLDR
- ☐ 3. GRUB2
- ☒ 4. BOOTMGR ✓

The correct answer is: BOOTMGR

Question **85**
Correct
Mark 10.00 out of 10.00

Write the value of `a` when the following shell script is executed

```
b=75
c=67
a=$(expr $b \* $c)
echo $a
```

Answer:



The correct answer is: 5025

Question **86**
Correct
Mark 5.00 out of 5.00

All information needed by the filesystem to handle a file is included in a data structure called an

Answer:



The correct answer is: inode

Question **87**
Correct
Mark 5.00 out of 5.00

The default shell on most linux distributions is

Select one:

- ☐ 1. csh
- ☐ 2. sh
- ☐ 3. ksh
- ☒ 4. bash ✓

The correct answer is: bash

Question **88**
Correct
Mark 10.00 out of 10.00

The Linux command to delete lines from 1 to 100 in file `prog1.c`

Select one:

- ☐ 1. `sed -i '1, 100 d' prog1.c | cut -f1 -d'`
- ☐ 2. `sed -i '100 d' prog1.c`
- ☒ 3. `sed -i '1, 100 d' prog1.c` ✓
- ☐ 4. `head -100 prog1.c | rm`

The correct answer is: `sed -i '1, 100 d' prog1.c`

Question **89**

Correct

Mark 5.00 out of 5.00

Full form of GNU is

Select one:

- ☐ 1. General Network UNIX
- ☐ 2. Global Network UNIX
- ☒ 3. GNU is Not UNIX ✓
- ☐ 4. Global Netware UNIX

The correct answer is: GNU is Not UNIX

Question **90**

Correct

Mark 10.00 out of 10.00

Write the Linux command to count only the number of words in the file txtfile

Answer: ✓

The correct answer is: wc -w txtfile

Question **91**

Correct

Mark 5.00 out of 5.00

User programs and other system programs work in mode which has no access to system hardware and kernel code.

Answer: ✓

The correct answer is: User

Question **92**

Correct

Mark 10.00 out of 10.00

Each process created by a Unix shell begins life with default open files. Identify these files.

Select one:

- ☐ 1. standard input STDIN (descriptor 0)
- ☐ 2. standard output STDOUT (descriptor 1)
- ☐ 3. standard error STDERR(descriptor 2)
- ☒ 4. All of the above ✓

The correct answer is: All of the above

Question **93**

Correct

Mark 5.00 out of 5.00

..... is the founder of the project GNU.

Answer: ✓

The correct answer is: Richard Stallman

Question **94**
Partially correct
Mark 8.57 out
of 10.00

Identify all the properties that an operating system should possess :

Select one or more:

- ☒ 1. Multi-Tasking ✓
- ☒ 2. Real-Time Processing ✓
- ☐ 3. Code Generation
- ☒ 4. Muti-Programming ✓
- ☐ 5. Hardware Troubleshooting
- ☐ 6. Batch Processing
- ☐ 7. Editing
- ☒ 8. Distributed Environment ✓
- ☐ 9. Disassembling
- ☐ 10. Compilation
- ☐ 11. Assembling
- ☒ 12. Spooling ✓
- ☐ 13. Linking
- ☒ 14. Interactivity ✓

The correct answers are: Batch Processing, Multi-Tasking, Muti-Programming, Interactivity, Real-Time Processing, Distributed Environment, Spooling

Question **95**
Correct
Mark 5.00 out
of 5.00

If a child process terminates after the parent process dies then the child process is termed as

Select one:

- ☐ 1. Zombie process
- ☒ 2. Orphan process ✓
- ☐ 3. Bad process
- ☐ 4. Dead process

The correct answer is: Orphan process

Question **96**
Correct
Mark 5.00 out
of 5.00

The process of starting up a computer is known as

Select one:

- ☐ 1. MBR
- ☐ 2. Boot Record
- ☒ 3. Boot Strapping ✓
- ☐ 4. Boot Loader

The correct answer is: Boot Strapping

Question **97**

Incorrect

Mark 0.00 out of 5.00

Write linux command to display amount of free and used memory in the system

Answer: ❌

The correct answer is: free

Question **98**

Correct

Mark 5.00 out of 5.00

..... command is used to change the access rights of user, group and others

Answer: ✅

The correct answer is: chmod

Question **99**

Correct

Mark 5.00 out of 5.00

Which is the core of the operating system?

Select one:

- ☐ 1. Compiler
- ☐ 2. Shell
- ☐ 3. Utilities
- ☒ 4. Kernel ✅

The correct answer is: Kernel

Question **100**

Correct

Mark 5.00 out of 5.00

A is a data structure maintained by the Operating System for every process.

Answer: ✅

The correct answer is: Process Control Block

Question **101**

Correct

Mark 10.00 out of 10.00

UNIX is the acronym for

Select one:

- ☐ 1. Universal Network Interface
- ☐ 2. Universal Information Exchange
- ☒ 3. Uniplexed Information & Computing Services ✅
- ☐ 4. Universal Information & Computing System

The correct answer is: Uniplexed Information & Computing Services

Question **102**

Correct

Mark 5.00 out of 5.00

Latest Ubuntu Release Ubuntu LTS (Long Term Support of 5 Years) stable version released in 2024

Answer:



The correct answer is: 24.04

Question **103**

Incorrect

Mark 0.00 out of 10.00

Write the output produced by the following Linux command

echo "GNU is Not UNIX" | rev | cut -f1 -d' ' | rev

Select one:

- ☒ 1. GNU ✗
- ☐ 2. UNIX
- ☐ 3. XINU toN si UNG
- ☐ 4. UNIX Not is GNU

The correct answer is: UNIX

Question **104**

Correct

Mark 5.00 out of 5.00

A system is defined as a data processing system in which the time interval required to process and respond to inputs is so small that it controls the environment.

Select one:

- ☐ 1. Distributed
- ☐ 2. Batch
- ☒ 3. real-time ✓
- ☐ 4. Network

The correct answer is: real-time

Question **105**

Correct

Mark 5.00 out of 5.00

Which function switches the CPU from Real Mode to Protected Mode by setting the PE bit in the cr0 control register.

Select one:

- ☐ 1. BIOS bootstrap procedure()
- ☒ 2. setup() ✓
- ☐ 3. start_kernel()
- ☐ 4. first startup()

The correct answer is: setup()

Question **106**

Correct

Mark 5.00 out of 5.00

What should be the first line in a shell script?

Select one:

- ☐ 1. #def SHEBANG = "#!/bin/bash
- ☒ 2. #!/bin/bash ✓
- ☐ 3. #include <unistd.h>
- ☐ 4. #include <stdio.h>

The correct answer is: #!/bin/bash

Question **107**

Correct

Mark 10.00 out of 10.00

Write the value of n when the following shell script is executed

```
#!/bin/bash
n=0
k=1
for i in {1..100}
do
    n=$(expr $n + $k)
    k=$(expr $k + 1)
done
echo $n
```

Answer:



The correct answer is: 5050

Question **108**

Correct

Mark 5.00 out of 5.00

Which function decompresses the kernel image and loads it into memory starting at physical address 0x00100000?

Select one:

- ☐ 1. start_kernel()
- ☐ 2. setup()
- ☐ 3. second startup()
- ☒ 4. first startup() ✓

The correct answer is: first startup()

Question **109**

Correct

Mark 10.00 out of 10.00

The Linux command to delete last line in file prog1.c

Select one:

- ☐ 1. tail -1 prog1.c | rm
- ☐ 2. tail -1 prog1.c | sed -i '1, 100 d'
- ☒ 3. sed -i '\$ d' prog1.c ✓
- ☐ 4. sed --i '1,\$ d' prog1.c | cut -f1 -d'

The correct answer is: sed -i '\$ d' prog1.c

Question **110**

Correct

Mark 5.00 out of 5.00

Most filesystems place a limit on the length of a filename, typically no more than characters.

Select one:

- ☐ 1. 256
- ☒ 2. 255 ✓
- ☐ 3. 64
- ☐ 4. 16

The correct answer is: 255

Question **111**

Incorrect

Mark 0.00 out of 5.00

FULL FORM OF GPT

Select one:

- ☒ 1. Generic Partition Table ✗
- ☐ 2. General Processing Task
- ☐ 3. GNU Public Taskforce
- ☐ 4. GUID Partition Table

The correct answer is: GUID Partition Table

Question **112**

Correct

Mark 10.00 out of 10.00

Full form of UEFI

Select one:

- ☐ 1. UNIX Extensible Firmware Interface
- ☒ 2. Unified Extensible Firmware Interface ✓
- ☐ 3. Universal Extended File Interface
- ☐ 4. Unified Enhanced Framework Interface

The correct answer is: Unified Extensible Firmware Interface

Question **113**

Correct

Mark 10.00 out of 10.00

BIOS Bootstrap procedure executes a series of tests on the computer hardware, in order to establish which devices are present and whether they are working properly. This phase is often called

Answer: POST



The correct answer is: POST (Power-On Self-Test)

Question **114**

Incorrect

Mark 0.00 out of 5.00

What Linux operating system command would you use to display the shell's environment variables?

Answer: printenv



The correct answer is: env

Question **115**

Correct

Mark 5.00 out of 5.00

If a child process terminates before the parent process dies then the child process is termed as

Select one:

- ☐ 1. Dead process
- ☐ 2. Bad process
- ☒ 3. Zombie process ✓
- ☐ 4. Orphan process

The correct answer is: Zombie process

Question **116**

Correct

Mark 5.00 out of 5.00

Which function or routine loads the Compressed kernel image into RAM starting from either low address 0x00010000 (for small kernel images compiled with make zImage) or high address 0x00100000 (for big kernel images compiled with make bzImage).

Select one:

- ☒ 1. Boot Loader ✓
- ☐ 2. first startup function
- ☐ 3. BIOS Bootstrap procedure
- ☐ 4. setup function

The correct answer is: Boot Loader

Question **117**

Correct

Mark 5.00 out of 5.00

What is the command to count only the number of lines in the file txtfile

Answer: ✓

The correct answer is: wc -l txtfile

Question **118**

Correct

Mark 5.00 out of 5.00

Boot Loader invokes a BIOS procedure to load the setup() code of the kernel image from the floppy disk and puts it in RAM starting from address

Select one:

- ☒ 1. 0x00090200 ✓
- ☐ 2. 0x00010000
- ☐ 3. 0x00100000
- ☐ 4. 0x00090000

The correct answer is: 0x00090200

Question **119**

Correct

Mark 5.00 out of 5.00

Processor's time which is shared among multiple users simultaneously is termed as

Answer: ✓

The correct answer is: time-sharing

Question **120**

Correct

Mark 15.00 out of 15.00

Write the value of a when the following shell script is executed

```
#!/bin/bash
list=(12 67 123 49 88 123 -9 0 456 126)
l=0
a=${list[0]}
l=$(expr $l + 1)
while [ $l -le 9 ]
do
    if [ ${list[$l]} -gt $a ]
    then
        a=${list[$l]}
    fi
    l=$(expr $l + 1)
done
echo $a
```

Answer: 456



The correct answer is: 456

Question **121**

Correct

Mark 5.00 out of 5.00

To avoid the race condition, the number of processes that may be simultaneously inside their critical section is.....

Select one:

- ☐ 1. 2
- ☒ 2. 1
- ☐ 3. 4
- ☐ 4. 3

The correct answer is: 1

Question **122**

Correct

Mark 5.00 out of 5.00

In multiprogramming environment, the OS decides which process gets the processor when and for how much time. This function is called

Select one:

- ☐ 1. spooling
- ☒ 2. process scheduling ✓
- ☐ 3. device scheduling
- ☐ 4. memory allocation

The correct answer is: process scheduling

Question **123**

Correct

Mark 10.00 out of 10.00

ACPI standard stands for

Answer: ✓

The correct answer is: Advanced Configuration and Power Interface

Question **124**

Correct

Mark 10.00 out of 10.00

Full form of LILO.....

Answer: ✓

The correct answer is: Linux Loader

Question **125**

Incorrect

Mark 0.00 out of 10.00

Given a file ftest, select the command which provides read write & execute access rights to user(owner), read & write access rights to group and only execute access right to others(public).

Select one:

- ☒ 1. chmod 746 ftest ✗
- ☐ 2. chmod 764 ftest
- ☐ 3. chmod 761 ftest
- ☐ 4. chmod 751 ftest

The correct answer is: chmod 761 ftest