

Security DBS

Bit Name	IADC code	Size range, in.	Recommended WOB, lb/in. diameter	Recommended rotary speed, rpm	Special features/usage*
Surface set diamond coring bits					
CB17	M613	6-12 1/4	250-3,500	80-140	F
Medium					
Insert roller cone bits					
M84	615	11 5/8, 17, 17 1/2	3,000-7,000	300-80	X
M84F	617	43/4, 51/2, 61/4, 61/2, 63/4, 77/8, 83/8, 81/2, 83/4, 91/2, 97/8, 105/8, 12, 121/4	3,000-7,000	80-40	BX
M84FD	617	83/8, 81/2, 8 3/4, 121/4	3,000-7,000	80-40	BXW
MAF	617	77/8	3,000-7,000	80-40	AB
MM88	625	121/4	2,500-7,000	150-80	MB
M84CF	627	77/8, 83/4, 11	3,000-7,000	80-40	BY
M84CFD	627	81/2, 83/4	3,000-7,000	14824	BYW
M85F	627	61/2, 63/4, 77/8, 83/4	3,500-7,000	80-40	BX
M86CF	627	77/8	3,000-7,000	80-40	BY
M89T	627	171/2	2,500-7,000	150-80	MB
M89TF	627	57/8, 6, 61/8, 61/4, 61/2, 63/4, 77/8,	3,500-7,000	80-40	BX
M89TFD	627	81/2, 83/4, 91/2	3,500-7,000	80-40	BXW
M89F	637	77/8, 121/4	4,000-7,000	70-40	BY
M89FD	637	97/8	4,000-7,000	70-40	BYW

Bariod Fluids Listing

		Recommended for these systems Water-based Fluids									Product Function		
		Non-dispersed	Dispersed	Calcium-treated	Polymer	Low Solids	Saturated Salt	Oil-base	Synthetic-base	Air, mist, foam, gas	Primary	Secondary	Secondary
Tradename	Description												
BARACARB 2300	Sized calcium carbonate	X	X	X	X	X	X	X	X		LO	W	FR
BARACAT	Cationic polymer solution	X		X	X	X	X				SH	FL	
BARACHEK HV	Cellulose derivative	X		X	X	X	X				V	FR	
BARACHEK LV	Cellulose derivative	X		X	X	X	X				FR	V	
BARACOR 44	Sulfide scavenger	X	X	X	X	X	X	X	X		CO		
BARACOR 95	Corrosion inhibitor	X			X	X	X				CO	A	
BARACOR 100	Corrosion inhibitor										CO		
BARACOR 129	Powdered corrosion inihibitor	X	X		X	X	X				CO		
BARACOR 450	High temp. corr. inh. for hi-density brines										CO	TE	
BARACOR 700	Corrosion/scale inhibitor	X		X						X	CO		
BARACOR 1635	Powdered oxygen corr. inhibitor									X	CO		
BARACTIVE	Polar Activator							X	X		V	FR	
BARA-DEFOAM 1	Defoamer	X	X	X	X	X					D	SU	
BARA-DEFOAM HP	Defoamer	X	X	X	X	X	X				D		
BARA-DEFOAM W 300	Defoamer	X	X	X	X	X	X				D		
BARAFILM	Filming amine	X	X	X	X	X	X			X	CO		