


# LIQUID LIMIT DETERMINATION - FLOW CURVE

Test Method: IS 2720 (Part 5)

Borehole ID : **SBH-08**

Sample Type & Sample Depth from top : **SPT & 0.50 m**



**LIQUID LIMIT TEST OBSERVATIONS**

| Trial No. | Number of Blows (N) | Moisture Content, w (%) |
|-----------|---------------------|-------------------------|
| 1         | 18                  | 40.39                   |
| 2         | 21                  | 39.26                   |
| 3         | 26                  | 38.16                   |
| 4         | 28                  | 38.57                   |

**TEST RESULTS**

|                         |           |
|-------------------------|-----------|
| Liquid Limit ( $w_L$ )  | : 38.70 % |
| Plastic Limit ( $w_P$ ) | : 18.60 % |
| Plasticity Index (PI)   | : 20.10 % |

**Remarks / Note:**


- Flow curve plotted as per IS 2720 (Part 5) using semi-logarithmic scale.
- Liquid Limit reported at 25 blows from the best fit line.

LIQUID LIMIT DETERMINATION - FLOW CURVE

Test Method: IS 2720 (Part 5)

Borehole ID : SBH-08

Sample Type & Sample Depth from top : UDS & 1.50 m



LIQUID LIMIT TEST OBSERVATIONS

| Trial No. | Number of Blows (N) | Moisture Content, w (%) |
|-----------|---------------------|-------------------------|
| 1         | 15                  | 37.85                   |
| 2         | 21                  | 37.45                   |
| 3         | 23                  | 36.00                   |
| 4         | 31                  | 33.59                   |

TEST RESULTS

|                         |           |
|-------------------------|-----------|
| Liquid Limit ( $w_l$ )  | : 35.40 % |
| Plastic Limit ( $w_p$ ) | : 17.30 % |
| Plasticity Index (PI)   | : 18.10 % |

Remarks / Note:


- Flow curve plotted as per IS 2720 (Part 5) using semi-logarithmic scale.
- Liquid Limit reported at 25 blows from the best fit line.

# LIQUID LIMIT DETERMINATION - FLOW CURVE

Test Method: IS 2720 (Part 5)

Borehole ID : **SBH-08**  
Sample Type & Sample Depth from top : **SPT & 3.50 m**

## FLOW CURVE



### LIQUID LIMIT TEST OBSERVATIONS

| Trial No. | Number of Blows (N) | Moisture Content, $w$ (%) |
|-----------|---------------------|---------------------------|
| 1         | 18                  | 36.68                     |
| 2         | 22                  | 34.76                     |
| 3         | 26                  | 34.79                     |
| 4         | 30                  | 33.20                     |

### TEST RESULTS

|                         |           |
|-------------------------|-----------|
| Liquid Limit ( $w_L$ )  | : 34.50 % |
| Plastic Limit ( $w_P$ ) | : 16.90 % |
| Plasticity Index (PI)   | : 17.60 % |

#### Remarks / Note:


- Flow curve plotted as per IS 2720 (Part 5) using semi-logarithmic scale.
- Liquid Limit reported at 25 blows from the best fit line.

LIQUID LIMIT DETERMINATION - FLOW CURVE

Test Method: IS 2720 (Part 5)

Borehole ID : SBH-08

Sample Type & Sample Depth from top : SPT & 6.50 m



LIQUID LIMIT TEST OBSERVATIONS

| Trial No. | Number of Blows (N) | Moisture Content, w (%) |
|-----------|---------------------|-------------------------|
| 1         | 17                  | 32.25                   |
| 2         | 20                  | 31.56                   |
| 3         | 25                  | 30.83                   |
| 4         | 30                  | 30.85                   |

TEST RESULTS

|                         |           |
|-------------------------|-----------|
| Liquid Limit ( $w_L$ )  | : 31.10 % |
| Plastic Limit ( $w_P$ ) | : —       |
| Plasticity Index (PI)   | : —       |

Remarks / Note:


- Flow curve plotted as per IS 2720 (Part 5) using semi-logarithmic scale.
- Liquid Limit reported at 25 blows from the best fit line.

LIQUID LIMIT DETERMINATION - FLOW CURVE

Test Method: IS 2720 (Part 5)

Borehole ID : SBH-08

Sample Type & Sample Depth from top : SPT & 10.00 m



LIQUID LIMIT TEST OBSERVATIONS

| Trial No. | Number of Blows (N) | Moisture Content, w (%) |
|-----------|---------------------|-------------------------|
| 1         | 16                  | 33.55                   |
| 2         | 17                  | 32.05                   |
| 3         | 22                  | 31.59                   |
| 4         | 30                  | 30.07                   |

TEST RESULTS

|                         |           |
|-------------------------|-----------|
| Liquid Limit ( $w_l$ )  | : 30.90 % |
| Plastic Limit ( $w_p$ ) | : —       |
| Plasticity Index (PI)   | : —       |

Remarks / Note:

- Flow curve plotted as per IS 2720 (Part 5) using semi-logarithmic scale.
- Liquid Limit reported at 25 blows from the best fit line.