


KD50SE-1P

HIGH EFFICIENCY MULTICRYSTALLINE PHOTOVOLTAIC MODULE









01 100 528 050018 (Czech Republic), FM26856(Mexico)

TUVdotCOM Internet platform for tested quality and service ID 0000023574.



HIGHLIGHTS OF KYOCERA PHOTOVOLTAIC MODULES

Kyocera's advanced cell processing technology and automated production facilities produce highly efficient multicrystalline photovoltaic modules.

The conversion efficiency of the Kyocera solar cell is over 16%.

These cells are encapsulated between a tempered glass cover and a pottant with back sheet to provide efficient protection from severe environmental conditions.

The entire laminate is installed in an anodized aluminum frame to provide structural strength and ease of installation.

APPLICATIONS

Grid-Connected Systems

- Residential Solar Power Systems
- Public and Industrial Solar Power Systems

Stand-Alone Solar Power Systems for

- Villages in remote areas
- Homes and summer cottages
- Microwave / Radio repeater stations
- Medical facilities in rural areas

- Emergency communication
- Water quality and environmental data monitoring
- Drinking water and livestock water pumping
- Small-scale irrigation pumping
- Cathodic protection
- Aviation obstruction lights
- Environmental data monitoring
- Railway signals
- Street lighting
- Small-scale desalination

LIMITED WARRANTY


※2 year limited warranty on material and workmanship

*20 years limited warranty on power output: For detail, please refer to "category IV" in Warranty issued by Kyocera


(Long term output warranty shall warrant if PV Module(s) exhibits power output of less than 90% of the original minimum rated power specified at the time of sale within 10 years and less than 80% within 20 years after the date of sale to the Customer. The power output values shall be those measured under Kyocera's standard measurement conditions. Regarding the warranty conditions in detail, please refer to Warranty issued by Kyocera)

ELECTRICAL CHARACTERISTICS

Current-Voltage characteristics of Photovoltaic Module KD50SE-1P at various cell temperatures at Kyocera Corporation laboratory.



Current-Voltage characteristics of Photovoltaic Module KD50SE-1P at various irradiance levels at Kyocera Corporation laboratory.






MODEL

Physical Specifications

(Unit:mm)



Specifications

■ Electrical Performance under Standard Test Conditions (*STC)	
Maximum Power (Pmax)	50W (+10%/-5%)
Maximum Power Voltage (Vmpp)	17.9V
Maximum Power Current (Impp)	2.80A
Open Circuit Voltage (Voc)	22.1V
Short Circuit Current (Isc)	3.07A
Max System Voltage	750V
Temperature Coefficient of Voc	-8.00×10⁻² V/°C
Temperature Coefficient of Isc	1.84×10 ⁻³ A/℃
*STC : Irradianae 1000W/m² AM1 E spectrum module temperture 25°C	

'STC : Irradiance 1000W/m², AM1.5 spectrum, module temperture 25°C

■ Electrical Performance at 800W/m², *NOCT, AM1.5		
Maximum Power (Pmax)	35W	
Maximum Power Voltage (Vmpp)	15.8V	
Maximum Power Current (Impp)	2.24A	
Open Circuit Voltage (Voc)	19.9V	
Short Circuit Current (Isc)	2.50A	

^{*}NOCT (Nominal Operating Cell Temperature) : 49°C

■ Cells	
Number per Module	36
Cell Technology	Multicrystalline
Cell Shape	Rectanglar

■ Module Characteristics	
Length × Width × Depth without Box	706×744×36mm
Weight	6.5kg

■ Junction Box Characteristics	
Length \times Width \times Depth	150×140×37mm
IP Code	IP65

■ Others	
*Reduction of Efficiency under Low Irradiance	4.5%
Limiting Reverse Current	6A

^{*}Reduction of efficiency from an irrandiance of 1000W/m² to 200W/m² (cell temperature 25°C)

Please contact our office for further information



KYOCERA Corporation

■ KYOCERA Corporation Headquarters

CORPORATE SOLAR ENERGY DIVISION 6 Takeda Tobadono-cho Fushimi-ku, Kyoto 612-8501, Japan TEL:(81)75-604-3476 FAX:(81)75-604-3475 http://www.kyocera.com/

KYOCERA Solar, Inc.

7812 East Acoma Drive Scottsdale, AZ 85260, USA TEL:(1)480-948-8003 or (800)223-9580 FAX:(1)480-483-6431 http://www.kyocerasolar.com/

KYOCERA Solar do Brasil Ltda.

Av. Guignard 661, Loja A 22790-200, Recreio dos Bandeirantes, Rio de Janeiro, Brazil TEL:(55)21-3261-7111 FAX:(55)21-3261-7103 http://www.kyocerasolar.com.br/

KYOCERA Solar Pty Ltd.

Level 3, 6-10 Talavera Road, North Ryde N.S.W. 2113, Australia TEL:(61)2-9870-3946 FAX:(61)2-9888-9673 http://www.kyocerasolar.com.au/

KYOCERA Fineceramics GmbH

Fritz-Muller-Strasse 27, 73730 Esslingen Germany TEL:(49)711-93934-999 Fax: (49)-711-93934-950 http://www.kyocerasolar.de/ solar@kyocera.de

• KYOCERA Asia Pacific Pte. Ltd.

298 Tiong Bahru Road, #13-03/05 Central Plaza, Singapore 168730 TEL:(65)6271-0500 FAX:(65)6271-0600

Kyocera Asia Pacific Ltd.

Room 801-802, Tower 1, South Seas Centre, 75 Mody Road, Tsimshatsui East, Kowloon, Hong Kong TEL:(852)2723-7183 FAX:(852)2724-4501

• KYOCERA Asia Pacific Pte. Ltd., Taipei Office

10F, No. 66, Nanking West Road, Taipei, Taiwan TEL:(886) 2-2555-3609 FAX:(886)2-2559-4131

● KYOCERA (Tianjin) Sales & Trading Corp. (Beijing Office)Room 2107, Beijing Huabin International Building, No.8 Yong An Dong Li, Jian Guo Men Wai Road, Chao Yang District, Beijing, 100022, China TEL:(86)10-8528-8838 FAX:(86)-10-8528-8839 http://www.kyocera.com.cn/

• KYOCERA Korea Co., Ltd.

Diplomatic Center Room #406, 1376-1, Seocho-2Dong, Seocho-Ku,Seoul, 137-072, Korea TEL:(82)2-3463-3538 FAX:(82)-2-3463-3539 http://www.kyocera.co.kr/