



Welcome to Virtual PC Simulator, version 0.6.2
Dedicated to Daling.
Build time: Apr 10 2019 02:42:20
Copyright (c) 2007-2014, Paul Meng (mirnshi@gmail.com)
All rights reserved.

VPCS is free software, distributed under the terms of the "BSD" licence.
Source code and license can be found at vpcs.sf.net.
For more information, please visit wiki.freecode.com.cn.

Press '?' to get help.

Executing the startup file

PC1> show ip

NAME : PC1[1]
IP/MASK : 0.0.0.0/0
GATEWAY : 0.0.0.0
DNS :
MAC : 00:50:79:66:68:00
LPORT : 10010
RHOST:PORT : 127.0.0.1:10011
MTU: : 1500

PC1> ip 10.10.10.10 255.255.255.0 10.10.10.1

Checking for duplicate address...

PC1 : 10.10.10.10 255.255.255.0 gateway 10.10.10.1

PC1> ping 203.0.113.1

203.0.113.1 icmp_seq=1 timeout
203.0.113.1 icmp_seq=2 timeout
203.0.113.1 icmp_seq=3 timeout
203.0.113.1 icmp_seq=4 timeout
203.0.113.1 icmp_seq=5 timeout

PC1> ping 203.0.113.1

203.0.113.1 icmp_seq=1 timeout
203.0.113.1 icmp_seq=2 timeout
203.0.113.1 icmp_seq=3 timeout
203.0.113.1 icmp_seq=4 timeout
203.0.113.1 icmp_seq=5 timeout

PC1> █

*(Untitled)						
File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help						
Apply a display filter ... <Ctrl-/>						
No.	Time	Source	Destination	Protocol	Length	Info
1	0.000000	ca:01:64:70:00:71	ca:01:64:70:00:71	LOOP	60	Reply
2	10.002413	ca:01:64:70:00:71	ca:01:64:70:00:71	LOOP	60	Reply
3	20.009677	ca:01:64:70:00:71	ca:01:64:70:00:71	LOOP	60	Reply
4	25.441966	ca:01:64:70:00:71	CDP/VTP/DTP/PagP/UD...	CDP	371	Device ID: R1 Port ID: Ethernet4/1
5	30.009454	ca:01:64:70:00:71	ca:01:64:70:00:71	LOOP	60	Reply
6	30.009896	ca:01:64:70:00:70	ca:01:64:70:00:70	LOOP	60	Reply
7	40.024059	ca:01:64:70:00:71	ca:01:64:70:00:71	LOOP	60	Reply
8	40.024588	ca:01:64:70:00:70	ca:01:64:70:00:70	LOOP	60	Reply
9	50.033888	ca:01:64:70:00:70	ca:01:64:70:00:70	LOOP	60	Reply
10	50.034060	ca:01:64:70:00:71	ca:01:64:70:00:71	LOOP	60	Reply
11	60.037552	ca:01:64:70:00:71	ca:01:64:70:00:71	LOOP	60	Reply
12	60.037998	ca:01:64:70:00:70	ca:01:64:70:00:70	LOOP	60	Reply
13	66.839087	ca:01:64:70:00:70	CDP/VTP/DTP/PagP/UD...	CDP	371	Device ID: R1 Port ID: Ethernet4/0
14	70.047418	ca:01:64:70:00:71	ca:01:64:70:00:71	LOOP	60	Reply
15	70.047766	ca:01:64:70:00:70	ca:01:64:70:00:70	LOOP	60	Reply
16	80.051750	ca:01:64:70:00:71	ca:01:64:70:00:71	LOOP	60	Reply
17	80.052208	ca:01:64:70:00:70	ca:01:64:70:00:70	LOOP	60	Reply
18	85.224117	ca:01:64:70:00:71	CDP/VTP/DTP/PagP/UD...	CDP	371	Device ID: R1 Port ID: Ethernet4/1
19	90.068994	ca:01:64:70:00:71	ca:01:64:70:00:71	LOOP	60	Reply
20	90.069048	ca:01:64:70:00:70	ca:01:64:70:00:70	LOOP	60	Reply
21	100.076923	ca:01:64:70:00:71	ca:01:64:70:00:71	LOOP	60	Reply
22	100.077186	ca:01:64:70:00:70	ca:01:64:70:00:70	LOOP	60	Reply
23	101.793078	Private_66:68:00	Broadcast	ARP	64	Who has 10.10.10.1? Tell 10.10.10.10
24	101.824820	ca:01:64:70:00:70	Private_66:68:00	ARP	60	10.10.10.1 is at ca:01:64:70:00:70
25	101.840062	10.10.10.10	203.0.113.1	ICMP	98	Echo (ping) request id=0x383f, seq=1/256, ttl=64 (no response found!)
26	101.947693	10.10.10.1	10.10.10.10	ICMP	70	Redirect (Redirect for host)
27	101.947850	10.10.10.10	10.10.10.10	ICMP	98	Echo (ping) request id=0x383f, seq=1/256, ttl=63 (reply in 28)
28	101.948152	10.10.10.10	10.10.10.10	ICMP	98	Echo (ping) reply id=0x383f, seq=1/256, ttl=64 (request in 27)
29	101.964980	10.10.10.10	10.10.10.10	ICMP	98	Echo (ping) reply id=0x383f, seq=1/256, ttl=63
30	103.857988	10.10.10.10	203.0.113.1	ICMP	98	Echo (ping) request id=0x3a3f, seq=2/512, ttl=64 (no response found!)
31	103.906985	10.10.10.1	10.10.10.10	ICMP	70	Redirect (Redirect for host)
32	103.907159	10.10.10.10	10.10.10.10	ICMP	98	Echo (ping) request id=0x3a3f, seq=2/512, ttl=63 (reply in 33)
33	103.907522	10.10.10.10	10.10.10.10	ICMP	98	Echo (ping) reply id=0x3a3f, seq=2/512, ttl=64 (request in 32)
34	103.920010	10.10.10.10	10.10.10.10	ICMP	98	Echo (ping) reply id=0x3a3f, seq=2/512, ttl=63
35	105.875083	10.10.10.10	203.0.113.1	ICMP	98	Echo (ping) request id=0x3c3f, seq=3/768, ttl=64 (no response found!)

*(Untitled)						
File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help						
Apply a display filter ... <Ctrl-/>						
No.	Time	Source	Destination	Protocol	Length	Info
20	90.069048	ca:01:64:70:00:70	ca:01:64:70:00:70	LOOP	60	Reply
21	100.076923	ca:01:64:70:00:71	ca:01:64:70:00:71	LOOP	60	Reply
22	100.077186	ca:01:64:70:00:70	ca:01:64:70:00:70	LOOP	60	Reply
23	101.793078	Private_66:68:00	Broadcast	ARP	64	Who has 10.10.10.1? Tell 10.10.10.10
24	101.824820	ca:01:64:70:00:70	Private_66:68:00	ARP	60	10.10.10.1 is at ca:01:64:70:00:70
25	101.840062	10.10.10.10	203.0.113.1	ICMP	98	Echo (ping) request id=0x383f, seq=1/256, ttl=64 (no response found!)
26	101.947693	10.10.10.1	10.10.10.10	ICMP	70	Redirect (Redirect for host)
27	101.947850	10.10.10.10	10.10.10.10	ICMP	98	Echo (ping) request id=0x383f, seq=1/256, ttl=63 (reply in 28)
28	101.948152	10.10.10.10	10.10.10.10	ICMP	98	Echo (ping) reply id=0x383f, seq=1/256, ttl=64 (request in 27)
29	101.964980	10.10.10.10	10.10.10.10	ICMP	98	Echo (ping) reply id=0x383f, seq=1/256, ttl=63
30	103.857988	10.10.10.10	203.0.113.1	ICMP	98	Echo (ping) request id=0x3a3f, seq=2/512, ttl=64 (no response found!)
31	103.906985	10.10.10.1	10.10.10.10	ICMP	70	Redirect (Redirect for host)
32	103.907159	10.10.10.10	10.10.10.10	ICMP	98	Echo (ping) request id=0x3a3f, seq=2/512, ttl=63 (reply in 33)
33	103.907522	10.10.10.10	10.10.10.10	ICMP	98	Echo (ping) reply id=0x3a3f, seq=2/512, ttl=64 (request in 32)
34	103.920010	10.10.10.10	10.10.10.10	ICMP	98	Echo (ping) reply id=0x3a3f, seq=2/512, ttl=63
35	105.875083	10.10.10.10	203.0.113.1	ICMP	98	Echo (ping) request id=0x3c3f, seq=3/768, ttl=64 (no response found!)
36	105.890264	10.10.10.1	10.10.10.10	ICMP	70	Redirect (Redirect for host)
37	105.890410	10.10.10.10	10.10.10.10	ICMP	98	Echo (ping) request id=0x3c3f, seq=3/768, ttl=63 (reply in 38)
38	105.890614	10.10.10.10	10.10.10.10	ICMP	98	Echo (ping) reply id=0x3c3f, seq=3/768, ttl=64 (request in 37)
39	105.905268	10.10.10.10	10.10.10.10	ICMP	98	Echo (ping) reply id=0x3c3f, seq=3/768, ttl=63
40	107.876770	10.10.10.10	203.0.113.1	ICMP	98	Echo (ping) request id=0x3e3f, seq=4/1024, ttl=64 (no response found!)
41	107.892903	10.10.10.1	10.10.10.10	ICMP	70	Redirect (Redirect for host)
42	107.893076	10.10.10.10	10.10.10.10	ICMP	98	Echo (ping) request id=0x3e3f, seq=4/1024, ttl=63 (reply in 43)
43	107.893372	10.10.10.10	10.10.10.10	ICMP	98	Echo (ping) reply id=0x3e3f, seq=4/1024, ttl=64 (request in 42)
44	107.910076	10.10.10.10	10.10.10.10	ICMP	98	Echo (ping) reply id=0x3e3f, seq=4/1024, ttl=63
45	109.904570	10.10.10.10	203.0.113.1	ICMP	98	Echo (ping) request id=0x403f, seq=5/1280, ttl=64 (no response found!)
46	109.919847	10.10.10.1	10.10.10.10	ICMP	70	Redirect (Redirect for host)
47	109.920314	10.10.10.10	10.10.10.10	ICMP	98	Echo (ping) request id=0x403f, seq=5/1280, ttl=63 (reply in 48)
48	109.920600	10.10.10.10	10.10.10.10	ICMP	98	Echo (ping) reply id=0x403f, seq=5/1280, ttl=64 (request in 47)
49	109.936179	10.10.10.10	10.10.10.10	ICMP	98	Echo (ping) reply id=0x403f, seq=5/1280, ttl=63
50	110.087042	ca:01:64:70:00:71	ca:01:64:70:00:71	LOOP	60	Reply
51	110.087329	ca:01:64:70:00:70	ca:01:64:70:00:70	LOOP	60	Reply
52	111.438321	ca:01:64:70:00:71	DEC-MOP-Remote-Cons...	0x6002	77	DEC DNA Remote Console
53	111.438566	ca:01:64:70:00:70	DEC-MOP-Remote-Cons...	0x6002	77	DEC DNA Remote Console
54	115.040876	ca:01:64:70:00:70	CDP/VTP/DTP/PAGP/UD...	CDP	371	Device ID: R1 Port ID: Ethernet4/0

The screenshot displays the SolarWinds Solar-PuTTY application interface. The top menu bar includes File, Edit, View, Go, Capture, Analyze, Statistics, Telephony, Wireless, Tools, and Help. Below the menu is a toolbar with various icons for file operations and network analysis.

The main window shows a packet capture list with columns: No., Time, Source, Destination, Protocol, Length, and Info. The packets are filtered by PC1. The selected packet (No. 25) is an ICMP Echo (ping) request from 10.10.10.10 to 203.0.113.1, with sequence number 1/256 and ttl=64. The info field indicates "no response found!".

Below the packet list, there are two terminal windows. The left terminal window shows the command prompt for PC1, where the user has entered the following commands:

```
PC1> ip 10.10.10.10 255.255.255.0 10.10.10.1
Checking for duplicate address...
PC1 : 10.10.10.10 255.255.255.0 gateway 10.10.10.1

PC1> ping 203.0.113.1
203.0.113.1 icmp_seq=1 timeout
203.0.113.1 icmp_seq=2 timeout
203.0.113.1 icmp_seq=3 timeout
203.0.113.1 icmp_seq=4 timeout
203.0.113.1 icmp_seq=5 timeout

PC1> ping 203.0.113.1
203.0.113.1 icmp_seq=1 timeout
203.0.113.1 icmp_seq=2 timeout
203.0.113.1 icmp_seq=3 timeout
203.0.113.1 icmp_seq=4 timeout
203.0.113.1 icmp_seq=5 timeout

PC1>
```

The right terminal window shows the command prompt for R1, where the user has entered the following commands:

```
R1#show ip nat translations
Pro Inside global      Inside local      Outside local      Outside global
icmp 203.0.113.1:16448 10.10.10.10:16448 10.10.10.10:16448 10.10.10.10:16448
icmp 203.0.113.1:16960 10.10.10.10:16960 10.10.10.10:16960 10.10.10.10:16960
--- 203.0.113.1        10.10.10.10      ---                ---
R1#show ip nat translations
Pro Inside global      Inside local      Outside local      Outside global
for icmp 203.0.113.1:14912 10.10.10.10:14912 10.10.10.10:14912 10.10.10.10:14912
seq icmp 203.0.113.1:15424 10.10.10.10:15424 10.10.10.10:15424 10.10.10.10:15424
for icmp 203.0.113.1:15936 10.10.10.10:15936 10.10.10.10:15936 10.10.10.10:15936
seq icmp 203.0.113.1:16448 10.10.10.10:16448 10.10.10.10:16448 10.10.10.10:16448
seq icmp 203.0.113.1:16960 10.10.10.10:16960 10.10.10.10:16960 10.10.10.10:16960
--- 203.0.113.1        10.10.10.10      ---                ---
R1#
```

Capturing from Standard input [PC1 Ethernet0 to R1 Ethernet4/0]						
File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help						
Apply a display filter ... <Ctrl-/>						
No.	Time	Source	Destination	Protocol	Length	Info
47	280.156649	ca:01:64:70:00:70	ca:01:64:70:00:70	LOOP	60	Reply
48	285.374069	ca:01:64:70:00:70	CDP/VTP/DTP/PagP/UD...	CDP	371	Device ID: R1 Port ID: Ethernet4/0
49	290.157160	ca:01:64:70:00:70	ca:01:64:70:00:70	LOOP	60	Reply
50	300.158185	ca:01:64:70:00:70	ca:01:64:70:00:70	LOOP	60	Reply
51	310.166304	ca:01:64:70:00:70	ca:01:64:70:00:70	LOOP	60	Reply
52	314.059929	203.0.113.1	10.10.10.10	ICMP	114	Echo (ping) request id=0x0001, seq=0/0, ttl=255 (reply in 60)
53	314.060258	Private_66:68:00	Broadcast	ARP	64	Who has 10.10.10.1? Tell 10.10.10.10
54	314.075788	ca:01:64:70:00:70	Private_66:68:00	ARP	60	10.10.10.1 is at ca:01:64:70:00:70
55	315.066575	Private_66:68:00	Broadcast	ARP	64	Who has 10.10.10.1? Tell 10.10.10.10
56	315.082302	ca:01:64:70:00:70	Private_66:68:00	ARP	60	10.10.10.1 is at ca:01:64:70:00:70
57	316.070907	203.0.113.1	10.10.10.10	ICMP	114	Echo (ping) request id=0x0001, seq=1/256, ttl=255 (reply in 61)
58	316.071336	Private_66:68:00	Broadcast	ARP	64	Who has 10.10.10.1? Tell 10.10.10.10
59	316.087908	ca:01:64:70:00:70	Private_66:68:00	ARP	60	10.10.10.1 is at ca:01:64:70:00:70
60	317.078864	10.10.10.10	203.0.113.1	ICMP	114	Echo (ping) reply id=0x0001, seq=0/0, ttl=64 (request in 52)
61	317.079081	10.10.10.10	203.0.113.1	ICMP	114	Echo (ping) reply id=0x0001, seq=1/256, ttl=64 (request in 57)
62	317.095336	10.10.10.1	10.10.10.10	ICMP	70	Redirect (Redirect for host)
63	317.095452	10.10.10.10	10.10.10.10	ICMP	114	Echo (ping) reply id=0x0001, seq=0/0, ttl=63
64	317.095502	10.10.10.10	10.10.10.10	ICMP	114	Echo (ping) reply id=0x0001, seq=1/256, ttl=63
65	318.070023	203.0.113.1	10.10.10.10	ICMP	114	Echo (ping) request id=0x0001, seq=2/512, ttl=255 (reply in 66)
66	318.070269	10.10.10.10	203.0.113.1	ICMP	114	Echo (ping) reply id=0x0001, seq=2/512, ttl=64 (request in 65)
67	318.086045	10.10.10.1	10.10.10.10	ICMP	70	Redirect (Redirect for host)
68	318.086150	10.10.10.10	10.10.10.10	ICMP	114	Echo (ping) reply id=0x0001, seq=2/512, ttl=63
69	320.058893	203.0.113.1	10.10.10.10	ICMP	114	Echo (ping) request id=0x0001, seq=3/768, ttl=255 (reply in 70)
70	320.059233	10.10.10.10	203.0.113.1	ICMP	114	Echo (ping) reply id=0x0001, seq=3/768, ttl=64 (request in 69)
71	320.073872	10.10.10.1	10.10.10.10	ICMP	70	Redirect (Redirect for host)
72	320.074128	10.10.10.10	10.10.10.10	ICMP	114	Echo (ping) reply id=0x0001, seq=3/768, ttl=63
73	320.166254	ca:01:64:70:00:70	ca:01:64:70:00:70	LOOP	60	Reply
74	322.067269	203.0.113.1	10.10.10.10	ICMP	114	Echo (ping) request id=0x0001, seq=4/1024, ttl=255 (reply in 75)
75	322.067552	10.10.10.10	203.0.113.1	ICMP	114	Echo (ping) reply id=0x0001, seq=4/1024, ttl=64 (request in 74)
76	322.081602	10.10.10.1	10.10.10.10	ICMP	70	Redirect (Redirect for host)
77	322.081737	10.10.10.10	10.10.10.10	ICMP	114	Echo (ping) reply id=0x0001, seq=4/1024, ttl=63
78	330.165893	ca:01:64:70:00:70	ca:01:64:70:00:70	LOOP	60	Reply
79	338.292662	ca:01:64:70:00:70	CDP/VTP/DTP/PagP/UD...	CDP	371	Device ID: R1 Port ID: Ethernet4/0
80	340.174571	ca:01:64:70:00:70	ca:01:64:70:00:70	LOOP	60	Reply
81	350.184726	ca:01:64:70:00:70	ca:01:64:70:00:70	LOOP	60	Reply

NAT DYNAMIC

Capturing from Standard input [PC1 Ethernet0 to R1 Ethernet4/0]

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

Apply a display filter ... <Ctrl-/>

No.	Time	Source	Destination	Protocol	Length	Info
90	430.214717	ca:01:64:70:00:70	ca:01:64:70:00:70	LOOP	60	Reply
91	440.223538	ca:01:64:70:00:70	ca:01:64:70:00:70	LOOP	60	Reply
92	450.009570	ca:01:64:70:00:70	CDP/VTP/DTP/PAgP/UD...	CDP	371	Device ID: R1 Port ID: Ethernet4/0
93	450.225495	ca:01:64:70:00:70	ca:01:64:70:00:70	LOOP	60	Reply
94	460.229773	ca:01:64:70:00:70	ca:01:64:70:00:70	LOOP	60	Reply
95	470.236570	ca:01:64:70:00:70	ca:01:64:70:00:70	LOOP	60	Reply
96	480.250338	ca:01:64:70:00:70	ca:01:64:70:00:70	LOOP	60	Reply
97	490.261738	ca:01:64:70:00:70	ca:01:64:70:00:70	LOOP	60	Reply
98	500.268535	ca:01:64:70:00:70	ca:01:64:70:00:70	LOOP	60	Reply
99	503.289477	ca:01:64:70:00:70	CDP/VTP/DTP/PAgP/UD...	CDP	371	Device ID: R1 Port ID: Ethernet4/0
100	510.271178	ca:01:64:70:00:70	ca:01:64:70:00:70	LOOP	60	Reply
101	520.295934	ca:01:64:70:00:70	ca:01:64:70:00:70	LOOP	60	Reply
102	530.303445	ca:01:64:70:00:70	ca:01:64:70:00:70	LOOP	60	Reply
103	540.309974	ca:01:64:70:00:70	ca:01:64:70:00:70	LOOP	60	Reply
104	550.309384	ca:01:64:70:00:70	ca:01:64:70:00:70	LOOP	60	Reply
105	560.320121	ca:01:64:70:00:70	ca:01:64:70:00:70	LOOP	60	Reply
106	562.696871	ca:01:64:70:00:70	CDP/VTP/DTP/PAgP/UD...	CDP	371	Device ID: R1 Port ID: Ethernet4/0
107	570.319990	ca:01:64:70:00:70	ca:01:64:70:00:70	LOOP	60	Reply
108	580.330950	ca:01:64:70:00:70	ca:01:64:70:00:70	LOOP	60	Reply
109	589.679680	Private_66:68:00	Broadcast	ARP	64	Who has 10.10.10.1? Tell 10.10.10.10
110	589.710415	ca:01:64:70:00:70	Private_66:68:00	ARP	60	10.10.10.1 is at ca:01:64:70:00:70
111	589.726395	10.10.10.10	203.0.113.10	ICMP	98	Echo (ping) request id=0xff49, seq=1/256, ttl=64 (reply in 112)
112	589.789945	203.0.113.10	10.10.10.10	ICMP	98	Echo (ping) reply id=0xff49, seq=1/256, ttl=63 (request in 111)
113	590.333001	ca:01:64:70:00:70	ca:01:64:70:00:70	LOOP	60	Reply
114	590.809538	10.10.10.10	203.0.113.10	ICMP	98	Echo (ping) request id=0x004a, seq=2/512, ttl=64 (reply in 115)
115	590.841713	203.0.113.10	10.10.10.10	ICMP	98	Echo (ping) reply id=0x004a, seq=2/512, ttl=63 (request in 114)
116	591.865163	10.10.10.10	203.0.113.10	ICMP	98	Echo (ping) request id=0x014a, seq=3/768, ttl=64 (reply in 117)
117	591.895726	203.0.113.10	10.10.10.10	ICMP	98	Echo (ping) reply id=0x014a, seq=3/768, ttl=63 (request in 116)
118	592.913221	10.10.10.10	203.0.113.10	ICMP	98	Echo (ping) request id=0x024a, seq=4/1024, ttl=64 (reply in 119)
119	592.942739	203.0.113.10	10.10.10.10	ICMP	98	Echo (ping) reply id=0x024a, seq=4/1024, ttl=63 (request in 118)
120	593.946726	10.10.10.10	203.0.113.10	ICMP	98	Echo (ping) request id=0x034a, seq=5/1280, ttl=64 (reply in 121)
121	593.976620	203.0.113.10	10.10.10.10	ICMP	98	Echo (ping) reply id=0x034a, seq=5/1280, ttl=63 (request in 120)
122	600.348914	ca:01:64:70:00:70	ca:01:64:70:00:70	LOOP	60	Reply
123	610.353609	ca:01:64:70:00:70	ca:01:64:70:00:70	LOOP	60	Reply
124	617.390480	ca:01:64:70:00:70	CDP/VTP/DTP/PAgP/UD...	CDP	371	Device ID: R1 Port ID: Ethernet4/0

PC1 PC2 R1

Configuring from terminal, memory, or network [terminal]?
Enter configuration commands, one per line. End with CNTL/Z.
R1(config)#access-list 1 permit 10.10.10.0 0.0.0.255
% Duplicate permit statement ignored.

R1(config)#ip nat pool PUBLIC-POOL 203.0.113.20
% Incomplete command.

R1(config)#\$ PUBLIC-POOL 203.0.113.20 203.0.113.30 netmask 255.255.255.0
R1(config)#ip nat pool PUBLIC-POOL 203.0.113.20 203.0.113.30 netmask 255.255.255.0
R1(config)#ip nat inside source list 1 pool PUBLIC-POOL
R1(config)#do show ip nat translations
Pro Inside global Inside local Outside local Outside global
icmp 203.0.113.1:74 10.10.10.10:74 203.0.113.10:74 203.0.113.10:74
icmp 203.0.113.1:330 10.10.10.10:330 203.0.113.10:330 203.0.113.10:330
icmp 203.0.113.1:586 10.10.10.10:586 203.0.113.10:586 203.0.113.10:586
icmp 203.0.113.1:842 10.10.10.10:842 203.0.113.10:842 203.0.113.10:842
icmp 203.0.113.1:65353 10.10.10.10:65353 203.0.113.10:65353 203.0.113.10:65353
--- 203.0.113.1 10.10.10.10 ---
R1(config)#

solarwinds | Solar-PuTTY free tool © 2019-2024 SolarWinds Worldwide, LLC. All rights reserved.

Capturing from Standard input [PC1 Ethernet0 to R1 Ethernet4/0]

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

Apply a display filter ... <Ctrl-/>

No.	Time	Source	Destination	Protocol	Length	Info
14	106.139130	ca:01:64:70:00:70	CDP/VTP/DTP/PagP/UD...	CDP	371	Device ID: R1 Port ID: Ethernet4/0
15	110.077531	ca:01:64:70:00:70	ca:01:64:70:00:70	LOOP	60	Reply
16	120.080751	ca:01:64:70:00:70	ca:01:64:70:00:70	LOOP	60	Reply
17	130.081450	ca:01:64:70:00:70	ca:01:64:70:00:70	LOOP	60	Reply
18	138.204272	Private_66:68:00	Broadcast	ARP	64	Who has 10.10.10.1? Tell 10.10.10.10
19	138.236306	ca:01:64:70:00:70	Private_66:68:00	ARP	60	10.10.10.1 is at ca:01:64:70:00:70
20	138.236655	10.10.10.10	203.0.113.10	ICMP	98	Echo (ping) request id=0xb04c, seq=1/256, ttl=64 (reply in 21)
21	138.266315	203.0.113.10	10.10.10.10	ICMP	98	Echo (ping) reply id=0xb04c, seq=1/256, ttl=63 (request in 20)
22	139.276282	10.10.10.10	203.0.113.10	ICMP	98	Echo (ping) request id=0xb14c, seq=2/512, ttl=64 (reply in 23)
23	139.306778	203.0.113.10	10.10.10.10	ICMP	98	Echo (ping) reply id=0xb14c, seq=2/512, ttl=63 (request in 22)
24	140.076625	ca:01:64:70:00:70	ca:01:64:70:00:70	LOOP	60	Reply
25	140.307430	10.10.10.10	203.0.113.10	ICMP	98	Echo (ping) request id=0xb24c, seq=3/768, ttl=64 (reply in 26)
26	140.338512	203.0.113.10	10.10.10.10	ICMP	98	Echo (ping) reply id=0xb24c, seq=3/768, ttl=63 (request in 25)
27	141.346533	10.10.10.10	203.0.113.10	ICMP	98	Echo (ping) request id=0xb34c, seq=4/1024, ttl=64 (reply in 28)
28	141.377750	203.0.113.10	10.10.10.10	ICMP	98	Echo (ping) reply id=0xb34c, seq=4/1024, ttl=63 (request in 27)
29	142.394702	10.10.10.10	203.0.113.10	ICMP	98	Echo (ping) request id=0xb44c, seq=5/1280, ttl=64 (reply in 30)
30	142.426952	203.0.113.10	10.10.10.10	ICMP	98	Echo (ping) reply id=0xb44c, seq=5/1280, ttl=63 (request in 29)
31	150.094156	ca:01:64:70:00:70	ca:01:64:70:00:70	LOOP	60	Reply
32	160.098538	ca:01:64:70:00:70	ca:01:64:70:00:70	LOOP	60	Reply
33	164.223734	ca:01:64:70:00:70	CDP/VTP/DTP/PagP/UD...	CDP	371	Device ID: R1 Port ID: Ethernet4/0
34	170.102419	ca:01:64:70:00:70	ca:01:64:70:00:70	LOOP	60	Reply
35	180.114390	ca:01:64:70:00:70	ca:01:64:70:00:70	LOOP	60	Reply
36	181.230833	ca:01:64:70:00:70	DEC-MOP-Remote-Cons... 0x6002	77	DEC DNA Remote Console	
37	190.118453	ca:01:64:70:00:70	ca:01:64:70:00:70	LOOP	60	Reply
38	200.116204	ca:01:64:70:00:70	ca:01:64:70:00:70	LOOP	60	Reply
39	210.124059	ca:01:64:70:00:70	ca:01:64:70:00:70	LOOP	60	Reply
40	220.122553	ca:01:64:70:00:70	ca:01:64:70:00:70	LOOP	60	Reply
41	223.320399	ca:01:64:70:00:70	CDP/VTP/DTP/PagP/UD...	CDP	371	Device ID: R1 Port ID: Ethernet4/0
42	230.138296	ca:01:64:70:00:70	ca:01:64:70:00:70	LOOP	60	Reply
43	240.145328	ca:01:64:70:00:70	ca:01:64:70:00:70	LOOP	60	Reply
44	250.142244	ca:01:64:70:00:70	ca:01:64:70:00:70	LOOP	60	Reply
45	260.144640	ca:01:64:70:00:70	ca:01:64:70:00:70	LOOP	60	Reply
46	270.156575	ca:01:64:70:00:70	ca:01:64:70:00:70	LOOP	60	Reply
47	273.842483	ca:01:64:70:00:70	CDP/VTP/DTP/PagP/UD...	CDP	371	Device ID: R1 Port ID: Ethernet4/0
48	280.158260	ca:01:64:70:00:70	ca:01:64:70:00:70	LOOP	60	Reply

Frame 1: Packet, 60 bytes on wire (480 bits), 60 bytes captured (480 bits) on interface -, id 0

Standard input: <live capture in progress>

PC1 PC2 R1

% Invalid input detected at '^' marker.
R1(config)#ip nat inside source lsit 1 int e 4/1 overload
% Invalid input detected at '^' marker.
R1(config)#ip nat inside source list 1 int e 4/1 overload
R1(config)#do show ip nat translations
Pro Inside global Inside local Outside local Outside global
--- 203.0.113.1 10.10.10.10 ---
R1(config)#do show ip nat translations
Pro Inside global Inside local Outside local Outside global
icmp 203.0.113.1:45132 10.10.10.10:45132 203.0.113.10:45132 203.0.113.10:45132
icmp 203.0.113.1:45388 10.10.10.10:45388 203.0.113.10:45388 203.0.113.10:45388
icmp 203.0.113.1:45644 10.10.10.10:45644 203.0.113.10:45644 203.0.113.10:45644
icmp 203.0.113.1:45900 10.10.10.10:45900 203.0.113.10:45900 203.0.113.10:45900
icmp 203.0.113.1:46156 10.10.10.10:46156 203.0.113.10:46156 203.0.113.10:46156
--- 203.0.113.1 10.10.10.10 ---
R1(config)#

solarwinds Solar-PuTTY free tool © 2019-2024 SolarWinds Worldwide, LLC. All rights reserved. Profile: Default

