MFE SERVICES SDN. BHD.

MFE Inspection System

Client Handover Pack

Getting started · Accounts · Technician guide · Manager and Admin guide · Working offline · Office computer and backups · Data safety · Known limits · Support · Handover forms

App address: https://app.mfets.com
Version: 22 October 2026

For everyone at the company. Do not share outside the company. Never write passwords in it.

Contents

1. Welcome 5
1.1 What the system does 5
1.2 The app address 5
1.3 The three kinds of account 5
1.4 Signing in and out 5
1.5 Put the app on the phone's home screen (technicians) 6
1.6 How this pack is organised 6
2. Accounts and Passwords 7
2.1 The rules 7
2.2 Add a Technician or Admin (Manager) 7
2.3 Forgotten password (Technician or Admin) 7
2.4 Someone leaves, or is away for a long time 7
2.5 Change a person's name 8
2.6 Manager accounts: ask your support person 8
2.7 Quick reference 8
3. Technician Guide 9
3.1 Before leaving for site (with signal) 9
3.2 Create a service visit 9
3.3 Fill in an inspection 9
3.4 Suggest a new location 10
3.5 Repair visits 10
3.6 Other screens 10
3.7 Technician quick card (print this) 11
4. Manager and Admin Guide 12
4.1 Menus 12
4.2 Customers and their services (Manager) 12
4.3 Service Catalog and Service Common Remarks (Manager) 12
4.4 Approvals (Manager and Admin) 12
4.5 Checking and correcting work 13
4.6 Reports and PDFs 13
4.7 Photo KPI (Manager and Admin) 14
4.8 Settings (Manager) 14
4.9 Next service dates and e-mail reminders (Manager) 14
5. Working Without Internet 16
5.1 The rule in one sentence 16

5.2 Where the work is kept 16
5.3 What the status words mean 16
5.4 What works without signal 17
5.5 When work is sent 17
5.6 Getting ready for a site with no signal 17
5.7 Updates to the app 18
5.8 When the office computer is off 18
5.9 Things to know 18
6. The Office Computer and Backups 19
6.1 The office computer *is* the system 19
6.2 Always 19
6.3 After a power cut or a Windows update restart 19
6.4 Never 19
6.5 Backups: what happens automatically 19
6.6 Backups: your weekly 5-minute check (every Monday) 20
6.7 Every few months 20
6.8 If the computer breaks or is stolen 20
6.9 Updates 20
7. Keeping Data Safe 21
7.1 Where your data is 21
7.2 What the system already does 21
7.3 What the company must do 21
7.4 Personal data (PDPA) 22
8. Known Limits and Future Improvements 23
8.1 Known limits 23
8.2 Possible future improvements 23
9. Problems and Support 24
9.1 Technicians 24
9.2 Managers and Admins 24
9.3 Calling support 24
10. Handover Forms 26
10.1 Contacts 26
10.2 Where important logins are kept 26
10.3 Acceptance sign-off 26
10.4 Decisions made on the day 28
10.5 Versions installed 28
10.6 Restore test log (every 3 months) 28

1. Welcome

1.1 What the system does

The MFE Inspection system replaces the paper service reports.

1. In the office, a **Manager** sets up each **customer**, their **sites**, and which **fire systems** are serviced there (for example Automatic Sprinkler, Hose Reel, Hydrant, Fire Alarm, FM200, CO2, Dry/Wet Riser, Portable Fire Extinguisher, Fire Rated Roller Shutter).
2. On site, a **Technician** opens a **service visit** on their phone, fills in one form per fire system (Good / Not Good, remarks, photos) and submits it. **This works even with no signal.**
3. When the phone has signal again, the work is sent to the office automatically.
4. A Manager or Admin checks the work and **approves the report**. The approved report can be downloaded as a PDF on the company letterhead.
5. If something needed fixing, a technician later records a **repair visit** with before-and-after photos, which is also approved in the office.
6. The day before a customer's next service is due, the system can **e-mail a reminder** to chosen people.

1.2 The app address

https://app.mfets.com

Use this address on phones and on office computers. There is nothing to download from an app store.

1.3 The three kinds of account

When you open the app you first choose a card. Pick the card that matches **your own** account.

Card	Who	What they can do
Manager	Owner and office managers	Everything: staff accounts, customers, services, settings, e-mail reminders, approvals, corrections
Admin	Senior staff who check reports	Review and approve reports, repair visits and requests, and correct records, for the technicians assigned to them. Cannot manage staff or settings.
Technician	Field staff	Create visits, fill in forms, take photos, submit work, record repair visits

Picking the wrong card does not give anyone extra rights. A Technician who taps **Manager** is told the account does not have Manager access.

1.4 Signing in and out

1. Open **https://app.mfets.com**.
2. Tap your card: **Technician**, **Manager** or **Admin**.
3. Type your own **Username** and **Password** and tap **Sign in**. Usernames are case-sensitive (`Ali` and `ali` are different).
4. Use **Menu** (phone) or the menu on the left (computer) to move around.

5. **Sign out** is at the top right. If a technician still has work waiting to be sent, the app lists it and asks "Sign out anyway?". The work stays on the phone and is sent after the **same person** signs in again. It is better to wait until it has been sent.

You stay signed in for about 12 hours, then you are asked to sign in again.

1.5 Put the app on the phone's home screen (technicians)

Do this once, while connected:

- **Android (Chrome):** open the app address → menu ⋮ → **Install app** (or **Add to Home screen**).
- **iPhone (Safari):** open the app address → **Share** → **Add to Home Screen**.

Then always open the app from the new icon. It opens faster, works better without signal, and its saved work is less likely to be cleared by the phone.

1.6 How this pack is organised

Chapter	For	About
1. Welcome	Everyone	This page
2. Accounts and Passwords	Managers	Adding staff, passwords, people leaving
3. Technician Guide	Technicians	Visits, forms, photos, repair visits
4. Manager and Admin Guide	Managers, Admins	Customers, approvals, reports, settings, reminders
5. Working Without Internet	Everyone, especially technicians	What works offline and how sending works
6. The Office Computer and Backups	Owner, office-PC custodian	Keeping the system running and the data safe
7. Keeping Data Safe	Owner, Managers	Passwords, phones, personal data
8. Known Limits	Owner, Managers	What the system does not do yet
9. Problems and Support	Everyone	What to do when something looks wrong
10. Handover Forms	Owner, on the handover day	Contacts, sign-off, decisions

Words in **bold** are the words you see on the screen.

The technical steps for whoever looks after the office computer (commands, backup set-up, recovery) are in a separate document, the **Office PC Technical Guide**.

2. Accounts and Passwords

2.1 The rules

- Nobody can sign themselves up, and there is no "forgot password" link. A Manager creates every Technician and Admin account and sets their passwords.
- **Manager accounts are not created or reset in the app.** This is on purpose: if someone got into one Manager login, they could not take over the others. New Managers and Manager passwords are handled by your support person on the office computer (2.6).
- Passwords must be **at least 12 characters**. A short sentence is easy to remember and hard to guess, for example `blue-truck-rains-at-noon`.
- Every person gets **their own** account. Never share a login: the history of who did what only means something if one account is one person.
- Keep **at least two Managers**, held by two different people, so one forgotten password never locks the company out.

2.2 Add a Technician or Admin (Manager)

You must be signed in on the **Manager** card and be online.

1. Open **Technician List** from the menu.
2. Under **Add Technician**, fill in **Username**, **Person's name** and **Password** (12+ characters).
3. Choose the **Role**: **Technician** or **Admin (review only)**.
4. Tap **Add Technician** (the button says **Add Admin** when that role is chosen).
5. Tell the person their username and password **in person or by phone call**, not in a group chat.

Which technicians an Admin sees

An Admin only sees the work of the technicians assigned to them. Under each technician, tick the **Assigned Admins** boxes. If an Admin says "I cannot see a visit", this is almost always why.

2.3 Forgotten password (Technician or Admin)

1. **Technician List** → find the person (**Filter by username**) → **Set new password**.
2. Type the new password twice → **Set password**.
3. The person is signed out on every phone and computer and signs in again with the new password. Work they already sent is safe. Work still waiting on their phone is sent after they sign in again as the **same user**.

2.4 Someone leaves, or is away for a long time

- **Deactivate** (Technician List): the person can no longer sign in and is signed out everywhere. All their past work stays in the records. Do this on their last day.
- **Reactivate**: tick **Show deactivated staff**, then **Reactivate** next to the person. They can sign in again with their old password. Set a new password if the old one may be known to others.

- **Permanently remove** (Technicians only, after deactivating): tick **Show deactivated staff**, tap **Permanently remove** and type the username to confirm. An account that never did any work is deleted; an account with past work is hidden from lists but its history is kept.

Admins can be deactivated and reactivated, but not permanently removed.

2.5 Change a person's name

Edit **Person's name** next to the account and tap **Save name**.

2.6 Manager accounts: ask your support person

These are done on the office computer by the support person named in chapter 10:

You need	Tell support
A new Manager	The person's full name and the username they want. They choose their own password at the office computer.
A Manager forgot their password	The username. Support sets a new password with the Manager present.
A Manager leaves	The username, and which other Manager stays. Support stops the account and keeps its history.
Nobody remembers the Manager username	Support can look it up on the office computer.

2.7 Quick reference

Task	Where	Who
Add a Technician or Admin	Technician List → Add Technician	Manager
Set a new password for a Technician or Admin	Technician List → Set new password	Manager
Deactivate / Reactivate	Technician List	Manager
Permanently remove a Technician	Technician List → Show deactivated staff → Permanently remove	Manager
Assign Admins to a Technician	Technician List → Assigned Admins	Manager
New Manager, Manager password, Manager leaving	Office computer	Support person

3. Technician Guide

The technician menu has **Home** (Open Work), **New Service Visit**, **Upcoming Services**, **Completed Services**, **Repair List** and **Add Customer**.

3.1 Before leaving for site (with signal)

1. Open the app from the home-screen icon and sign in with **your own** account.
2. On **Open Work**, tap **Refresh**.
3. Wait until the top of the screen shows **Offline ready**.
4. Check every visit you need says **Ready for offline use**.
5. Open the forms you expect to fill at least once while you still have signal.
6. First time only: when the phone asks to use the camera, choose **Allow**.

After this you can work on site with no signal at all.

3.2 Create a service visit

1. **New Service Visit** → choose the **Customer** → the **Site** → tick the **Applicable Fire Systems**.
2. Fill in **Service Call No** if there is one. The arrival time is recorded automatically from the phone.
3. **Reuse Previous Service Format** copies the fire systems chosen at the last visit.
4. Tap **Create Service Visit**.

- With signal, the visit gets its number (for example **SV-20261025-12**) at once.
- Without signal, the visit is created on the phone and shows **SV number given when synced**. It gets its number when the phone is back in coverage.
- A customer that is not in the list yet: use **+ Add New Customer** (needs signal). A site that is not in the list yet: type it; it is sent to the office for approval as a **Site request** and the visit continues.

3.3 Fill in an inspection

1. Open the visit. Under **Applicable Systems**, tap **Start inspection**. Systems with several locations (for example CO2 or FM200) list the locations; open each one.
2. Answer each row with the buttons shown: **Good**, **Not Good**, **No Need Checking / N.A.** (alarm detector rows use **Normal / Test / Isolation**). Pick a remark from the row's **Remark** list or type one.
3. Every **Not Good** row needs a remark and **one photo**. Tap **Take Photo** and **Capture**. Photos are stamped with the date and time. Only if the camera does not work, use **Camera not working? Upload from gallery**. Gallery photos are marked as such and counted separately, so use the camera whenever you can.
4. You may also add an optional photo to a Good or N.A. row.
5. Tap **Save Draft** often (the form also saves as you type) and wait for **"Draft saved on this device"**.
6. When finished, tap **Submit Inspection**. If something is missing, a **Complete before submitting** list shows what to fix.

7. After submitting you see **waiting to sync**. That is normal without signal. The work is sent by itself when the phone has signal; **Sync Now** sends it straight away.
8. When the office has received it, the form shows **Inspection Complete** with **Pending Review** until a Manager or Admin approves it. Sent answers can no longer be changed by the technician.
9. When every inspection in the visit is complete, tap **Complete Service** (needs signal).
10. **Completed Services** lists finished visits; **View Report** opens the report (needs signal).

If the office rejects a record, open it, read the message, and tap **Start corrected copy**.

3.4 Suggest a new location

If a customer has a location that is not in the form (for example a new pump room):

1. In the visit, tap **Add a New Location**, choose the **System**, type the **Location name**, and pick an **Existing zone** or a **New zone**.
2. **Save Draft** or **Submit for Review**. Without signal it waits on the phone and is sent later.
3. The office approves or rejects it. Once approved, it appears **from the next visit**; it does not change the current one.

You can **Withdraw** a request that is still waiting, and **Revise and resubmit** one that was rejected.

3.5 Repair visits

Use a repair visit when you come back to fix items that were **Not Good**.

1. Menu → **Repair List** → **+ New Repair Visit**.
2. Choose the **Customer** → **Site** → **Service Call No**.
3. **Previous visit** (optional): pick an approved visit for that customer and site. Its Not Good items are listed first.
4. Tick the **Fields to repair** (at least one).
5. For each field the form shows **Before** (what was found last time, with its photo) and **After**: choose **Done Repair** or **Not Done**, write a remark (for Not Done, the reason) and take **one photo**.
6. **Submit**. This works without signal. The repair visit gets its **RV-** number when it is sent, then shows **Awaiting approval**.
7. The office **approves** it (a repair report number is issued and the PDF is final) or **returns** it with a reason. A returned visit shows **Returned**: edit the same visit and submit again.

Repair List has two tabs: **In Progress** and **Completed**.

3.6 Other screens

- **Add Customer**: adds a new customer. Works without signal; it is sent later.
- **Upcoming Services**: when each of your customers is next due (read only).
- **Customer history**: past visits for a customer.

3.7 Technician quick card (print this)

Before site, with signal: sign in → **Refresh** → wait for **Offline ready** → visits say **Ready for offline use**.

On site, signal or not: fill the form → **Save Draft** often and wait for "saved on this device" → **Not Good** = remark + photo → **Submit**.

Back in coverage, the same day: open the app and wait for **All submitted changes synced**. Tap **Sync Now** if it says **Sync needs attention**.

Never:

- ✗ Clear the browser's data or the app's storage.
- ✗ Uninstall the app while anything is waiting to sync.
- ✗ Sign in as someone else on a phone that has your unsent work.
- ✗ Close the app before you see "saved on this device".
- ✗ Leave work unsent for days.
- ✗ Lend a signed-in phone to anyone. Keep a screen lock on the phone.

Phone lost or broken? Tell a Manager at once.

4. Manager and Admin Guide

Managers and Admins work in an office browser (a phone also works). These screens need an internet connection.

4.1 Menus

Role	Menu
Manager	Home, Technician List, Add Customer, Services, Service Catalog, Operations, Current Services Done, Next Upcoming Service, Service Common Remarks, Approvals, Photo KPI, Settings
Admin	Home, Services, Current Services Done, Approvals, Photo KPI

Home shows summary tiles (clients, inspections this month, passed, not OK, N/A), a trend chart, reminders of overdue services, and a card for each screen. The red number on **Approvals** is how many items are waiting for a decision.

4.2 Customers and their services (Manager)

1. **Add Customer**: fill in **Customer display name**, **Initial Site**, **Telephone No**, **Contact**, **Fax**, **Contract No.**, **Service Frequency** and **Site Address**, tick the **Initial Assigned Services** and tap **Create Customer**. If a very similar name already exists, the app warns you so you do not create the same customer twice.
2. **Services** lists every customer with their sites and services. Search by customer name or code.
3. **Manage configuration**: edit contact details, add sites (**+ Add Site**), tick which fire systems apply, then **Save & Activate**.
4. Inside a customer's service you can set **Zones**, **Locations** and **Preset rows** (the rows technicians see in the form), and adjust **Form wording** (the ✎ beside a label → **Save wording**; **Preview as technician** shows the result). Do this **before** the next visit is created.
5. **Archive** hides a customer or a site from the active lists. It can be restored later.

Changes apply to **new** visits. Visits already created keep the setup they started with.

Before go-live, all current customers, sites and their fire systems must be entered here. There is no import from a spreadsheet, so plan the time for it.

4.3 Service Catalog and Service Common Remarks (Manager)

- **Service Catalog** lists the fire systems the company offers. **Retire** stops a system being offered to *new* customers; existing customers keep it.
- **Service Common Remarks** are ready-made remark phrases for each system, which technicians pick from a list. Add, edit or remove them. Make sure each one describes a real finding.

4.4 Approvals (Manager and Admin)

Approvals has five cards. Each list has **Pending / Approved / Rejected** tabs (Pending first), a customer filter and a search box.

Card	What arrives	What you do
Location Proposals	A technician suggests a new location or a new row layout for a customer	**Approve**, **Edit before approval** → **Approve with changes**, or **Reject** with a short note. Applies to **future** visits.
Site Requests	A technician typed a new site while creating a visit	**Approve** (the site becomes active) or **Reject** with a reason
Repair Visits	Submitted repair visits	**Approve** (a repair report number is issued) or **Return to technician** with a reason
Service Reports	Finished service visits waiting for report approval	Open, check, **Approve report**
Remark Requests	A technician typed a new remark and asked for it to become a common remark	Approve (it becomes available to everyone for that section) or reject. The visit's own report uses the typed remark either way.

Good to know:

- Decisions cannot be undone, except that a Manager can **Withdraw approval** of a service report.
- An Admin only sees items from the technicians assigned to them (chapter 2.2).
- If a proposal says **Cannot approve**, read the reason. The customer's setup changed since the request; use **Edit before approval** or ask for a new request.

4.5 Checking and correcting work

- **Operations** lists every visit with Open / Completed / Total counts. Sort by tapping a column heading. Filter by **Technician** or customer. Open a visit to see its systems and **Accepted records**.
- **Delete** removes an *unfinished* visit. A visit with accepted records cannot be deleted.
- **Current Services Done**: search a customer; finished visits offer **View Final Report** and **Download PDF**; unfinished ones offer **View Progress**.
- **Correcting a record:** Manager: **Operations** → visit → **Accepted records** → **Review / correct**. Admin: **Current Services Done** → customer → **View Progress** → **Review / correct**. Change the value, give a **Reason for these corrections**, tap **Save corrections**. The original value is kept in the history. **Approve review** marks the record as reviewed; a later correction needs a new review.

4.6 Reports and PDFs

- **View Final Report** shows the report on screen. **Download PDF** works once the report is approved.
- The PDF carries the company letterhead, a report number (for example **MFE/SR/2026/0001**), the summary of testing, every system's results, remarks and photos.
- A visit with corrections shows the corrected values on screen, but its PDF button stays off (chapter 8). Do not send an older PDF as if it included the corrections.
- Approving freezes the report. Check it before you approve.

4.7 Photo KPI (Manager and Admin)

Shows how photos in approved work were taken: with the in-app camera, from the gallery, or unknown, per technician and month by month. Camera photos carry a trustworthy date and time; many gallery photos from one technician is worth a conversation.

4.8 Settings (Manager)

Settings has two cards:

- **Company Profile**: legal name, registration number, address, telephone, fax, e-mail, complaint hotline, the "verified by" name and title, the report number format, and the **logo** (PNG or JPEG up to 2 MB). Saving changes the letterhead on every PDF made **afterwards**; PDFs made earlier do not change. Tick **Company details confirmed as final** once everything is correct.
- **Email Reminders**: see 4.9.

4.9 Next service dates and e-mail reminders (Manager)

Next Upcoming Service

- Lists customers with a next service date (**Scheduled**) and those without (**Not yet scheduled**), as a list or a calendar.
- **Service routine** (row menu) sets how often a customer is due: **Manual dates**, **Every N weeks** or **Monthly on day N**. When a visit is completed, the next date moves on by itself.
- A due date does **not** create a visit. Technicians still create the visit.

Set up the sender (once)

1. Use the company's Gmail account. In that Google account turn on **2-Step Verification**, then create an **App password** (Google account → Security → App passwords). Do not use the normal Gmail password.
2. **Settings** → **Email Reminders**: enter the Gmail address and the app password → **Save email settings**. The screen shows "Sender configured". The password is never shown again.

Choose who receives reminders

1. **Email Reminders** → **Staff notification addresses**: enter each staff member's reminder e-mail → **Save address**.
2. **Next Upcoming Service** → the customer's row menu → **Reminder recipients**: tick the staff to notify, add outside people under **Additional recipients**, → **Save recipients**. A scheduled customer with nobody selected shows "Reminder blocked: add recipients".

When reminders are sent

At **09:00 the day before** the due date, one e-mail per person, with the customer name and the service date. The office computer must be on. If it was off at 09:00 it catches up later that day; if it stays off past midnight, that reminder is recorded as **Missed**.

Check the delivery history weekly

Status	Meaning	What to do
sent	Gmail accepted it	Nothing
failed	It could not be sent	Check the Gmail app password and internet; contact the person yourself
Delivery uncertain	It may or may not have gone	Ask the person before sending anything again
Missed	The sending day passed (computer was off)	Contact the customer yourself

Failed, uncertain and missed reminders are **not** retried automatically.

5. Working Without Internet

5.1 The rule in one sentence

No signal stops sending, not working. Typing, saving drafts, the camera and submitting always work. Everything a technician enters is saved on the phone first, and sent to the office when there is signal.

5.2 Where the work is kept

Where	What	Safe from
The phone	Drafts, submitted work not yet sent, photos not yet sent, downloaded customer lists and forms	Closing the app, force-closing, restarting the phone, no signal, the office computer being off. **Not** safe from clearing the browser's or app's data, or uninstalling the app.
The office computer	The official copy of everything that has been received: customers, visits, results, photos, reports, accounts	Restarts and power cuts. Protected by the daily backup (chapter 6).

Until the office has received a piece of work, the phone holds the **only** copy. That is why technicians send their work the same day.

5.3 What the status words mean

Each piece of work has a status:

Status	Meaning
Draft	Still being filled in. Only on this phone. Not sent.
Pending / waiting to sync	Submitted and saved on the phone, waiting for signal
Syncing	Being sent now
Synced	The office has received **this exact record**
Failed	The office could not accept it. The work is still on the phone. Open it and read the message.
Conflict	The customer's setup changed in the office (for example a site was removed). The work is still on the phone; ask a Manager.

The phone only shows **Synced** when the office confirms it has that exact record. Sending the same work twice never creates a duplicate.

The top of the screen sums it up:

You see	Meaning
Online	Connected to the office
Offline	No signal. Prepared work still works
Server unreachable	There is internet, but the office computer is not answering. Prepared work still works
Preparing offline use	Still getting ready for offline use. Stay connected
Offline ready	The app will open and work without signal
N inspections waiting to sync	Work on this phone not yet received by the office
Sync needs attention	Something failed. Open it and read the message
All submitted changes synced	Everything submitted has been received. (Unsubmitted drafts are not counted.)

5.4 What works without signal

Task	Without signal
Open the app (if it was opened with signal before)	Yes
Sign in for the first time	**No.** Sign in once with signal
Fill in forms, save drafts, take photos	Yes
Submit an inspection	Yes, it is sent later
Create a visit for a customer and site already on the phone	Yes, its SV number arrives later
Create a visit for a brand-new customer or brand-new site	**No**
Add Customer	Yes, it is sent later
Suggest a new location	Yes, it is sent later
Repair visit (if the customer was opened once with signal)	Yes
Complete Service, view a report, download a PDF	**No**
All Manager and Admin screens	**No**

5.5 When work is sent

Automatically when the app opens, when signal comes back, when the app comes back to the front, and about every minute while it is open. **Sync Now** sends straight away. A visit is always sent before its inspections, and inspections before their photos.

5.6 Getting ready for a site with no signal

See the quick card in chapter 3.7. In short: with signal, **Refresh**, wait for **Offline ready**, and check each visit says **Ready for offline use**. If a phone has not been online for about three days, some forms will not **start** a new inspection until it reconnects (drafts already started keep working), so refresh before travelling.

5.7 Updates to the app

New versions download quietly in the background. The app shows **Update now** only on a safe screen, never in the middle of a form, and updating never deletes drafts or unsent work. Still, send all work before a planned update.

5.8 When the office computer is off

- Technicians with prepared phones keep working; their work waits on the phone.
- Nobody can sign in for the first time, refresh, send work, or use Manager/Admin screens.
- E-mail reminders are not sent.
- **Nothing is lost.** Waiting work is sent when the office computer is back.

5.9 Things to know

- A visit created in the office while a technician's phone was offline appears on that phone only after it has signal again.
- The app has been tested on Android phones (Chrome and the installed app). **iPhones have not been tested** for working without signal; test one before relying on it in the field.
- iPhones and very full phones may delete a website's saved data if it is not used for a long time. Send your work the same day.

6. The Office Computer and Backups

For the owner and the person who looks after the office computer (the **custodian**). No technical knowledge is needed for this chapter. The technical steps are in the **Office PC Technical Guide**.

6.1 The office computer *is* the system

All company records live on one computer in your office. Phones and other computers reach it through the internet. If it is off, technicians can keep working on prepared phones, but nobody can send work, and the office cannot use the system.

6.2 Always

- Keep it **switched on, awake and connected to the internet**, including at 09:00 every day (reminder e-mails go out then). Sleep and hibernate have been turned off; do not turn them back on.
- Keep **Docker Desktop** running. It is the program that runs the system; its whale icon sits near the clock. It starts by itself when Windows is signed in.
- Plug the computer into a **UPS** (battery backup) if power cuts happen in your area.
- Keep at least **20% of the disk free**. Photos add up every day.

6.3 After a power cut or a Windows update restart

1. Make sure Windows is **signed in** (unless automatic sign-in was set up on the handover day; see chapter 10).
2. Wait about **3 minutes** for Docker Desktop and the system to start.
3. Open **https://app.mfets.com**. If it shows the sign-in cards, all is well.
4. If not after 10 minutes, call support (chapter 9).

6.4 Never

- Never shut the computer down at night, or unplug it "to save power".
- Never quit, uninstall, update or "reset" Docker Desktop. A reset deletes the system's data.
- Never delete, move or rename anything in the folder `C:\InspectionSystem`.
- Never run commands or programs someone sent you unless you have confirmed with your support person.
- Never use this computer for personal browsing, downloads, e-mail or games.
- Never let Windows install a large upgrade (a new Windows version) without telling support first.

6.5 Backups: what happens automatically

Every day the computer makes a **complete backup**: all records, all photos, and the company letterhead and logo. It checks that the backup is readable, makes a copy on a **second place away from the computer** (an external drive or a cloud folder, chosen on the handover day), and removes backups older than 14 days from the computer itself.

A backup kept only on the same computer does not help if that computer is stolen, broken or infected. The second copy is what protects the company.

6.6 Backups: your weekly 5-minute check (every Monday)

1. Open the folder `C:\InspectionSystem\runtime\backups` and double-click **backup-log.txt**.
2. Scroll to the bottom. For each day last week that the computer was on, there should be a line ending in **Backup finished OK**.
3. If you see **BACKUP FAILED**, read the rest of that line:
   - "Off-PC folder … is not reachable": the backup drive is unplugged or the cloud folder is not syncing. Fix that, then tell support so they can run a backup by hand.
   - Anything else: call support and read them the line.
4. If you use two backup drives: swap them, and take the other one home or to a safe place.

6.7 Every few months

- Support does a **restore test**: proving that a backup can actually be read back. Write the date in the log in chapter 10.
- Check the second backup place still has room, and remove old backups there (keep the last two weeks, plus one per month for a year).

6.8 If the computer breaks or is stolen

Do not panic and do not buy a new computer before talking to support.

1. Tell technicians to **keep their phones as they are**: do not clear data, do not uninstall. Their unsent work waits safely on the phones.
2. Call support. With the latest backup from the second place, the system can be rebuilt on another computer (about half a day).
3. Work that was sent to the office **after** the last backup has to be entered again. Work still waiting on phones is sent by itself once the system is back.

6.9 Updates

Support installs new versions. Before an update, ask technicians to send all their work (top of the screen: **All submitted changes synced**). Phones then show **Update now** by themselves.

7. Keeping Data Safe

7.1 Where your data is

- **On the office computer:** all customers, visits, results, photos, reports, staff accounts and the history of who did what. Nothing is kept with the developer or in an outside database.
- **On technicians' phones:** their unsent work and the customer lists they downloaded for offline use.
- **In the backups:** a full copy of everything on the office computer.
- **Cloudflare**, the service that connects the internet to your office computer, only passes the encrypted connection through. It does not keep your records.

7.2 What the system already does

- Every connection is **encrypted** (the padlock in the browser).
- Nobody can sign up by themselves. Every account is created by a Manager or, for Managers, by support.
- Passwords are stored scrambled; **nobody can read them back**, including the developer.
- After several wrong passwords, sign-in pauses before the next try.
- **Each person sees only what they need:** technicians see their own visits; Admins see their assigned technicians; only Managers manage staff, customers and settings.
- **History:** account changes, approvals and corrections are recorded with who and when. Approved inspections cannot be deleted, only corrected, and every correction is recorded.
- The office computer accepts no direct connections from the internet; it connects out to Cloudflare instead, so no router changes were needed.
- The Gmail app password for reminders is stored scrambled and never shown again.

7.3 What the company must do

Accounts

1. Keep **two Managers**, held by two different trusted people. Never share a Manager login.
2. Give **every** technician and admin their own account.
3. Hand out passwords in person or by phone call, never in a group chat or e-mail.
4. When someone leaves: **Deactivate** their account the same day (chapter 2.4). For a Manager, ask support.
5. Keep important passwords in a **password manager** (for example Bitwarden, 1Password, or the one built into Google or Microsoft): the Manager passwords, the Cloudflare login, the domain login (`mfets.com`), the Gmail account, the office computer's Windows login, and the system's secret settings file that support gives you.
6. Turn on **two-step verification** for the Cloudflare account, the domain account and the Gmail account. Whoever controls Cloudflare controls where the app address points.

The office computer

7. Keep it where strangers cannot touch it. Lock the screen when leaving it (**Windows key + L**).

8. Keep Windows security updates and antivirus (Windows Security) on.
9. Only give remote access (AnyDesk, TeamViewer and similar) to people you have confirmed, and close it when not in use.

Phones

10. Every phone used for the app must have a **screen lock** (PIN, pattern or fingerprint).
11. Do not let others use a phone that is signed in to the app.
12. **Lost or stolen phone:** tell a Manager at once. The Manager sets a new password for that person, which signs the lost phone out. Unsent work on that phone is lost with it.
13. Before giving a phone to someone else or resetting it: check **All submitted changes synced**, then sign out.

Reports and backups

14. Report PDFs contain customer names, addresses, phone numbers and photos of their premises. Send them only to that customer.
15. A backup contains everything. Keep backup drives locked away; never e-mail a backup or leave a backup drive in a car.

7.4 Personal data (PDPA)

The system holds personal data: staff names; customer contact names, phone numbers, e-mail addresses and addresses; photos of customer premises; and a history of staff actions. Under Malaysia's Personal Data Protection Act 2010 (amended in 2024), the company is responsible for it. Points to agree with your adviser (this is not legal advice):

- Tell customers and staff what is collected and why (for example in the service agreement).
- Decide how long visits, reports and photos are kept. The system keeps them until removed; nothing is deleted automatically.
- Decide who may receive report PDFs and reminder e-mails.
- If data may have been exposed (a lost unlocked phone, a leaked password, a stolen backup drive), change the affected passwords at once and contact support. Ask your adviser whether you must report it.

8. Known Limits and Future Improvements

8.1 Known limits

This is how the system works today. None of these loses data, but staff should know them.

1. **No "forgot password" link and no "change my password" screen.** Managers set Technician and Admin passwords; support sets Manager passwords.
2. **Manager accounts are handled by support** on the office computer, not in the app.
3. **A visit with corrections cannot download a PDF yet.** The report on screen shows the corrections.
4. **Failed, uncertain and missed reminder e-mails are not retried automatically.** Check the delivery history weekly.
5. **The office computer is a single point of failure.** If it is off, nobody can send work and the office cannot use the system. Phones keep their work safely until it is back.
6. New customers, new sites, reports, PDFs and all Manager and Admin screens need the internet.
7. Approved inspections cannot be deleted, only corrected, with a record of the change.
8. Clearing the app's data or uninstalling it before everything is sent deletes the unsent work.
9. There is no spreadsheet import; customers are entered on the **Add Customer** screen.
10. The very first opening of the app on a slow connection takes a little longer; after that it opens from the phone.
11. iPhones have not been tested for working without signal. Android phones have.
12. Cloudflare's free plan has no uptime guarantee. Very rarely the address may not open for a while even though the office computer is fine.
13. Reports show the **arrival time** only, as requested; there is no departure time.

8.2 Possible future improvements

Not part of this handover; listed so they can be discussed later:

1. A **"change my password"** screen, and a protected screen for managing Manager accounts.
2. **PDF download for visits with corrections.**
3. **Automatic retry** or a one-click resend for failed reminder e-mails.
4. **Spreadsheet import** of customers and sites.
5. A **second computer or a cloud server** as a standby, if downtime of the office computer becomes a problem.
6. Reading already-approved visits on the phone without signal.
7. **iPhone testing** and any fixes it needs.

9. Problems and Support

9.1 Technicians

You see	Do this
Offline or **Server unreachable** at the top, but you have signal	Keep working; everything is saved on the phone. Tell the office the system may be down.
Sync needs attention	Tap **Sync Now** when you have signal. If it stays, open the item, read the message, and tell a Manager the visit number and the message. **Do not reinstall or clear data.**
A visit or form says it is not available offline	Connect, open it once, and try again. Do not create the visit again.
"Draft save" or photo storage error	Keep the app open, free some space on the phone, try again. Do not clear app data.
Camera does not open	Phone settings → Apps → Chrome (or the app) → Permissions → Camera → **Allow**. Or use **Camera not working? Upload from gallery**.
Cannot sign in	Check the username (capital letters matter) and the card you picked. A Manager can set a new password.
"This signed-in account does not have Manager access"	You picked the wrong card. Go back and pick your own role.

9.2 Managers and Admins

You see	Do this
The app address does not open for anyone	Check the office computer: on, signed in, Docker Desktop running? Wait 3 minutes after starting. Still down → call support.
An Admin cannot see a visit	The Admin is not assigned to that technician (chapter 2.2).
Download PDF is not available	The report is not approved yet, or the visit has corrections (chapter 8).
A reminder e-mail failed	Check the delivery history (chapter 4.9), fix the Gmail app password or internet, and contact the person yourself.
A Manager forgot their password	Call support (chapter 2.6).
The weekly backup check shows **BACKUP FAILED**	Chapter 6.6.

9.3 Calling support

Tell support:

- what you were doing, and the exact message on the screen (a photo of the screen helps);
- the visit number (**SV-…** or **RV-…**), if there is one;
- the **Support build** shown at the top of the app;
- who was signed in.

Never send passwords, the system's secret settings file, or backup files by chat or e-mail.

The support contacts are written in chapter 10.1.

10. Handover Forms

Fill these in together on the handover day. Keep the signed copy. **Never write a password on these pages.** Write only *where* a password is kept and *who* holds it.

10.1 Contacts

Role	Name	Phone / e-mail	Hours
Business owner			
Office-computer custodian (weekly backup check, signs in after a restart)			
Manager 1 (username: _____)			
Manager 2 (username: _____)			
Support (developer)			

10.2 Where important logins are kept

Item	Kept where (password manager / safe)	Held by
Office computer Windows login		
Domain account for `mfets.com` (renewal date: _____)		
Cloudflare account (two-step verification on? ☐)		
The system's secret settings file (copy given by support)		
Manager passwords		Each Manager
Gmail account and app password for reminders		
Backup drive(s) or cloud backup folder		
Remote-access program for the office computer		

10.3 Acceptance sign-off

Tested on https://app.mfets.com on: ____ / ____ / _____

#	Check	Result	Initials
1	The app opens with a padlock on a phone using mobile data	☐ Pass ☐ Fail	
2	Manager 1 and Manager 2 can sign in	☐ Pass ☐ Fail	
3	A technician signs in; the Manager card refuses that technician	☐ Pass ☐ Fail	
4	The app is on the phone's home screen and shows **Offline ready**	☐ Pass ☐ Fail	
5	A camera photo was taken in the app	☐ Pass ☐ Fail	
6	In airplane mode: visit created, form filled, saved and submitted; app closed and reopened; work still there	☐ Pass ☐ Fail	
7	Back online: **All submitted changes synced**; the Manager sees exactly one visit	☐ Pass ☐ Fail	
8	Report approved; PDF downloaded; letterhead and logo correct	☐ Pass ☐ Fail	
9	Office computer restarted; the app came back by itself	☐ Pass ☐ Fail	
10	A backup was made, with a copy on the second backup place	☐ Pass ☐ Fail	
11	Restore test: the backup could be read back	☐ Pass ☐ Fail	
12	Test reminder e-mail received (if reminders are used)	☐ Pass ☐ Fail ☐ Not used	
13	The company received this pack and the technician quick card	☐ Yes	

Open items / remarks:

	Name	Signature	Date
Company			
Developer			

10.4 Decisions made on the day

Topic	Decision
After a restart, Windows signs in: ☐ by itself (screen then locks) ☐ by this person: _____	
Second backup place (drive / cloud folder)	
Daily backup time	
Backups kept on the second place	Last 2 weeks + one per month for _____ months
Who does the Monday backup check	
Who swaps the backup drives (if drives are used)	
Technician phones: ☐ Android only ☐ also iPhone	
Reminder e-mails used? Sender Gmail: _____	☐ Yes ☐ No
How long visits, reports and photos are kept	
Cloudflare free plan has **no uptime guarantee**	☐ Accepted
Docker Desktop is free for companies under 250 staff **and** under USD 10 million revenue	☐ Confirmed ☐ Needs a paid licence
UPS (battery backup) fitted	☐ Yes ☐ No

10.5 Versions installed

Date	Version	Support build shown in the app	Installed by	Notes
				First installation

10.6 Restore test log (every 3 months)

Date	Backup tested (date)	Records counted	Photos opened OK	Done by