ChemCritic 文献证据卡

PMC13435305 | CuAAC 点击化学 | 采集状态 imported_unchecked

标题	Active Templating by Mechanochemistry
作者	Evans O., Belenguer A., Hunter C.
出处	Organic Letters 2026
DOI	10.1021/acs.orglett.6c02540
原文链接	https://pmc.ncbi.nlm.nih.gov/articles/PMC13435305/
许可	https://creativecommons.org/licenses/by/4.0/This article is licensed under CC-BY 4.0

摘要（原文节选）

In this paper, we demonstrate that the active-template synthesis of mechanically interlocked molecules can be achieved under mechanochemical conditions. The active-template copper-catalyzed azide-alkyne cycloaddition (CuAAC) synthesis of a [2]-rotaxane afforded yields of up to 95% and reached completion more rapidly than analogous solution-phase reactions. These results show the compatibility of active templating with mechanochemical synthesis. ⋯

数据表 · 1（6 行，含数值行 6 行）

Variations in the Reactant Stoichiometry and Experimental Conditions in the Synthesis of [2]-Rotaxane 5

Entry	3 [eq]	T [h]	Conversion 1 → 4 + 5 + 6 [%]	Conversion 3 → 5 [%]	Product selectivity 4:5:6
1	1	4	71	26	1.0:4.0:0.0
2 ,	1	4	93	83	1.0:3.0:0.2
3 ,	1	4	31	19	1.0:4.6:2.7
4 ,	5	4	84	–	1.0:12.0:1.0
5 , ,	1	5	91	95	1.0:5.4:0.0
6	1	5	0	0	

脚注（逐字）：aIn all reactions, azide 1 (1 equiv) and alkyne 2 (1 equiv) were present. A general experimental procedure is provided in the Supporting Information.bWith [Cu(I)(MeCN)4]PF6 (1 equiv) as the copper salt.cWith sodium ascorbate (5 equiv).dWith Cu(I)I (1 equiv) as the copper salt.eLiquid-assisted gr

本卡为 NCBI PMC 开放获取 XML
的逐字摘录（标题、作者、表格行列、脚注、正文句均未改写），用于参照集候选与覆盖面登记；未逐条人工核验，标记 imported_unchecked，不写入判定记录、不参与 ChemCritic 引擎的可比性判定。对外引用一律回到 DOI 原文核对页码与表号。