PALETTE · TWO FACES ON ONE CONTRACT

Carbone, in daylight

The graphite deck now has a light counterpart — the same identity, solved for paper.

BRAND AXIS · THE ELECTRIC LIME

The lime does not survive a light canvas, so it moves along one axis instead of changing hue.

- The measurement
  - `#7DE38A` reads 10.95:1 on graphite and **1.47:1** on paper.
- The move
  - The light arm is `#037829` — the **same hue**, holding **95% of the chroma**, at L 0.50 instead of L 0.83. It reads 5.24:1.
- Why it matters
  - A darker *electric* green, not a desaturated forest one.

`The bright value keeps the brand axis, the dark face, and the spectrum's dark arm.`

The status washes are curated, not derived from the ink.

- ✓ Pass, warn and fail inks sit at OKLCH L 0.29–0.55 — AA on a self-tinted band and twelve frozen CVD ratchets pin them there
- ✓ Derived at 18%, a near-black ink over a light card measured chroma **0.0178** — very nearly achromatic
- ✓ Curating the source lifts it to **0.0661**, and the ink-on-band contrast improves from 5.78 to 7.04
- ⊖ Warn sits at the 3:1 graphical floor rather than AA; its pills were already sanctioned on both faces
- ○ The tightest clearing CVD margin is +0.0126, at pass^warn under achromatopsia

SURFACES · WHAT DID NOT FLIP

The code block stays graphite on both faces, and that is the most recognizable thing carbone owns.


--surface-inverse is dark in light mode too

```
/* One token decides it, and it is deliberately NOT an inverse of the canvas. */
--surface-inverse: light-dark(#0E0E10, #0E0E10);

/* So the twelve --syntax-* values curated for a near-black ground stay valid,
   unchanged, on a deck whose canvas is now off-white. */
--syntax-keyword: #7DE38A;   /* the electric lime, still doing its original job */
--syntax-string:  #88D4A8;
```

DIAGRAMS · THE THREE-LAYER CONTRACT

Twelve slots, each a flipping pair of one hue, solved rather than picked.



`Light arms hold each dark mark's hue and solve only lightness: mark-vs-canvas ≥3, ink-on-fill ≥4.5, on-mark ≥4.5, and fill ≠ mark.`

THE MISTAKE WORTH RECORDING

Neutral paper was never the problem; light gray ink was.

- Wrong turn one
  - Inverting the dark ramp gave mid-gray ink on gray paper. It read washed out.
- Wrong turn two
  - Tinting everything cool slate (h=252) cured the wash — and made carbone indaco's hue, with a green accent.
- What carbone's became
  - Graphite: paper C 0.0013, near-black ink at 17.07:1 heading and 12.29:1 body. The lime is the only color.

`A green ground was tried first and rejected — it swallowed the semantic pass state.`

ONE LINE WORTH KEEPING

A palette's monochrome must differ in hue from its semantics, or the signal stops reading as a signal.

- The failed candidate
  - At h=165 the paper tied beautifully to the lime — and the canvas, the neutral rows and the pass rows were all green together.
- Why the references hold
  - Indaco is navy and cuoio is warm brown, and both keep a green pass. That is not a coincidence; it is the constraint.
- The cost of getting it wrong
  - Nothing fails a gate. Every contrast number still clears. The deck simply stops communicating state.

THE DARK SURFACES AND INK ARE THE ONES CARBONE ALWAYS SHIPPED. A DECK THAT MEANS THE GRAPHITE CANVAS ASKS FOR IT BY NAME.

WHAT THIS FACE IS FOR

`theme: carbone` is the light one now; `carbone-dark` is the deck you already had.