

Modern Quantum Mechanics

Leo


Liu, C.



1.1 Experiment.

- Magnetic Moment μ $U = -\mu \cdot B$ $F = \mu \times B$ define as $\mu = I \cdot \text{Enclosed Area}$

i). Silver 47 electron \rightarrow 46 Steady 1 Self Spin



ii). $\mu \propto$ Spin s . $F = \mu_z \frac{\partial B_z}{\partial z}$


iii). Expected $\mu \in -|u| \sim |u|$ — Quantum $\mu = \mu_+$ or μ_- with $S_{z\pm} = \pm \frac{\hbar}{2}$

$$\Rightarrow \begin{cases} \uparrow \\ \downarrow \end{cases} \text{(P of detected)}$$

$$\Rightarrow \begin{cases} \uparrow \\ \downarrow \end{cases}$$

IV. Cancel S_{z-} Add B_z $S_{z\pm}$ Both Appear Again.

- Polarized light experiment.



$S_{z\pm} \leftrightarrow x, y$ polarized

$S_{z\pm} \leftrightarrow x', y'$ polarized

noted as "ket" sign in Dirac notation

$$E = E_0 \hat{x} \cos(\omega t) = |S_{z+}\rangle$$

$$= E_0 \hat{y} \cos(\omega t) = |S_{z-}\rangle$$

$$|S_{x+}\rangle = \frac{1}{\sqrt{2}} |S_{z+}\rangle + \frac{1}{\sqrt{2}} |S_{z-}\rangle$$

$$E_0 \hat{x}' \cos(\omega t) = E_0 [\cos 45^\circ \hat{x} \cos(\omega t) + \cos 45^\circ \hat{y} \cos(\omega t)]$$

$$|S_{x-}\rangle = -\frac{1}{\sqrt{2}} |S_{z+}\rangle + \frac{1}{\sqrt{2}} |S_{z-}\rangle$$

$$E_0 \hat{y}' \cos(\omega t) = E_0 [-\cos 45^\circ \hat{x} \cos(\omega t) + \cos 45^\circ \hat{y} \cos(\omega t)]$$

1.2 Kets Bras Operators

Ket Space

Observe System in Vector Space \rightarrow State is n -dimensional vector.

Define Ket Space as Vector space $|\alpha\rangle + |\beta\rangle = |\gamma\rangle$ $c|\alpha\rangle = |\alpha\rangle \cdot c$

$A|\alpha\rangle = a|\alpha\rangle$ For A is observable $|\alpha'\rangle, |\alpha''\rangle, \dots$ is eigenket of $|\alpha\rangle$

$$\text{e.g. } S_z |S_{z\pm}\rangle = \pm \frac{\hbar}{2} |S_{z\pm}\rangle$$

Since Linear Additive $|\alpha\rangle = \sum \alpha_i |\alpha'_i\rangle$

Bra Space - Inner Product.

Define $\langle \alpha |$ corresponding to $|\alpha\rangle$ Dual Correspondence

$$|\alpha\rangle \langle \alpha'| \langle \alpha''| \dots \langle \alpha''| + |\beta\rangle \langle \beta| \xrightarrow{\text{DC}} \langle \alpha | \langle \alpha' | \langle \alpha'' | \dots \langle \alpha'' | + \langle \beta |$$

$\star C|\alpha\rangle \xleftrightarrow{DC} C^*|\alpha\rangle$ Define innerproduct $\langle\beta|\alpha\rangle = (\langle\beta|)\cdot(|\alpha\rangle) \xrightarrow{DC} = \langle\alpha|\beta\rangle^*$

- $\langle\alpha|\alpha\rangle \geq 0$, Real Number

- $\langle\alpha|\beta\rangle = 0$ Orthogonal on α, β

Operators

$$X \cdot (|\alpha\rangle) = X|\alpha\rangle \quad X=Y \text{ if } X|\alpha\rangle = Y|\alpha\rangle \quad \text{if } X|\alpha\rangle = 0 \quad X \text{ is null}$$

$\star X|\alpha\rangle \xleftrightarrow{DC} \langle\alpha|X^\dagger$ if $X=X^\dagger$ X is Hermitian.

Define outer product $(|\beta\rangle)(\langle\alpha|) = |\beta\rangle\langle\alpha|$

Associative Axiom

$$- (|\beta\rangle\langle\alpha|) \cdot |\gamma\rangle = |\beta\rangle \cdot (\langle\alpha|\gamma\rangle)$$

$$- \text{ if } X=|\beta\rangle\langle\alpha| \quad X^\dagger = |\alpha\rangle\langle\beta|$$

$$- (\langle\beta|) \cdot (X|\alpha\rangle) = (\langle\beta|X) \cdot (|\alpha\rangle) \rightarrow \langle\beta|X|\alpha\rangle$$

$$- \langle\beta|X|\alpha\rangle = \langle\beta| \cdot (X|\alpha\rangle) = \{(\langle\alpha|X^\dagger)|\beta\rangle\}^* = \langle\alpha|X^\dagger|\beta\rangle^*.$$

1.3 Base kets and matrix representations.

- Eigenvalue of Hermitian operator A is real

Eigenkets of A to diff. eigenvalues are orthonormal

$$\text{Proof, } A|\alpha'\rangle = \alpha'|\alpha'\rangle \quad \langle\alpha''|A = \alpha''^*\langle\alpha''|$$

\downarrow

$$0 = \langle\alpha''| \alpha' |\alpha'\rangle - \alpha''^* \langle\alpha''|\alpha'\rangle \quad 0 = \cancel{\langle\alpha''| \alpha'} (\alpha' - \alpha''^*)$$

If:

$$\text{i). } \alpha'' = \alpha' \rightarrow \alpha' = \alpha'^*$$

$$\text{ii). } \alpha'' \neq \alpha' \rightarrow \langle\alpha''|\alpha'\rangle = 0 \quad \text{Each eigenvalues orthonormal}$$

$$\langle\alpha''|\alpha'\rangle = \delta_{\alpha''\alpha'} \quad \text{if } \alpha' \neq \alpha'' = 0$$

$\Lambda_{\alpha'}^2$: Project on α'

$$- \text{Base Kets. } |\alpha\rangle = \sum C_{\alpha'} |\alpha'\rangle \quad \sum \Lambda_{\alpha'}^2 = 1 : \text{Project on all } \alpha \text{ Must} = 1$$

$$\langle\alpha''|\alpha\rangle = \langle\alpha''| \sum C_{\alpha'} |\alpha'\rangle = \sum_{\alpha'} C_{\alpha'} \delta_{\alpha''\alpha'} \Rightarrow C_{\alpha'} = \langle\alpha'|\alpha\rangle$$

$$|\alpha\rangle = \sum_{\alpha'} \langle\alpha'|\alpha\rangle \cdot |\alpha'\rangle = \sum_{\alpha'} |\alpha'\rangle \langle\alpha'|\alpha\rangle \quad \Rightarrow \boxed{\sum_{\alpha'} |\alpha'\rangle \langle\alpha'| = 1}$$

$$V = \sum_i e_i^\dagger (e_i \cdot V) \quad \star \langle\alpha'|\text{ must orthonormal with } |\alpha\rangle$$

Since $\sum |\alpha'| \langle \alpha' | = 1 \Rightarrow \langle \alpha | \alpha' = \langle \alpha | \sum_{\alpha'} |\alpha'| \langle \alpha' | \alpha \rangle = \sum_{\alpha'} |\alpha'| \langle \alpha' | \alpha \rangle|^2 \Rightarrow \sum_{\alpha'} |\alpha'|^2 = \sum_{\alpha'} |\langle \alpha' | \alpha \rangle|^2 = 1$

$\star (|\alpha'| \langle \alpha'|) \cdot |\alpha\rangle = |\alpha'\rangle \langle \alpha'| \alpha \rangle = C_{\alpha'} |\alpha'\rangle \Rightarrow |\alpha'\rangle \langle \alpha'| \text{ portion of } |\alpha\rangle \text{ (for } |\alpha\rangle \text{ is normalized)}$

define $\Lambda_{\alpha'} = |\alpha'\rangle \langle \alpha'| \quad \sum \Lambda_{\alpha'} = 1 \quad \Lambda_{\alpha'} \text{ Subtract valv. of proportion of } \alpha' \text{ on } \alpha$

Matrix Representation. $\star |\alpha'\rangle \langle \alpha'| \dots$ From eigenket list. No df.

Define $X = \sum_{\alpha''} \sum_{\alpha'} |\alpha''\rangle \langle \alpha''| \sum |\alpha'| \langle \alpha'|$

Convert to $N \times N$ Matrix where N is dim. of ket space

$$X = \begin{bmatrix} \langle \alpha''_1 | X | \alpha'_1 \rangle & \langle \alpha''_1 | X | \alpha'_2 \rangle & \dots \\ \langle \alpha''_2 | X | \alpha'_1 \rangle & \ddots & \ddots \\ \vdots & \ddots & \ddots \end{bmatrix} \Rightarrow \langle \alpha''_i | X | \alpha'_j \rangle = \langle \alpha'_j | X + |\alpha''_i\rangle^*$$

Insert Identity Matrix

- For $Z = XY \quad \langle \alpha'' | Z | \alpha' \rangle = \sum_{\alpha'''} \langle \alpha'' | X | \alpha''' \rangle \langle \alpha''' | Y | \alpha' \rangle$

- For $|\beta\rangle = X|\alpha\rangle \quad \text{Acting on base } \langle \alpha' | \quad \langle \alpha' | \beta \rangle = \langle \alpha' | X | \alpha \rangle = \sum_{\alpha''} \langle \alpha' | X | \alpha'' \rangle \langle \alpha'' | \alpha \rangle$

$$|\alpha\rangle = \begin{pmatrix} \langle \alpha' | \alpha \rangle \\ \langle \alpha^2 | \alpha \rangle \\ \vdots \end{pmatrix} \quad |\beta\rangle = \begin{pmatrix} \langle \alpha' | \beta \rangle \\ \langle \alpha^2 | \beta \rangle \\ \vdots \end{pmatrix} \quad \text{As column Matrix.}$$

$$|\alpha\rangle = \sum_{\alpha'} |\alpha'\rangle \langle \alpha' | \alpha \rangle = \begin{pmatrix} |\alpha'_1\rangle \langle \alpha'_1 | \alpha \rangle \\ |\alpha'_2\rangle \langle \alpha'_2 | \alpha \rangle \\ \vdots \end{pmatrix} \quad \star |\alpha_1\rangle \langle \alpha_2 | \dots \text{ Have no valv. - only directions.}$$

- Similar on $\langle \beta | = \langle \alpha | X \quad \langle \beta | \alpha' \rangle = \sum_{\alpha''} \langle \alpha | \alpha'' \rangle \langle \alpha'' | X | \alpha' \rangle$

$$\langle \beta | = (\langle \beta | \alpha'_1 \rangle, \langle \beta | \alpha^2 \rangle, \dots)^* \quad (\langle \alpha' | \beta \rangle, \langle \alpha^2 | \beta \rangle, \dots)^* \quad \text{As row Matrix.}$$

- Column Matrix \cdot Row Matrix $\langle \beta | \alpha \rangle = \sum_{\alpha'} \langle \beta | \alpha' \rangle \langle \alpha' | \alpha \rangle$

$$= (\langle \beta | \alpha'_1 \rangle \langle \beta | \alpha_2 \rangle \dots) \cdot \begin{pmatrix} \langle \alpha_1 | \alpha \rangle \\ \langle \alpha_2 | \alpha \rangle \\ \vdots \end{pmatrix} = \text{some value}$$

$$- \text{Row} \cdot \text{Column} \quad |\beta\rangle \langle \alpha| = \sum_{\alpha'} \langle \alpha' | \beta \rangle \langle \alpha | \alpha' \rangle = \begin{pmatrix} \langle \alpha'_1 | \beta \rangle \langle \alpha'_1 | \alpha \rangle^* & \langle \alpha'_1 | \beta \rangle \langle \alpha^2 | \alpha \rangle^* & \dots \\ \langle \alpha^2 | \beta \rangle \langle \alpha'_1 | \alpha \rangle^* & \ddots & \ddots \\ \vdots & \ddots & \ddots & \ddots \end{pmatrix}$$


- Eigenkets of A used as baseket. [$\sum_{\alpha'} |\alpha'\rangle \langle \alpha'| = 1 - \alpha'$ is baseket]

$$A = \sum_{\alpha''} \sum_{\alpha'} |\alpha''\rangle \langle \alpha''| A |\alpha' \rangle \langle \alpha'| = \text{if } \langle \alpha' | A \alpha'' \rangle \text{ where } \alpha' + \alpha'' = 0 \Rightarrow \delta_{\alpha'' \alpha'} \langle \alpha' | A | \alpha' \rangle = \alpha' \delta_{\alpha'' \alpha'}$$

$$A = \sum_{\alpha'} \alpha' |\alpha' \rangle \langle \alpha'| = \sum_{\alpha'} \alpha' \Lambda_{\alpha'}$$

* defin S_{\pm} as Up down operators

$$S_{\pm} = \hbar |\pm\rangle \langle \mp|$$



Set $|-\rangle$ to $\hbar |-\rangle$

$$S_{+} |-\rangle = \hbar |+\rangle \langle -| = \hbar |+\rangle$$

$$I = \sum_{\alpha'} |\alpha' \rangle \langle \alpha'| = |\uparrow\rangle \langle \uparrow| + |\downarrow\rangle \langle \downarrow|$$

$$S_z = \sum_{\alpha'} \alpha' \Lambda_{\alpha'} = (\frac{\hbar}{2}) |\uparrow\rangle \langle \uparrow| - (\frac{\hbar}{2}) |\downarrow\rangle \langle \downarrow| = \frac{\hbar}{2} (|\uparrow\rangle \langle \uparrow| - |\downarrow\rangle \langle \downarrow|) \quad S_z |\pm\rangle = \pm (\frac{\hbar}{2}) |\pm\rangle$$

$$\begin{matrix} \text{eigenket} \\ \downarrow \\ \text{eigenvalue} \end{matrix} \quad \text{as } |+\rangle = \begin{pmatrix} 1 \\ 0 \end{pmatrix} \quad |-\rangle = \begin{pmatrix} 0 \\ 1 \end{pmatrix} \quad S_z = \frac{\hbar}{2} \begin{pmatrix} 1 & 0 \\ 0 & -1 \end{pmatrix}$$

1.4 Measurements, Observables, Uncertainty

$$|\alpha\rangle = \sum_{i,j,k} \langle \alpha' | \alpha \rangle \cdot |\alpha'\rangle = \sum_{\alpha'} |\alpha' \rangle \langle \alpha' | \alpha \rangle$$

$|\alpha\rangle$ [Series of possible eigenvalue] $\xrightarrow{\text{Observe}}$ $|\alpha'\rangle$ [Single CD. value]

$|\alpha'\rangle$ $\xrightarrow{\text{Observe}}$ $|\alpha'\rangle$

$$\text{Prob. of } \alpha' \text{ observed} = |\Lambda_{\alpha'} \cdot \alpha|^2 = \left| \sum_{\alpha'} \langle \alpha' | \alpha \rangle \right|^2$$

$$\begin{matrix} \text{Vector} \\ \downarrow \\ \text{Constant} \end{matrix} = |\text{Constant}|^2 \cdot |\text{Vector}|^2 = |\langle \alpha' | \alpha \rangle|^2 \cdot \underbrace{\langle \alpha' | \alpha' \rangle}_{=1}$$

$$\langle A \rangle = \sum_{\alpha'} \underbrace{\alpha'}_{\text{valv.}} \underbrace{\frac{|\langle \alpha' | \alpha \rangle|^2}{P}}$$

$$= \sum_{\alpha'} \sum_{\alpha''} \langle \alpha | \alpha' \rangle \langle \alpha'' | A | \alpha' \rangle \langle \alpha' | \alpha \rangle = \sum_{\alpha'} \sum_{\alpha''} \langle \alpha' | \alpha \rangle \langle \alpha'' | \alpha \rangle^* \delta_{\alpha'' \alpha'} \alpha'$$

$$= \sum_{\alpha'} |\langle \alpha' | \alpha \rangle|^2 \alpha' \quad |S_{\theta} +\rangle \text{ on } S_z \text{ direction} = \vec{A} |+\rangle + \vec{B} |-\rangle$$

Spin 1/2 System, again.

With $|A| = |B| = \frac{1}{\sqrt{2}}$ and direction unknown.

$$P = \sum |\Lambda_{\alpha'} \cdot \alpha|^2 = 1 \text{ with Same P. on } S_{\theta} \pm \text{ for } S_{\theta} + \frac{1}{\sqrt{2}} |+\rangle + \frac{1}{\sqrt{2}} \exp(i\delta_1) |-\rangle \Leftarrow \frac{1}{\sqrt{2}} \exp(i\omega_1) |+\rangle + \frac{1}{\sqrt{2}} \exp(i\beta_1) |-\rangle$$

$$\frac{|\langle + | S_{\theta} + \rangle|}{\sqrt{S_{\theta}^2}} = \frac{|\langle - | S_{\theta} + \rangle|}{\sqrt{S_{\theta}^2}} = \frac{1}{\sqrt{2}} \Rightarrow |S_{\theta} +\rangle = \frac{1}{\sqrt{2}} |+\rangle + \frac{1}{\sqrt{2}} \exp(i\delta_1) |-\rangle$$

phase difference in $|+\rangle |-\rangle$.

$$\text{Since } |S_{\theta} +\rangle \text{ orthonormal with } |S_{\theta} -\rangle \langle + | - \rangle = 0 \Rightarrow |S_{\theta} -\rangle = \frac{1}{\sqrt{2}} |+\rangle - \frac{1}{\sqrt{2}} \exp(i\delta_1) |-\rangle$$

$$S_{\theta} = \sum_{\alpha'} \alpha' \Lambda_{\alpha'} = \frac{\hbar}{2} [|S_{\theta} +\rangle \langle S_{\theta} +| - |S_{\theta} -\rangle \langle S_{\theta} -|] = \frac{\hbar}{2} [e^{-i\delta_1} |+\rangle \langle -| + e^{i\delta_1} |-\rangle \langle +|]$$

$$\text{Similar } \begin{cases} |S_y \pm \rangle = \frac{1}{\sqrt{2}} |+\rangle \pm \frac{1}{\sqrt{2}} \exp(i\delta_2) |-\rangle \\ |S_y \rangle = \sum_{\alpha'} \Lambda_{\alpha'} \alpha' = \frac{\hbar}{2} [\exp(-i\delta_2) |+\rangle \langle -| + \exp(i\delta_2) |-\rangle \langle +|] \end{cases} \Rightarrow S_y = \begin{pmatrix} 0 & \exp(-i\delta_2) \\ \exp(i\delta_2) & 0 \end{pmatrix}$$

$$\begin{aligned} \text{To determine } \delta_2, \delta_1 \quad & |\langle S_y \pm | S_{\theta} + \rangle| = |\langle S_y \pm | S_{\theta} - \rangle| = \frac{1}{\sqrt{2}} \Rightarrow S_y = \begin{pmatrix} 0 & \exp(-i\delta_2) \\ \exp(i\delta_2) & 0 \end{pmatrix} \\ & = [\frac{1}{\sqrt{2}} \langle + | + \frac{1}{\sqrt{2}} \exp(i\delta_2) \langle - |] [\frac{1}{\sqrt{2}} |+\rangle - \frac{1}{\sqrt{2}} \exp(i\delta_1) |-\rangle] \end{aligned}$$

$$= \frac{1}{2} - \frac{1}{2} \exp[i(\delta_2 - \delta_1)] = \frac{1}{2} \quad (\langle +|+ \rangle = 1 \quad \langle -|- \rangle = 0)$$

$$\Rightarrow \delta_2 - \delta_1 = \pm \frac{\pi}{2}. \quad \star \exp(i\theta) \in \text{Re} \text{ when } \theta \in [0, \pi, 2\pi \dots]$$

$\delta_2 - \delta_1 = \frac{\pi}{2} \rightarrow$ Must have one imagine. Assume $x \in \text{Re}, y \in \text{Im}$

$$S_x = \frac{i}{2} [|+\rangle\langle -| + |-\rangle\langle +|] \quad |S_x|_{\pm} = \frac{1}{2} |+\rangle \pm \frac{1}{2} |-\rangle$$

$$S_y = \frac{i}{2} [-i|+\rangle\langle -| + i|-\rangle\langle +|] \quad |S_y|_{\pm} = \frac{1}{2} |+\rangle \pm \frac{i}{2} |-\rangle$$

$$\star S_{\pm} = \hbar | \pm \rangle \langle \mp | \rightarrow S_{\pm} = S_x \pm iS_y = \hbar | \pm \rangle \langle \mp | \quad [\text{Up/Down degree operators}]$$

$$\text{with } S_x S_y S_z \quad [S_x, S_y] = \frac{i}{4} [i|+\rangle\langle +| - i|-\rangle\langle -| + i|+\rangle\langle +| - i|-\rangle\langle -|] \\ = i\hbar/2 [|+\rangle\langle +| - |-\rangle\langle -|] = S_z \cdot i\hbar \quad \Rightarrow [S_z, S_y] = E_y b \cdot S_z \cdot i\hbar$$

$$\text{Similar Anti-Commutation } \{S_x, S_y\} = \frac{1}{2}\hbar^2 \delta_{xy} \quad [\{A, B\} = AB - BA]$$

$$> \text{Define } S^2 = S_x^2 + S_y^2 + S_z^2 = 3 \cdot (\frac{1}{4}\hbar^2) \quad [S^2, S_y] = 0$$

Compatible Observables.

define $[A, B] = 0$ compatible vice versa.

\star degenerate : two diff. eigen state \rightarrow same correspond eigen value $\Rightarrow |a'\rangle$ isn't complete.

> Theory: A, B compatible eigenvalue of A nondegenerate. $\langle a''|B|a'\rangle$ all diagonal

$$\langle a''|[A, B]|a'\rangle = 0$$

$$\langle a''|AB - BA|a'\rangle = \langle a''|AB|a'\rangle - \langle a''|BA|a'\rangle = \langle a''|a''\rangle B|a'\rangle - \langle a''|B|a'\rangle a''|a'\rangle = \langle a''|B|a'\rangle (a'' - a'') = 0$$

Obv. $a' = a''$ or $\langle a''|B|a'\rangle = 0 \Rightarrow \langle a''|B|a'\rangle = \delta_{a''a'} \langle a'|B|a''\rangle \rightarrow$ Diagonal Matrix.

Simultaneous Eigenkets.

$$B = \sum_{a''} |a''\rangle \langle a''| B |a''\rangle \langle a''| \quad \text{adding on ket } |a'\rangle = \sum_{a''} |a''\rangle \langle a''| B |a''\rangle \langle a'|a'\rangle = (\langle a'|B|a'\rangle) |a'\rangle$$

$\delta_{a''a'}$ Simultaneous Eigenkets

define $|K'\rangle$ collective index \leftarrow

$$|K'\rangle = |a', b'\rangle$$

$$A|a', b'\rangle = a'|a', b'\rangle \quad \leftarrow$$

$$B|a', b'\rangle = b'|a', b'\rangle$$

$$\star B|a'\rangle = b'|a'\rangle \text{ with } b' = \langle a'|B|a'\rangle$$

$$A|a'\rangle = a'|a'\rangle$$

AB Use Same eigenstate $|a', b'\rangle$

Degeneracy Notations.

$$|K'\rangle = |a', b', c' \dots \rangle \quad (\text{Assume compatible})$$

$$\text{obv. } \sum_{K'} |K'\rangle \langle K'| = 1 \quad \langle K''|K'\rangle = \delta_{K''K'}$$

$|a\rangle$ Measure A $\rightarrow |a', b'\rangle$ with same value a' degeneracy in a Meas. B $\rightarrow |a', b'\rangle$ with diff. b' diff. in b'

* degeneracy \rightarrow linear combination of kets. $= \sum_i^n c_{ai}^i |a'_i, b^i\rangle$ [For n degeneracy A state, measure gives a'
B state, gives $b^1, b^2 \dots b^n$]

> Incompatible // Collective Index


For $[A, B] \neq 0$

$$AB|a', b'\rangle = a'b' |a', b'\rangle \Rightarrow AB = BA \quad [A, B] \text{ must } = 0. \quad (\times)$$

$$BA|a', b'> = b'a'|a', b'>$$

$$\Rightarrow AB = BA \quad [A, B] \text{ must } = 0. \quad (\times)$$


For $[A, B] \neq 0$ $|a', b'\rangle$ not exist



Cinb bina

$$P_{\text{of output}} = |\langle 0' | b' \rangle|^2 |\langle b' | a' \rangle|^2$$

As B have eigen states. summing over b' for all possible routes.



$$\sum_{B'} |C' \langle B' |^2 | \langle B' | A' \rangle |^2 = \sum_{B'} \cancel{C' \langle B' |} \cancel{\langle B' | A' \rangle} \cancel{\langle A' | B' \rangle} \cancel{\langle B' | C' \rangle} \quad (\text{Eq. 1})$$

Difference in b' and b'' value.

$$P_{\text{out}} = |\langle c' | a' \rangle|^2 = \sum_{b'} |\langle c' | b' \rangle \langle b' | a' \rangle|^2 = \sum_{b'} \sum_{b''} \langle c' | b' \rangle \langle b' | a' \rangle \langle a' | b'' \rangle \langle b'' | c' \rangle \quad (\text{Eq. 2})$$

State in i). $|b\rangle$ is detected, just left normal P. adding together.

State in ii). $\sum_b \sum_{b''}$ cause interference pare when $b \neq b''$

For $[A, B] = 0$: S-m. eigenkets $|a\rangle$ have $B|a'\rangle = b'|a\rangle$ $\langle b|a\rangle = \delta_{bb'}$

$$\text{Eq.1} = |\langle c|b'\rangle \langle b'|a\rangle|^2 \quad = \quad \text{Eq.2} = |\langle c|b\rangle|^2 |\langle b'|a\rangle|^2 \quad [\text{only } b=b' \text{ exist}]$$

Interference $\sum_B \sum_{B'}$ cause by different possible path. $[A, B] = 0$ // Test on $|b\rangle$

will leave only one path of $1 \rightarrow 2 \rightarrow 3 \rightarrow 4$ → kill inf.

> Uncertainty Relation

Define $\Delta A = A - \langle A \rangle$ As operators $\langle (\Delta A)^2 \rangle = \langle A^2 \rangle - \langle A \rangle^2$ as dispersion

$\langle (\Delta A)^2 \rangle$ Assign to "sharpness" of value

$$\begin{aligned} \nabla & \langle (\Delta S_x)^2 \rangle = \frac{\hbar^2}{4} - 0 = \frac{\hbar^2}{4} & \rightarrow \text{Fuzzy} \\ & \langle (\Delta S_x + i)^2 \rangle = \frac{\hbar^2}{4} - \frac{\hbar^2}{4} = 0 & \rightarrow \text{Sharp} \end{aligned}$$

$$\text{Theory : } \langle (\Delta A)^2 \rangle < \langle \Delta B \rangle^2 \geq \frac{1}{4} |\langle [A, B] \rangle|^2$$

Proof on this theory require three Lemmas.

> Lemma 1. In Hilb. Space $|n|^2 \geq 0$ For $|n\rangle = |\alpha\rangle + n|\beta\rangle$

$$(\langle\alpha| + n^* \langle\beta|) \cdot (|\alpha\rangle + n|\beta\rangle) \geq 0$$

$$\langle\alpha|\alpha\rangle + \underline{n\langle\alpha|\beta\rangle} + n^*\langle\alpha|\beta\rangle^* + \underline{|n|^2\langle\beta|\beta\rangle} \geq 0$$

Since n is free, Set $n = -\langle\beta|\alpha\rangle/\langle\beta|\beta\rangle$ To cancel terms.

$$\underbrace{\langle\alpha|\alpha\rangle - |\langle\alpha|\beta\rangle|^2/\langle\beta|\beta\rangle}_{+ n^*\langle\alpha|\beta\rangle + |\langle\alpha|\beta\rangle|^2/\langle\beta|\beta\rangle} \Rightarrow \langle\alpha|\alpha\rangle - |\langle\alpha|\beta\rangle|^2/\langle\beta|\beta\rangle \geq 0 \quad \square$$

> Lemma 2. Expectation Value of Hermitian Operators must real.

$$\langle\alpha'|\hat{H}|\alpha''\rangle = \langle\alpha''|\hat{H}^\dagger|\alpha'\rangle^* = \langle\hat{H}\rangle \rightarrow \text{Real.} \quad \square$$

> Lemma 3. Vice Versa on Lemma 2. \square

> Proof. Lm. 1 $\langle\alpha|\alpha\rangle\langle\beta|\beta\rangle >= |\langle\alpha|\beta\rangle|^2$

$$\begin{aligned} \text{Define Operator } |\alpha\rangle &= \Delta A |\alpha\rangle \\ |\beta\rangle &= \Delta B |\beta\rangle \end{aligned}$$

$$\langle (\Delta A)^2 \rangle \langle (\Delta B)^2 \rangle \geq |\langle \Delta A \Delta B \rangle|^2$$

$$\Delta A \Delta B = \frac{1}{2} [\Delta A \Delta B - \Delta B \Delta A + \Delta A \Delta B + \Delta B \Delta A] = \frac{1}{2} [\Delta A, \Delta B] + \frac{1}{2} \{ \Delta A, \Delta B \}$$

$$\langle \Delta A \Delta B \rangle = \frac{1}{2} \langle [\Delta A, \Delta B] \rangle + \frac{1}{2} \langle \{ \Delta A, \Delta B \} \rangle$$

$[\Delta A, \Delta B]$: Since Commutation Relation on $[\Delta A, \text{Constant Value}] = 0$

$$= [\Delta A, \Delta B] - \langle \Delta A \rangle \langle \Delta B \rangle - \langle \Delta A \rangle \langle \Delta B \rangle + \langle \Delta A \rangle \langle \Delta B \rangle = [\Delta A, \Delta B]$$

Lm. 2 / 3 $[\Delta A, \Delta B]^\dagger = [\Delta A, \Delta B]^\dagger = \Delta B \Delta A - \Delta A \Delta B = -[\Delta B, \Delta A] \rightarrow \langle [\Delta A, \Delta B] \rangle \text{ Pure Im.}$

$$\{ \Delta A, \Delta B \}^\dagger = \Delta B \Delta A + \Delta A \Delta B = \{ \Delta A, \Delta B \} \rightarrow \{ \Delta A, \Delta B \} \text{ Pure Re.}$$

$$\langle (\Delta A)^2 \rangle + \langle (\Delta B)^2 \rangle = \frac{1}{4} \langle [\Delta A, \Delta B] \rangle^2 + \frac{1}{4} \langle \{ \Delta A, \Delta B \} \rangle^2 \geq \frac{1}{4} \langle [\Delta A, \Delta B] \rangle^2 \quad \square$$

1.5 Change of basis.

Transforming Operators. [Define $|b^1\rangle = U|a^1\rangle$, $|b^2\rangle = U|a^2\rangle$, ... with U is unitary operators.]

$$\begin{aligned} \text{Assume For } U &= \sum_k |b^k\rangle \langle a^k| \quad U \cdot U^\dagger = \sum_k \sum_l |b^k\rangle \langle a^k| a^l \rangle \langle b^l| \\ &= \sum_k |b^k\rangle \delta_{kl} \langle b^k| = I \end{aligned}$$

$$U^\dagger U = U U^\dagger = I$$

Transforming Matrix. [Transforming $\{ |a^1\rangle \}$ to $\{ |b^1\rangle \}$]

$$|\alpha\rangle = \sum_{\alpha'} |\alpha'\rangle \langle \alpha'| \alpha\rangle \quad \text{Transform to} \quad \langle b^k | \alpha\rangle = \sum_k \langle b^k | \alpha'\rangle \langle \alpha' | \alpha\rangle \quad \text{with} \quad \langle b^k | = \langle \alpha^k | U^\dagger \rangle$$

$$(\text{new}) = U^\dagger (\text{old}) \quad = \sum_k \langle \alpha^k | U^\dagger | \alpha'\rangle \langle \alpha' | \alpha\rangle$$

$$\langle b^k | X | b^l \rangle = \sum_m \sum_n \langle b^k | \alpha^n \rangle \langle \alpha^n | X | \alpha^m \rangle \langle \alpha^m | b^l \rangle$$

$$\text{with} \quad |b\rangle = U|\alpha\rangle \quad = \sum_{m,n} \langle \alpha^k | U^\dagger | \alpha^n \rangle \langle \alpha^n | X | \alpha^m \rangle \langle \alpha^m | U | b^l \rangle$$

$$\Rightarrow X' = U^\dagger X U$$

$$> \text{define Trace} \quad \text{tr}(X) = \sum_{\alpha'} \langle \alpha' | X | \alpha' \rangle$$

$$\text{tr}(X) \text{ isn't depends on basis.} \quad = \sum_{\alpha' \beta' \beta''} \langle \alpha' | b' \rangle \langle b' | X | b'' \rangle \langle b'' | \alpha' \rangle \quad = \sum_{b' b''} \frac{\langle b'' | b' \rangle \langle b' | X | b'' \rangle}{\delta_{b' b''}}$$

Three scalars \rightarrow change position freely

$$= \sum_{b'} \langle b' | \alpha | b' \rangle = \text{Tr}(x)$$

Diagonalization

$$\text{For } B|b\rangle = b'|b\rangle$$

$$\left(\sum_{\alpha''} \langle \alpha' | B | \alpha'' \rangle \langle \alpha'' | b' \rangle \right) = b' \langle \alpha' | b' \rangle \quad \text{as } \langle \alpha' | \text{ represent "direction"}$$

$$\begin{pmatrix} B_{11} & B_{12} & \dots \\ B_{21} & \dots & \dots \\ \vdots & \ddots & \ddots \end{pmatrix} \cdot \begin{pmatrix} C_1 \\ C_2 \\ \vdots \end{pmatrix} = b' (b' = n) \cdot \begin{pmatrix} C_1 \\ C_2 \\ \vdots \end{pmatrix} \quad \rightarrow \det(CB - nI) = 0. \quad \text{For } i \text{ is unit vector.}$$

$$\text{For } B_{ij} = \langle \alpha_i | B | \alpha_j \rangle \quad C_i = \langle \alpha^i | b' \rangle \quad N \text{ dimension function with } n_1 \dots n_N \in b$$

\downarrow one col. of trs Matrix

$$\text{For Transforming Matrix define as} \quad |b\rangle = U|\alpha\rangle \quad U = \sum_{b'} \langle \alpha' | b' \rangle = \sum_{b'} C_i'$$

Unitary Equivalent Observables [Unitary Define as $U^\dagger U = I \quad U^\dagger = U^{-1}$]

For sets $\{|\alpha'\rangle\} \{|\beta'\rangle\}$ Connect by U . Unitary transformation on A is UAV^{-1}

$$A|\alpha^i\rangle = \alpha^i |\alpha^i\rangle$$

\downarrow Transformation

$$UAV^{-1}U|\alpha^i\rangle = \alpha^i U|\alpha^i\rangle \quad \rightarrow \quad (UAV^{-1})|b^i\rangle = \alpha^i |b^i\rangle$$

both $|\alpha^i\rangle$ $|b^i\rangle$ are eigenvectors of UAV^{-1} with same eigenvalue α^i

as $B|b^i\rangle = b^i |b^i\rangle$) UAV^{-1} Similar to B .

1.6 Position Momentum Translation

Continuous Spectra. [e.g. P_z is available in any value ($-\infty \dots +\infty$) - Continuous].

For Continuous spectrum $\underline{s}|s\rangle = s'|s'\rangle$
operators eigenvalues

$$\langle \alpha' | \alpha'' \rangle = \delta_{\alpha' \alpha''} \rightarrow \langle \xi' | \xi'' \rangle = \delta(\xi' - \xi'')$$

$$\sum_{\alpha'} |\alpha'\rangle \langle \alpha'| = 1 \rightarrow \int d\xi' |\xi'\rangle \langle \xi'| = 1$$

$$|\alpha\rangle = \sum_{\alpha'} |\alpha'\rangle \langle \alpha'| \alpha \rangle \rightarrow \int d\xi' |\xi'\rangle \langle \xi'| \alpha \rangle$$

$$\sum_{\alpha} |\langle \alpha' | \alpha \rangle|^2 = 1 \rightarrow \int d\xi' |\langle \xi' | \alpha \rangle|^2 = 1.$$

$$\langle \beta | \alpha \rangle = \sum_{\alpha'} \langle \beta | \alpha' \rangle \langle \alpha' | \alpha \rangle \rightarrow \langle \beta | \alpha \rangle = \int d\xi' \langle \beta | \xi' \rangle \langle \xi' | \alpha \rangle$$

$$\langle \alpha'' | A | \alpha' \rangle = \alpha' \delta_{\alpha'' \alpha''} \rightarrow \xi' \delta(\xi'' - \xi').$$

Position Eigenkets. — Position Measurement.

$$|x|x'\rangle = |x'|x\rangle$$

$$\text{with } |\alpha\rangle = \int_{-\infty}^{+\infty} dx' |x'\rangle \langle x'| \alpha \rangle \quad \text{Measure close to } (x' - \Delta/2, x' + \Delta/2) \rightarrow \int_{x' - \Delta/2}^{x' + \Delta/2} dx'' |x''\rangle \langle x''| \alpha \rangle$$

$$P(\text{on position } x') = |\langle x' | \alpha \rangle|^2 \cdot dx' \quad \text{with } \int_{-\infty}^{+\infty} |\langle x' | \alpha \rangle|^2 \cdot dx' = 1 \quad [\langle \alpha | \alpha \rangle = 1]$$

> Coordinates Operators.

$$|\alpha\rangle = \int d^3x' |x'\rangle \langle x' | \alpha \rangle \quad \text{with } |x'\rangle = |x', y', z'\rangle \quad \text{Restrict by } [x_i, x_j] = 0.$$

