

Tabela 1.4a

ÁREA DA SEÇÃO DE BARRAS POR METRO DE LARGURA a_s (cm²/m)

s (cm)	DIÂMETRO NOMINAL (mm)						s (cm)
	5,0	6,3	8,0	10,0	12,5	16,0	
5,0	3,92	6,24	10,06	15,70	24,54	40,22	5,0
5,5	3,56	5,67	9,15	14,27	22,31	36,56	5,5
6,0	3,27	5,20	8,38	13,08	20,45	33,52	6,0
6,5	3,02	4,80	7,74	12,08	18,88	30,94	6,5
7,0	2,80	4,46	7,19	11,21	17,53	28,73	7,0
7,5	2,61	4,16	6,71	10,47	16,36	26,81	7,5
8,0	2,45	3,90	6,29	9,81	15,34	25,14	8,0
8,5	2,31	3,67	5,92	9,24	14,44	23,66	8,5
9,0	2,18	3,47	5,59	8,72	13,63	22,34	9,0
9,5	2,06	3,28	5,29	8,26	12,92	21,17	9,5
10,0	1,96	3,12	5,03	7,85	12,27	20,11	10,0
11,0	1,78	2,84	4,57	7,14	11,15	18,28	11,0
12,0	1,63	2,60	4,19	6,54	10,23	16,76	12,0
12,5	1,57	2,50	4,02	6,28	9,82	16,09	12,5
13,0	1,51	2,40	3,87	6,04	9,44	15,47	13,0
14,0	1,40	2,23	3,59	5,61	8,76	14,36	14,0
15,0	1,31	2,08	3,35	5,23	8,18	13,41	15,0
16,0	1,23	1,95	3,14	4,91	7,67	12,57	16,0
17,0	1,15	1,84	2,96	4,62	7,22	11,83	17,0
17,5	1,12	1,78	2,87	4,49	7,01	11,49	17,5
18,0	1,09	1,73	2,79	4,36	6,82	11,17	18,0
19,0	1,03	1,64	2,65	4,13	6,46	10,58	19,0
20,0	0,98	1,56	2,52	3,93	6,14	10,06	20,0
22,0	0,89	1,42	2,29	3,57	5,58	9,14	22,0
24,0	0,82	1,30	2,10	3,27	5,11	8,38	24,0
25,0	0,78	1,25	2,01	3,14	4,91	8,04	25,0
26,0	0,75	1,20	1,93	3,02	4,72	7,73	26,0
28,0	0,70	1,11	1,80	2,80	4,38	7,18	28,0
30,0	0,65	1,04	1,68	2,62	4,09	6,70	30,0
33,0	0,59	0,95	1,52	2,38	3,72	6,09	33,0

Elaborada por Alessandro L. Nascimento e Libânio M. Pinheiro.

De acordo com a NBR 7480:1996.