Generate samples: apply the generative layers in order



Evaluate density: undo the layers in reverse order



$$g_\theta = g_K \circ \cdots \circ g_1, \qquad f_\theta = g_\theta^{-1}$$

$$\log q_\theta(x) = \log p_0(z) - \log \left| \det Dg_\theta(z) \right|$$

$$\log q_\theta(x) = \log p_0(f_\theta(x)) + \log \left| \det Df_\theta(x) \right|$$