

# Circular Economy Ontology Network (CEON) - Textile Module

## Metadata

IRI	<a href="http://w3id.org/CEON/demo/textile/">http://w3id.org/CEON/demo/textile/</a>
Title	Circular Economy Ontology Network (CEON) - Textile Module
Publisher	Onto-DESIDE
Creator	Huanyu Li
Contributor	Eva Blomqvist
Date Created	2023-09-14
Date Issued	2025-06-30
License	<a href="https://creativecommons.org/licenses/by/4.0/">https://creativecommons.org/licenses/by/4.0/</a>
Version Iri	<a href="http://w3id.org/CEON/demo/textile/0.2/">http://w3id.org/CEON/demo/textile/0.2/</a>
Version Info	0.2
Prior Version	0.1
Preferred Namespace Prefix	ceon-demo-textile
Preferred Namespace Uri	<a href="http://w3id.org/CEON/demo/textile/">http://w3id.org/CEON/demo/textile/</a>
Description	The Textile module of CEON (Circular Economy Ontology Network).

## Classes

Actor Resource Role <sup>c</sup>	
IRI	<a href="http://w3id.org/CEON/ontology/actor/ActorResourceRole">http://w3id.org/CEON/ontology/actor/ActorResourceRole</a>
Named Individuals	<a href="#">brand</a> <sup>ni</sup>

Adhesive <sup>c</sup>	
IRI	<a href="http://w3id.org/CEON/ontology/textile/Adhesive">http://w3id.org/CEON/ontology/textile/Adhesive</a>
Sub Class Of	<a href="http://w3id.org/CEON/ontology/material/Material">http://w3id.org/CEON/ontology/material/Material</a>

## Assembly Method<sup>C</sup>

**IRI** <http://w3id.org/CEON/ontology/textile/AssemblyMethod>

### Named Individuals

[glued\\_assembly](#)<sup>ni</sup>  
[heat\\_bonding\\_assembly](#)<sup>ni</sup>  
[machine\\_assembly](#)<sup>ni</sup>  
[manual\\_assembly](#)<sup>ni</sup>  
[regular\\_stich\\_assembly](#)<sup>ni</sup>  
[stiched\\_with\\_Resortec\\_thermo-dissolvable\\_stich\\_assembly](#)<sup>ni</sup>

## Batch Of Textile Objects<sup>C</sup>

**IRI** <http://w3id.org/CEON/ontology/textile/BatchOfTextileObjects>

### Sub Class Of

<http://w3id.org/CEON/ontology/resourceODP/BatchOfObjects>  
[hasColor](#)<sup>op</sup> only [Color](#)<sup>C</sup> and [hasColor](#)<sup>op</sup> some [Color](#)<sup>C</sup>

## Bio Derived Eva<sup>C</sup>

**IRI** <http://w3id.org/CEON/ontology/textile/BioDerivedEVA>

**Sub Class Of** <http://w3id.org/CEON/ontology/material/Material>

## Brand Of Resource<sup>C</sup>

**IRI** <http://w3id.org/CEON/ontology/textile/BrandOfResource>

**Sub Class Of** [actorODP:ResourceRelation](#)

**Equivalentclass** [actorODP:ResourceRelation](#)<sup>C</sup> and [actorODP:participantRole](#) value [brand](#)<sup>C</sup>

## Cellulose Material<sup>C</sup>

**IRI** <http://w3id.org/CEON/ontology/textile/CelluloseMaterial>

**Sub Class Of** <http://w3id.org/CEON/ontology/material/Material>

## Chemical Compliance<sup>C</sup>

**IRI** <http://w3id.org/CEON/ontology/textile/ChemicalCompliance>

**Sub Class Of** <http://w3id.org/CEON/ontology/product/Compliance>

### Super Class Of

[GRSCompliance](#)<sup>C</sup>  
[ZDHCCompliance](#)<sup>C</sup>

## Chemical Finishing<sup>c</sup>

**IRI** <http://w3id.org/CEON/ontology/textile/ChemicalFinishing>

**Sub Class Of** [FinishingProcess<sup>c</sup>](#)

### **Named Individuals**

[anti-pilling<sup>ni</sup>](#)  
[antiStaticFinishing<sup>ni</sup>](#)  
[antibacterialFinishing<sup>ni</sup>](#)  
[coating<sup>ni</sup>](#)  
[coatingAcrylic<sup>ni</sup>](#)  
[coatingPU<sup>ni</sup>](#)  
[coatingPVC<sup>ni</sup>](#)  
[creaseResistance<sup>ni</sup>](#)  
[enzymeFinishing<sup>ni</sup>](#)  
[flameRetardant<sup>ni</sup>](#)  
[mattingAgent<sup>ni</sup>](#)  
[millWashing<sup>ni</sup>](#)  
[millingAgent<sup>ni</sup>](#)  
[naturalOiling<sup>ni</sup>](#)  
[opticalBrighteners<sup>ni</sup>](#)  
[permanentPress<sup>ni</sup>](#)  
[prepareForDyeing<sup>ni</sup>](#)  
[resins<sup>ni</sup>](#)  
[silicones<sup>ni</sup>](#)  
[soilRelease<sup>ni</sup>](#)  
[stainResistance<sup>ni</sup>](#)

## Co Polymer Raisin<sup>c</sup>

**IRI** <http://w3id.org/CEON/ontology/textile/CoPolymerRaisin>

**Sub Class Of** <http://w3id.org/CEON/ontology/material/Material>

## Color<sup>c</sup>

**IRI** <http://w3id.org/CEON/ontology/textile/Color>

**Sub Class Of** [TextileProperty<sup>c</sup>](#)

**In Range Of** [hasColor<sup>op</sup>](#)

### **Named Individuals**

[blue<sup>ni</sup>](#)  
[red<sup>ni</sup>](#)  
[yellow<sup>ni</sup>](#)

## Cotton Material<sup>c</sup>

**IRI** <http://w3id.org/CEON/ontology/textile/CottonMaterial>

**Sub Class Of** <http://w3id.org/CEON/ontology/material/Material>

## Disassembly Method<sup>C</sup>

**IRI** <http://w3id.org/CEON/ontology/textile/DisassemblyMethod>

### Named Individuals

[cut\\_lining\\_fabric\\_disassembly](#)<sup>ni</sup>  
[cut\\_stitches\\_disassembly](#)<sup>ni</sup>  
[manual\\_disassembly](#)<sup>ni</sup>  
[peel\\_out\\_heel\\_counter\\_disassembly](#)<sup>ni</sup>  
[solvent\\_separation\\_disassembly](#)<sup>ni</sup>

## Double Adhesive Coated Material<sup>C</sup>

**IRI** <http://w3id.org/CEON/ontology/textile/DoubleAdhesiveCoatedMaterial>

**Sub Class Of** <http://w3id.org/CEON/ontology/material/Material>

## Dye Method<sup>C</sup>

**IRI** <http://w3id.org/CEON/ontology/textile/DyeMethod>

**In Range Of** [hasDyeMethod](#)<sup>op</sup>

### Named Individuals

[directDyed](#)<sup>ni</sup>  
[dopeDyed](#)<sup>ni</sup>  
[pieceDyed](#)<sup>ni</sup>  
[topDyed](#)<sup>ni</sup>  
[undyed](#)<sup>ni</sup>  
[yarnDyed](#)<sup>ni</sup>

## Dye Stuff<sup>C</sup>

**IRI** <http://w3id.org/CEON/ontology/textile/DyeStuff>

**Sub Class Of** <http://w3id.org/CEON/ontology/material/Material>

**In Range Of** [hasDyeStuff](#)<sup>op</sup>

### Named Individuals

[acidDye](#)<sup>ni</sup>  
[analineDye](#)<sup>ni</sup>  
[azoDye](#)<sup>ni</sup>  
[basicDye](#)<sup>ni</sup>  
[chromeDye](#)<sup>ni</sup>  
[directDye](#)<sup>ni</sup>  
[disperseDye](#)<sup>ni</sup>  
[mordantDye](#)<sup>ni</sup>  
[narturalDye](#)<sup>ni</sup>  
[pigmentBiosynthetic](#)<sup>ni</sup>  
[pigmentNatural](#)<sup>ni</sup>  
[pigmentSynthetic](#)<sup>ni</sup>  
[reactiveDye](#)<sup>ni</sup>  
[vatDye](#)<sup>ni</sup>

## Dyeing Process<sup>C</sup>

<b>IRI</b>	<a href="http://w3id.org/CEON/ontology/textile/DyeingProcess">http://w3id.org/CEON/ontology/textile/DyeingProcess</a>
<b>Sub Class Of</b>	<a href="#">TextileProductionProcess<sup>C</sup></a> <a href="#">hasDyeMethod<sup>OP</sup></a> only <a href="#">DyeMethod<sup>C</sup></a> and <a href="#">hasDyeMethod<sup>OP</sup></a> some <a href="#">DyeMethod<sup>C</sup></a> <a href="#">hasDyeStuff<sup>OP</sup></a> only <a href="#">DyeStuff<sup>C</sup></a> and <a href="#">hasDyeStuff<sup>OP</sup></a> some <a href="#">DyeStuff<sup>C</sup></a>
<b>In Domain Of</b>	<a href="#">hasDyeMethod<sup>OP</sup></a>

## Ethyl Vinyl Acetate Film<sup>C</sup>

<b>IRI</b>	<a href="http://w3id.org/CEON/ontology/textile/EthylVinylAcetateFilm">http://w3id.org/CEON/ontology/textile/EthylVinylAcetateFilm</a>
<b>Sub Class Of</b>	<a href="http://w3id.org/CEON/ontology/material/Material">http://w3id.org/CEON/ontology/material/Material</a>

## Ethyl Vinyl Acetate Resin<sup>C</sup>

<b>IRI</b>	<a href="http://w3id.org/CEON/ontology/textile/EthylVinylAcetateResin">http://w3id.org/CEON/ontology/textile/EthylVinylAcetateResin</a>
<b>Sub Class Of</b>	<a href="http://w3id.org/CEON/ontology/material/Material">http://w3id.org/CEON/ontology/material/Material</a>

## Fabric Production<sup>C</sup>

<b>IRI</b>	<a href="http://w3id.org/CEON/ontology/textile/FabricProduction">http://w3id.org/CEON/ontology/textile/FabricProduction</a>
<b>Sub Class Of</b>	<a href="#">TextileProductionProcess<sup>C</sup></a>

## Finishing Process<sup>C</sup>

<b>IRI</b>	<a href="http://w3id.org/CEON/ontology/textile/FinishingProcess">http://w3id.org/CEON/ontology/textile/FinishingProcess</a>
<b>Sub Class Of</b>	<a href="#">TextileProductionProcess<sup>C</sup></a>
<b>In Range Of</b>	<a href="#">hasFinishing<sup>OP</sup></a> <a href="#">hasFinishingStep<sup>OP</sup></a>
<b>Super Class Of</b>	<a href="#">ChemicalFinishing<sup>C</sup></a> <a href="#">MechanicalFinishing<sup>C</sup></a>
<b>Named Individuals</b>	<a href="#">AdhesiveFinishing<sup>NI</sup></a> <a href="#">SkivedFinishing<sup>NI</sup></a>

## Grs Compliance<sup>C</sup>

**IRI** <http://w3id.org/CEON/ontology/textile/GRSCompliance>

**Sub Class Of** [ChemicalCompliance<sup>C</sup>](#)

**Equivalentclass** <http://w3id.org/CEON/ontology/product/complianceWith> value [GRS<sup>C</sup>](#)

## Inorganic F Iller<sup>C</sup>

**IRI** <http://w3id.org/CEON/ontology/textile/InorganicFiller>

**Sub Class Of** <http://w3id.org/CEON/ontology/material/Material>

## Leather Material<sup>C</sup>

**IRI** <http://w3id.org/CEON/ontology/textile/LeatherMaterial>

**Sub Class Of** <http://w3id.org/CEON/ontology/material/Material>

## MsdS Compliance<sup>C</sup>

**IRI** <http://w3id.org/CEON/ontology/textile/MSDSCompliance>

**Sub Class Of** <http://w3id.org/CEON/ontology/product/Compliance>

**Equivalentclass** <http://w3id.org/CEON/ontology/product/complianceWith> value [MSDS<sup>C</sup>](#)

## Mechanical Finishing<sup>C</sup>

**IRI** <http://w3id.org/CEON/ontology/textile/MechanicalFinishing>

**Sub Class Of** [FinishingProcess<sup>C</sup>](#)

**Named Individuals**  
[calendering<sub>ni</sub>](#)  
[embossing<sub>ni</sub>](#)  
[permanentCreasing<sub>ni</sub>](#)  
[pre-shrinking<sub>ni</sub>](#)  
[steaming<sub>ni</sub>](#)  
[sueding<sub>ni</sub>](#)

## Nylon<sup>C</sup>

**IRI** <http://w3id.org/CEON/ontology/textile/Nylon>

**Sub Class Of** <http://w3id.org/CEON/ontology/material/Material>

## Plastic Material<sup>C</sup>

**IRI** <http://w3id.org/CEON/ontology/textile/PlasticMaterial>

**Sub Class Of** <http://w3id.org/CEON/ontology/material/Material>

## Polyester<sup>C</sup>

**IRI** <http://w3id.org/CEON/ontology/textile/Polyester>

**Sub Class Of** <http://w3id.org/CEON/ontology/material/Material>

## Polyester Fibres<sup>C</sup>

**IRI** <http://w3id.org/CEON/ontology/textile/PolyesterFibres>

**Sub Class Of** <http://w3id.org/CEON/ontology/material/Material>

## Print Method<sup>C</sup>

**IRI** <http://w3id.org/CEON/ontology/textile/PrintMethod>

**In Range Of** [hasPrintMethod<sup>OP</sup>](#)

**Named Individuals**

- [batikPrinted<sup>ni</sup>](#)
- [digitalPrinted<sup>ni</sup>](#)
- [handPainted<sup>ni</sup>](#)
- [inkjetPrinted<sup>ni</sup>](#)
- [rollerPrinted<sup>ni</sup>](#)
- [screenPrinted<sup>ni</sup>](#)
- [transferPrinted<sup>ni</sup>](#)

## Print Stuff<sup>C</sup>

**IRI** <http://w3id.org/CEON/ontology/textile/PrintStuff>

**Sub Class Of** <http://w3id.org/CEON/ontology/material/Material>

**In Range Of** [hasPrintStuff<sup>OP</sup>](#)

**Named Individuals**

- [acidDye<sup>ni</sup>](#)
- [anilineDye<sup>ni</sup>](#)
- [azoDye<sup>ni</sup>](#)
- [basicDye<sup>ni</sup>](#)
- [chromeDye<sup>ni</sup>](#)
- [directDye<sup>ni</sup>](#)
- [disperseDye<sup>ni</sup>](#)
- [mordantDye<sup>ni</sup>](#)
- [narturalDye<sup>ni</sup>](#)
- [pigmentBiosynthetic<sup>ni</sup>](#)
- [pigmentNatural<sup>ni</sup>](#)
- [pigmentSynthetic<sup>ni</sup>](#)
- [reactiveDye<sup>ni</sup>](#)
- [sulfurDye<sup>ni</sup>](#)
- [vatDye<sup>ni</sup>](#)

## Printing Process<sup>C</sup>

<b>IRI</b>	<a href="http://w3id.org/CEON/ontology/textile/PrintingProcess">http://w3id.org/CEON/ontology/textile/PrintingProcess</a>
<b>Sub Class Of</b>	<a href="#">TextileProductionProcess<sup>C</sup></a> <a href="#">hasPrintMethod<sup>op</sup></a> only <a href="#">PrintMethod<sup>C</sup></a> <i>and</i> <a href="#">hasPrintMethod<sup>op</sup></a> some <a href="#">PrintMethod<sup>C</sup></a> <a href="#">hasPrintStuff<sup>op</sup></a> only <a href="#">PrintStuff<sup>C</sup></a> <i>and</i> <a href="#">hasPrintStuff<sup>op</sup></a> some <a href="#">PrintStuff<sup>C</sup></a>
<b>In Domain Of</b>	<a href="#">hasPrintMethod<sup>op</sup></a>

## Raw Hide Processing<sup>C</sup>

<b>IRI</b>	<a href="http://w3id.org/CEON/ontology/textile/RawHideProcessing">http://w3id.org/CEON/ontology/textile/RawHideProcessing</a>
<b>Sub Class Of</b>	<a href="#">TextileProductionProcess<sup>C</sup></a>

## Raw Material Production<sup>C</sup>

<b>IRI</b>	<a href="http://w3id.org/CEON/ontology/textile/RawMaterialProduction">http://w3id.org/CEON/ontology/textile/RawMaterialProduction</a>
<b>Sub Class Of</b>	<a href="#">TextileProductionProcess<sup>C</sup></a>

## Recycled Pes Fibres<sup>C</sup>

<b>IRI</b>	<a href="http://w3id.org/CEON/ontology/textile/RecycledPESFibres">http://w3id.org/CEON/ontology/textile/RecycledPESFibres</a>
<b>Sub Class Of</b>	<a href="http://w3id.org/CEON/ontology/material/Material">http://w3id.org/CEON/ontology/material/Material</a>

## Recycled Polyester<sup>C</sup>

<b>IRI</b>	<a href="http://w3id.org/CEON/ontology/textile/RecycledPolyester">http://w3id.org/CEON/ontology/textile/RecycledPolyester</a>
<b>Sub Class Of</b>	<a href="http://w3id.org/CEON/ontology/material/Material">http://w3id.org/CEON/ontology/material/Material</a>

## Rubber<sup>C</sup>

<b>IRI</b>	<a href="http://w3id.org/CEON/ontology/textile/Rubber">http://w3id.org/CEON/ontology/textile/Rubber</a>
<b>Sub Class Of</b>	<a href="http://w3id.org/CEON/ontology/material/Material">http://w3id.org/CEON/ontology/material/Material</a>

## Single Adhesive Coated Material<sup>C</sup>

<b>IRI</b>	<a href="http://w3id.org/CEON/ontology/textile/SingleAdhesiveCoatedMaterial">http://w3id.org/CEON/ontology/textile/SingleAdhesiveCoatedMaterial</a>
<b>Sub Class Of</b>	<a href="http://w3id.org/CEON/ontology/material/Material">http://w3id.org/CEON/ontology/material/Material</a>



## Spinning Process<sup>C</sup>

**IRI** <http://w3id.org/CEON/ontology/textile/SpinningProcess>

**Sub Class Of** [TextileProductionProcess<sup>C</sup>](#)

## Styrene Butadiene Latex<sup>C</sup>

**IRI** <http://w3id.org/CEON/ontology/textile/StyreneButadieneLatex>

**Sub Class Of** <http://w3id.org/CEON/ontology/material/Material>

## Textile Chemical Substance Threshold Statement<sup>C</sup>

**IRI** <http://w3id.org/CEON/ontology/textile/TextileChemicalSubstanceThresholdStatement>

**Sub Class Of** <http://w3id.org/CEON/ontology/statement/DisclosedChemicalSubstanceStatement>  
[TextileDataSheetStatement<sup>C</sup>](#)

**In Domain Of** [disclosureValue<sup>op</sup>](#)

## Textile Data Sheet<sup>C</sup>

**IRI** <http://w3id.org/CEON/ontology/textile/TextileDataSheet>

**Sub Class Of** <http://w3id.org/CEON/ontology/datasheet/DataSheet>

**Restriction** <http://w3id.org/CEON/ontology/resourceODP/isAbout> some [TextileDataSheet<sup>C</sup>](#)  
[hasProperty<sup>op</sup>](#) some [TextileDataSheet<sup>C</sup>](#)

## Textile Data Sheet Issuing Statement<sup>C</sup>

**IRI** <http://w3id.org/CEON/ontology/textile/TextileDataSheetIssuingStatement>

**Sub Class Of** [TextileDataSheetStatement<sup>C</sup>](#)

## Textile Data Sheet Statement<sup>C</sup>

**IRI** <http://w3id.org/CEON/ontology/textile/TextileDataSheetStatement>

**Sub Class Of** <http://w3id.org/CEON/ontology/statement/Statement>

**Super Class Of**

- [TextileChemicalSubstanceThresholdStatement<sup>C</sup>](#)
- [TextileDataSheetIssuingStatement<sup>C</sup>](#)
- [TextileDataSheetUpdateStatement<sup>C</sup>](#)
- [TextileManufacturerStatement<sup>C</sup>](#)
- [TextileManufacturingSiteStatement<sup>C</sup>](#)
- [TextilePostConsumerRecycledCompositionStatement<sup>C</sup>](#)
- [TextilePostConsumerRecycledContentWeightStatement<sup>C</sup>](#)
- [TextilePreConsumerRecycledCompositionStatement<sup>C</sup>](#)
- [TextilePreConsumerRecycledContentWeightStatement<sup>C</sup>](#)
- [TextileProductCertification<sup>C</sup>](#)
- [TextileProductComponentStatement<sup>C</sup>](#)
- [TextileProductCompositionDisclosureStatement<sup>C</sup>](#)
- [TextileProductCompositionOfConcern<sup>C</sup>](#)
- [TextileProductCompositionWeightFraction<sup>C</sup>](#)
- [TextileProductDataSheet<sup>C</sup>](#)
- [TextileProductDesignForDisassembly<sup>C</sup>](#)
- [TextileProductDesignForDismantling<sup>C</sup>](#)
- [TextileProductDesignForRecycling<sup>C</sup>](#)
- [TextileProductDesignForRefurbishment<sup>C</sup>](#)
- [TextileProductDesignForRemanufacturing<sup>C</sup>](#)
- [TextileProductDesignForReuseMethod<sup>C</sup>](#)
- [TextileProductDesignedForBetterUse<sup>C</sup>](#)
- [TextileProductManufacturingMethod<sup>C</sup>](#)
- [TextileProductRenewableContent<sup>C</sup>](#)

## Textile Data Sheet Update Statement<sup>C</sup>

**IRI** <http://w3id.org/CEON/ontology/textile/TextileDataSheetUpdateStatement>

**Sub Class Of** [TextileDataSheetStatement<sup>C</sup>](#)

## Textile Manufacturer Statement<sup>C</sup>

**IRI** <http://w3id.org/CEON/ontology/textile/TextileManufacturerStatement>

**Sub Class Of** [TextileDataSheetStatement<sup>C</sup>](#)

## Textile Manufacturing Site Statement<sup>C</sup>

**IRI** <http://w3id.org/CEON/ontology/textile/TextileManufacturingSiteStatement>

**Sub Class Of** [TextileDataSheetStatement<sup>C</sup>](#)

## Textile Post Consumer Recycled Composition Statement<sup>C</sup>

**IRI** <http://w3id.org/CEON/ontology/textile/TextilePostConsumerRecycledCompositionStatement>

**Sub Class Of** [TextileDataSheetStatement<sup>C</sup>](#)

## Textile Post Consumer Recycled Content Weight Statement<sup>C</sup>

**IRI** <http://w3id.org/CEON/ontology/textile/TextilePostConsumerRecycledContentWeightStatement>

**Sub Class Of** <http://w3id.org/CEON/ontology/statement/MFOfPostConsumerRecycledMaterialContentStatement>  
[TextileDataSheetStatement<sup>C</sup>](#)

## Textile Pre Consumer Recycled Composition Statement<sup>C</sup>

**IRI** <http://w3id.org/CEON/ontology/textile/TextilePreConsumerRecycledCompositionStatement>

**Sub Class Of** <http://w3id.org/CEON/ontology/statement/PreConsumerRecycledMaterialCompositionStatement>  
[TextileDataSheetStatement<sup>C</sup>](#)

## Textile Pre Consumer Recycled Content Weight Statement<sup>C</sup>

**IRI** <http://w3id.org/CEON/ontology/textile/TextilePreConsumerRecycledContentWeightStatement>

**Sub Class Of** <http://w3id.org/CEON/ontology/statement/MFOfPreConsumerRecycledMaterialContentStatement>  
[TextileDataSheetStatement<sup>C</sup>](#)

## Textile Product<sup>C</sup>

**IRI** <http://w3id.org/CEON/ontology/textile/TextileProduct>

**Sub Class Of** <http://w3id.org/CEON/ontology/product/Product>  
[hasColor<sup>op</sup>](#) some [Color<sup>C</sup>](#) *and* [hasColor<sup>op</sup>](#) only [Color<sup>C</sup>](#)  
[hasOrigin<sup>op</sup>](#) some [TextileProductOrigin<sup>C</sup>](#) *and* [hasOrigin<sup>op</sup>](#) only [TextileProductOrigin<sup>C</sup>](#)  
[hasTextileProductType<sup>op</sup>](#) some [TextileProductType<sup>C</sup>](#) *and* [hasTextileProductType<sup>op</sup>](#) only [TextileProductType<sup>C</sup>](#)

**In Domain Of** [hasTextileProductType<sup>op</sup>](#)  
[hasTextileProductionProcess<sup>op</sup>](#)

## Textile Product Certification<sup>C</sup>

<b>IRI</b>	<a href="http://w3id.org/CEON/ontology/textile/TextileProductCertification">http://w3id.org/CEON/ontology/textile/TextileProductCertification</a>
<b>Sub Class Of</b>	<a href="#">TextileDataSheetStatement<sup>C</sup></a>

## Textile Product Component Relation<sup>C</sup>

<b>IRI</b>	<a href="http://w3id.org/CEON/ontology/textile/TextileProductComponentRelation">http://w3id.org/CEON/ontology/textile/TextileProductComponentRelation</a>
<b>Sub Class Of</b>	<a href="http://qudt.org/schema/qudt/Quantity">http://qudt.org/schema/qudt/Quantity</a> <a href="#">actorODP:ResourceParticipation</a> <a href="#">actorODP:participatingSubject</a> some <a href="#">TextileProduct<sup>C</sup></a> and <a href="#">actorODP:participatingObject</a> some <a href="http://w3id.org/CEON/ontology/resourceODP/Constituent">http://w3id.org/CEON/ontology/resourceODP/Constituent<sup>C</sup></a>
<b>In Domain Of</b>	<a href="#">hasTextileProductComponentValue<sup>op</sup></a>
<b>Restriction</b>	<a href="#">hasTextileProductComponentValue<sup>op</sup></a> <i>max</i> 1 <a href="#">TextileProductComponentRelation<sup>C</sup></a>

## Textile Product Component Statement<sup>C</sup>

<b>IRI</b>	<a href="http://w3id.org/CEON/ontology/textile/TextileProductComponentStatement">http://w3id.org/CEON/ontology/textile/TextileProductComponentStatement</a>
<b>Sub Class Of</b>	<a href="#">TextileDataSheetStatement<sup>C</sup></a> <a href="http://w3id.org/CEON/ontology/statement/statementAbout">http://w3id.org/CEON/ontology/statement/statementAbout</a> <i>max</i> 1 <a href="#">TextileProductComponentRelation<sup>C</sup></a> or <a href="http://w3id.org/CEON/ontology/statement/statementAbout">http://w3id.org/CEON/ontology/statement/statementAbout</a> <i>max</i> 1 <a href="#">TextileProductMatterCompositionRelation<sup>C</sup></a>

## Textile Product Component Value<sup>C</sup>

<b>IRI</b>	<a href="http://w3id.org/CEON/ontology/textile/TextileProductComponentValue">http://w3id.org/CEON/ontology/textile/TextileProductComponentValue</a>
<b>Sub Class Of</b>	<a href="http://qudt.org/schema/qudt/QuantityValue">http://qudt.org/schema/qudt/QuantityValue</a> <a href="http://qudt.org/schema/qudt/hasUnit">http://qudt.org/schema/qudt/hasUnit</a> some <a href="http://qudt.org/schema/qudt/Unit">http://qudt.org/schema/qudt/Unit<sup>C</sup></a> and <a href="http://qudt.org/schema/qudt/numericalValue">http://qudt.org/schema/qudt/numericalValue<sup>dp</sup></a> some <a href="http://w3id.org/CEON/ontology/textile/TextileProductComponentValue">nf6226c3175024397a3d0f1a236174f92b70<sup>C</sup></a>
<b>In Range Of</b>	<a href="#">hasTextileProductComponentValue<sup>op</sup></a>

## Textile Product Composition Disclosure Statement<sup>C</sup>

<b>IRI</b>	<a href="http://w3id.org/CEON/ontology/textile/TextileProductCompositionDisclosureStatement">http://w3id.org/CEON/ontology/textile/TextileProductCompositionDisclosureStatement</a>
<b>Sub Class Of</b>	<a href="http://w3id.org/CEON/ontology/statement/MassFractionOfDisclosedChemicalSubstanceStatement">http://w3id.org/CEON/ontology/statement/MassFractionOfDisclosedChemicalSubstanceStatement</a> <a href="#">TextileDataSheetStatement<sup>C</sup></a>

## Textile Product Composition Of Concern<sup>C</sup>

**IRI** <http://w3id.org/CEON/ontology/textile/TextileProductCompositionOfConcern>

**Sub Class Of** [TextileDataSheetStatement<sup>C</sup>](#)

## Textile Product Composition Weight Fraction<sup>C</sup>

**IRI** <http://w3id.org/CEON/ontology/textile/TextileProductCompositionWeightFraction>

**Sub Class Of** [TextileDataSheetStatement<sup>C</sup>](#)

## Textile Product Data Sheet<sup>C</sup>

**IRI** <http://w3id.org/CEON/ontology/textile/TextileProductDataSheet>

**Sub Class Of** [TextileDataSheetStatement<sup>C</sup>](#)

## Textile Product Design For Disassembly<sup>C</sup>

**IRI** <http://w3id.org/CEON/ontology/textile/TextileProductDesignForDisassembly>

**Sub Class Of** [http://w3id.org/CEON/ontology/statement/DisassemblyStatement](#)  
[TextileDataSheetStatement<sup>C</sup>](#)

**In Domain Of** [designedForUsingReversibleConnector<sup>dp</sup>](#)

**Super Class Of** [TextileProductDesignToBeCleanlyRemoved<sup>C</sup>](#)  
[TextileProductDesignToBeDismantled<sup>C</sup>](#)

## Textile Product Design For Dismantling<sup>C</sup>

**IRI** <http://w3id.org/CEON/ontology/textile/TextileProductDesignForDismantling>

**Sub Class Of** [http://w3id.org/CEON/ontology/statement/DismantlingStatement](#)  
[TextileDataSheetStatement<sup>C</sup>](#)

## Textile Product Design For Recycling<sup>C</sup>

<b>IRI</b>	<a href="http://w3id.org/CEON/ontology/textile/TextileProductDesignForRecycling">http://w3id.org/CEON/ontology/textile/TextileProductDesignForRecycling</a>
<b>Sub Class Of</b>	<a href="http://w3id.org/CEON/ontology/statement/RecyclingStatement">http://w3id.org/CEON/ontology/statement/RecyclingStatement</a> <a href="#">TextileDataSheetStatement<sup>C</sup></a>
<b>In Range Of</b>	<a href="#">desinged for recycling at the same level of quality<sup>Op</sup></a>
<b>Restriction</b>	<a href="http://w3id.org/CEON/ontology/statement/statementAbout">http://w3id.org/CEON/ontology/statement/statementAbout</a> some <a href="#">TextileProductDesignForRecycling<sup>C</sup></a> <a href="http://w3id.org/CEON/ontology/statement/statementAbout">http://w3id.org/CEON/ontology/statement/statementAbout</a> some <a href="#">TextileProductDesignForRecycling<sup>C</sup></a>

## Textile Product Design For Refurbishment<sup>C</sup>

<b>IRI</b>	<a href="http://w3id.org/CEON/ontology/textile/TextileProductDesignForRefurbishment">http://w3id.org/CEON/ontology/textile/TextileProductDesignForRefurbishment</a>
<b>Sub Class Of</b>	<a href="#">TextileDataSheetStatement<sup>C</sup></a>

## Textile Product Design For Remanufacturing<sup>C</sup>

<b>IRI</b>	<a href="http://w3id.org/CEON/ontology/textile/TextileProductDesignForRemanufacturing">http://w3id.org/CEON/ontology/textile/TextileProductDesignForRemanufacturing</a>
<b>Sub Class Of</b>	<a href="#">TextileDataSheetStatement<sup>C</sup></a>

## Textile Product Design For Reuse Method<sup>C</sup>

<b>IRI</b>	<a href="http://w3id.org/CEON/ontology/textile/TextileProductDesignForReuseMethod">http://w3id.org/CEON/ontology/textile/TextileProductDesignForReuseMethod</a>
<b>Sub Class Of</b>	<a href="#">TextileDataSheetStatement<sup>C</sup></a>

## Textile Product Design To Be Cleanly Removed<sup>C</sup>

<b>IRI</b>	<a href="http://w3id.org/CEON/ontology/textile/TextileProductDesignToBeCleanlyRemoved">http://w3id.org/CEON/ontology/textile/TextileProductDesignToBeCleanlyRemoved</a>
<b>Sub Class Of</b>	<a href="#">TextileProductDesignForDisassembly<sup>C</sup></a>

## Textile Product Design To Be Dismantled<sup>C</sup>

<b>IRI</b>	<a href="http://w3id.org/CEON/ontology/textile/TextileProductDesignToBeDismantled">http://w3id.org/CEON/ontology/textile/TextileProductDesignToBeDismantled</a>
<b>Sub Class Of</b>	<a href="#">TextileProductDesignForDisassembly<sup>C</sup></a>

## Textile Product Designed For Better Use<sup>C</sup>

<b>IRI</b>	<a href="http://w3id.org/CEON/ontology/textile/TextileProductDesignedForBetterUse">http://w3id.org/CEON/ontology/textile/TextileProductDesignedForBetterUse</a>
<b>Sub Class Of</b>	<a href="#">TextileDataSheetStatement</a> <sup>C</sup>
<b>In Domain Of</b>	<a href="#">designForBetterUse</a> <sup>dp</sup>

## Textile Product Manufacturing Method<sup>C</sup>

<b>IRI</b>	<a href="http://w3id.org/CEON/ontology/textile/TextileProductManufacturingMethod">http://w3id.org/CEON/ontology/textile/TextileProductManufacturingMethod</a>
<b>Sub Class Of</b>	<a href="#">TextileDataSheetStatement</a> <sup>C</sup>

## Textile Product Matter Composition Relation<sup>C</sup>

<b>IRI</b>	<a href="http://w3id.org/CEON/ontology/textile/TextileProductMatterCompositionRelation">http://w3id.org/CEON/ontology/textile/TextileProductMatterCompositionRelation</a>
<b>Sub Class Of</b>	<a href="http://qudt.org/schema/qudt/Quantity">http://qudt.org/schema/qudt/Quantity</a> <a href="#">actorODP:ResourceParticipation</a> <a href="#">actorODP:participatingObject</a> some <a href="http://w3id.org/CEON/ontology/resourceODP/Matter">http://w3id.org/CEON/ontology/resourceODP/Matter</a> <sup>C</sup> and <a href="#">actorODP:participatingSubject</a> some <a href="#">nf6226c3175024397a3d0f1a236174f92b83</a> <sup>C</sup>
<b>In Domain Of</b>	<a href="#">hasTextileProductMatterCompositionValue</a> <sup>op</sup>
<b>Restriction</b>	<a href="#">hasTextileProductMatterCompositionValue</a> <sup>op</sup> <i>max</i> 1 <a href="#">TextileProductMatterCompositionRelation</a> <sup>C</sup>

## Textile Product Matter Composition Value<sup>C</sup>

<b>IRI</b>	<a href="http://w3id.org/CEON/ontology/textile/TextileProductMatterCompositionValue">http://w3id.org/CEON/ontology/textile/TextileProductMatterCompositionValue</a>
<b>Sub Class Of</b>	<a href="http://qudt.org/schema/qudt/QuantityValue">http://qudt.org/schema/qudt/QuantityValue</a> <a href="http://qudt.org/schema/qudt/hasUnit">http://qudt.org/schema/qudt/hasUnit</a> some <a href="http://qudt.org/schema/qudt/Unit">http://qudt.org/schema/qudt/Unit</a> <sup>C</sup> and <a href="http://qudt.org/schema/qudt/numericalValue">http://qudt.org/schema/qudt/numericalValue</a> <sup>dp</sup> some <a href="#">nf6226c3175024397a3d0f1a236174f92b92</a> <sup>C</sup>
<b>In Range Of</b>	<a href="#">hasTextileProductMatterCompositionValue</a> <sup>op</sup>

## Textile Product Object<sup>C</sup>

<b>IRI</b>	<a href="http://w3id.org/CEON/ontology/textile/TextileProductObject">http://w3id.org/CEON/ontology/textile/TextileProductObject</a>
<b>Sub Class Of</b>	<a href="http://w3id.org/CEON/ontology/product/Item">http://w3id.org/CEON/ontology/product/Item</a> <a href="#">hasColor</a> <sup>op</sup> some <a href="#">Color</a> <sup>C</sup> and <a href="#">hasColor</a> <sup>op</sup> only <a href="#">Color</a> <sup>C</sup>

## Textile Product Origin<sup>C</sup>

<b>IRI</b>	<a href="http://w3id.org/CE0N/ontology/textile/TextileProductOrigin">http://w3id.org/CE0N/ontology/textile/TextileProductOrigin</a>
<b>In Range Of</b>	<a href="#">hasOrigin</a> <sup>op</sup>
<b>Named Individuals</b>	<a href="#">original</a> <sup>ni</sup> <a href="#">recycled</a> <sup>ni</sup> <a href="#">reused</a> <sup>ni</sup>

## Textile Product Recycled Content<sup>C</sup>

<b>IRI</b>	<a href="http://w3id.org/CE0N/ontology/textile/TextileProductRecycledContent">http://w3id.org/CE0N/ontology/textile/TextileProductRecycledContent</a>
<b>Sub Class Of</b>	<a href="http://qudt.org/schema/qudt/Quantity">http://qudt.org/schema/qudt/Quantity</a> <a href="#">actorODP:ResourceParticipation</a>
<b>In Domain Of</b>	<a href="#">containsHazardousSubstanceAbove0.1ForPostConsumerRecycledContent</a> <sup>dp</sup> <a href="#">containsHazardousSubstanceAbove0.1ForPreConsumerRecycledContent</a> <sup>dp</sup>
<b>Restriction</b>	<a href="#">hasTextileProductRecycledContentValue</a> <sup>op</sup> <i>max</i> 1 <a href="#">TextileProductRecycledContent</a> <sup>C</sup>

## Textile Product Recycled Content Value<sup>C</sup>

<b>IRI</b>	<a href="http://w3id.org/CE0N/ontology/textile/TextileProductRecycledContentValue">http://w3id.org/CE0N/ontology/textile/TextileProductRecycledContentValue</a>
<b>Sub Class Of</b>	<a href="http://qudt.org/schema/qudt/QuantityValue">http://qudt.org/schema/qudt/QuantityValue</a> <a href="http://qudt.org/schema/qudt/numericalValue">http://qudt.org/schema/qudt/numericalValue</a> <sup>dp</sup> <i>some</i> <a href="#">nf6226c3175024397a3d0f1a236174f92b106</a> <sup>C</sup> <i>and</i> <a href="http://qudt.org/schema/qudt/hasUnit">http://qudt.org/schema/qudt/hasUnit</a> <i>some</i> <a href="http://qudt.org/schema/qudt/Unit">http://qudt.org/schema/qudt/Unit</a> <sup>C</sup>
<b>In Range Of</b>	<a href="#">hasTextileProductRecycledContentValue</a> <sup>op</sup>

## Textile Product Renewable Content<sup>C</sup>

<b>IRI</b>	<a href="http://w3id.org/CE0N/ontology/textile/TextileProductRenewableContent">http://w3id.org/CE0N/ontology/textile/TextileProductRenewableContent</a>
<b>Sub Class Of</b>	<a href="http://qudt.org/schema/qudt/Quantity">http://qudt.org/schema/qudt/Quantity</a> <a href="#">actorODP:ResourceParticipation</a>
<b>In Domain Of</b>	<a href="#">renewableContentManagedInSustainableWay</a> <sup>dp</sup>
<b>Restriction</b>	<a href="#">hasTextileProductRenewableContentValue</a> <sup>op</sup> <i>max</i> 1 <a href="#">TextileProductRenewableContent</a> <sup>C</sup>



## Textile Product Renewable Content Value<sup>c</sup>

<b>IRI</b>	<a href="http://w3id.org/CEON/ontology/textile/TextileProductRenewableContentValue">http://w3id.org/CEON/ontology/textile/TextileProductRenewableContentValue</a>
<b>Sub Class Of</b>	<a href="http://qudt.org/schema/qudt/QuantityValue">http://qudt.org/schema/qudt/QuantityValue</a> <a href="http://qudt.org/schema/qudt/numericalValue">http://qudt.org/schema/qudt/numericalValue</a> <sup>dp</sup> some <a href="http://qudt.org/schema/qudt/numericalValue">nf6226c3175024397a3d0f1a236174f92b115</a> <sup>c</sup> and <a href="http://qudt.org/schema/qudt/hasUnit">http://qudt.org/schema/qudt/hasUnit</a> some <a href="http://qudt.org/schema/qudt/Unit">http://qudt.org/schema/qudt/Unit</a> <sup>c</sup>
<b>In Range Of</b>	<a href="#">hasTextileProductRenewableContentValue</a> <sup>op</sup>

## Textile Product Renewable Contet<sup>c</sup>

<b>IRI</b>	<a href="http://w3id.org/CEON/ontology/textile/TextileProductRenewableContet">http://w3id.org/CEON/ontology/textile/TextileProductRenewableContet</a>
<b>Sub Class Of</b>	<a href="http://w3id.org/CEON/ontology/statement/MassFractionOfRenewableMaterialStatement">http://w3id.org/CEON/ontology/statement/MassFractionOfRenewableMaterialStatement</a> <a href="#">TextileDataSheetStatement</a> <sup>c</sup>
<b>Restriction</b>	<a href="http://w3id.org/CEON/ontology/statement/statementAbout">http://w3id.org/CEON/ontology/statement/statementAbout</a> some <a href="#">TextileProductRenewableContet</a> <sup>c</sup> <a href="http://w3id.org/CEON/ontology/statement/statementAbout">http://w3id.org/CEON/ontology/statement/statementAbout</a> some <a href="#">TextileProductRenewableContet</a> <sup>c</sup>

## Textile Product To Leakage Statement<sup>c</sup>

<b>IRI</b>	<a href="http://w3id.org/CEON/ontology/textile/TextileProductToLeakageStatement">http://w3id.org/CEON/ontology/textile/TextileProductToLeakageStatement</a>
<b>Sub Class Of</b>	<a href="http://w3id.org/CEON/ontology/statement/ReleasedIntoEnvironmentStatement">http://w3id.org/CEON/ontology/statement/ReleasedIntoEnvironmentStatement</a> <a href="#">hasFractionOfProductToLeakageDuringUse</a> <sup>op</sup> value <a href="http://w3id.org/CEON/ontology/statement/25gt-50le">http://w3id.org/CEON/ontology/statement/25gt-50le</a> <sup>c</sup> or <a href="#">hasFractionOfProductToLeakageDuringUse</a> <sup>op</sup> value <a href="http://w3id.org/CEON/demo/textile/0ge-1le">http://w3id.org/CEON/demo/textile/0ge-1le</a> <sup>c</sup> or <a href="#">hasFractionOfProductToLeakageDuringUse</a> <sup>op</sup> value <a href="http://w3id.org/CEON/ontology/statement/75gt-95le">http://w3id.org/CEON/ontology/statement/75gt-95le</a> <sup>c</sup> or <a href="#">hasFractionOfProductToLeakageDuringUse</a> <sup>op</sup> value <a href="http://w3id.org/CEON/demo/textile/1gt-10le">http://w3id.org/CEON/demo/textile/1gt-10le</a> <sup>c</sup> or <a href="#">hasFractionOfProductToLeakageDuringUse</a> <sup>op</sup> value <a href="http://w3id.org/CEON/ontology/statement/50gt-75le">http://w3id.org/CEON/ontology/statement/50gt-75le</a> <sup>c</sup> or <a href="#">hasFractionOfProductToLeakageDuringUse</a> <sup>op</sup> value <a href="http://w3id.org/CEON/ontology/statement/10gt-25le">http://w3id.org/CEON/ontology/statement/10gt-25le</a> <sup>c</sup> or <a href="#">hasFractionOfProductToLeakageDuringUse</a> <sup>op</sup> value <a href="http://w3id.org/CEON/demo/textile/95gt-100le">http://w3id.org/CEON/demo/textile/95gt-100le</a> <sup>c</sup>
<b>In Domain Of</b>	<a href="#">hasFractionOfProductToLeakageDuringUse</a> <sup>op</sup>

## Textile Product Type<sup>C</sup>

**IRI** <http://w3id.org/CEON/ontology/textile/TextileProductType>

**In Range Of** [hasTextileProductType<sup>op</sup>](#)

**Named Individuals**

- [heel\\_counter\\_toe\\_puff\\_area<sup>ni</sup>](#)
- [insole<sup>ni</sup>](#)
- [laces<sup>ni</sup>](#)
- [midsole<sup>ni</sup>](#)
- [outsole<sup>ni</sup>](#)
- [rubber\\_layer<sup>ni</sup>](#)
- [shoe<sup>ni</sup>](#)
- [sole<sup>ni</sup>](#)
- [upper\\_part\\_fabric<sup>ni</sup>](#)
- [upper\\_shoe\\_component<sup>ni</sup>](#)

## Textile Product Virgin Content Value<sup>C</sup>

**IRI** <http://w3id.org/CEON/ontology/textile/TextileProductVirginContentValue>

**Sub Class Of** <http://qudt.org/schema/qudt/QuantityValue>

## Textile Production Process<sup>C</sup>

**IRI** <http://w3id.org/CEON/ontology/textile/TextileProductionProcess>

**Sub Class Of** <http://w3id.org/CEON/ontology/processODP/Process>

**In Range Of** [hasTextileProductionProcess<sup>op</sup>](#)

**Super Class Of**

- [DyeingProcess<sup>C</sup>](#)
- [FabricProduction<sup>C</sup>](#)
- [FinishingProcess<sup>C</sup>](#)
- [PrintingProcess<sup>C</sup>](#)
- [RawHideProcessing<sup>C</sup>](#)
- [RawMaterialProduction<sup>C</sup>](#)
- [SpinningProcess<sup>C</sup>](#)
- [TrimProduction<sup>C</sup>](#)

## Textile Property<sup>C</sup>

**IRI** <http://w3id.org/CEON/ontology/textile/TextileProperty>

**Sub Class Of** <http://w3id.org/CEON/ontology/resourceODP/ResourceProperty>

**Super Class Of**

- [Color<sup>C</sup>](#)
- [WaterProperty<sup>C</sup>](#)

## Textile Recycling Process<sup>C</sup>

<b>IRI</b>	<a href="http://w3id.org/CEON/ontology/textile/TextileRecyclingProcess">http://w3id.org/CEON/ontology/textile/TextileRecyclingProcess</a>
<b>Sub Class Of</b>	<a href="http://w3id.org/CEON/ontology/processODP/Process">http://w3id.org/CEON/ontology/processODP/Process</a>
<b>Named Individuals</b>	<a href="#">biodigestion<sup>ni</sup></a> <a href="#">biosphereCascading<sup>ni</sup></a> <a href="#">homeComposting<sup>ni</sup></a> <a href="#">incineration<sup>ni</sup></a> <a href="#">industrialComposting<sup>ni</sup></a>

## Trim Production<sup>C</sup>

<b>IRI</b>	<a href="http://w3id.org/CEON/ontology/textile/TrimProduction">http://w3id.org/CEON/ontology/textile/TrimProduction</a>
<b>Sub Class Of</b>	<a href="#">TextileProductionProcess<sup>C</sup></a>

## Water Property<sup>C</sup>

<b>IRI</b>	<a href="http://w3id.org/CEON/ontology/textile/WaterProperty">http://w3id.org/CEON/ontology/textile/WaterProperty</a>
<b>Sub Class Of</b>	<a href="#">TextileProperty<sup>C</sup></a>
<b>In Range Of</b>	<a href="#">hasWaterProperty<sup>op</sup></a>
<b>Named Individuals</b>	<a href="#">Water repellent<sup>ni</sup></a> <a href="#">Water resistant<sup>ni</sup></a> <a href="#">Waterproof<sup>ni</sup></a>

## Zdhc Compliance<sup>C</sup>

<b>IRI</b>	<a href="http://w3id.org/CEON/ontology/textile/ZDHCCompliance">http://w3id.org/CEON/ontology/textile/ZDHCCompliance</a>
<b>Sub Class Of</b>	<a href="#">ChemicalCompliance<sup>C</sup></a>
<b>Equivalentclass</b>	<a href="http://w3id.org/CEON/ontology/product/complianceWith">http://w3id.org/CEON/ontology/product/complianceWith</a> value <a href="#">ZDHC<sup>C</sup></a>

## Object Properties

### associated process for property<sup>op</sup>

<b>IRI</b>	<a href="http://w3id.org/CEON/ontology/textile/associatedProcessForProperty">http://w3id.org/CEON/ontology/textile/associatedProcessForProperty</a>
<b>Domain</b>	<a href="http://w3id.org/CEON/ontology/processODP/Process">http://w3id.org/CEON/ontology/processODP/Process</a>
<b>Range</b>	<a href="http://w3id.org/CEON/ontology/resourceODP/ResourceProperty">http://w3id.org/CEON/ontology/resourceODP/ResourceProperty</a>

## object value<sup>op</sup>

**IRI** <http://w3id.org/CEON/ontology/quantity#objectValue>

**Super Property Of**

- [disclosureValue<sup>op</sup>](#)
- [recyclingAtSameQualityRange<sup>op</sup>](#)

## anticipated leakage during use<sup>op</sup>

**IRI** <http://w3id.org/CEON/ontology/textile/anticipatedLeakageDuringUse>

**Description**

Percentage of the product content anticipated to become leakage during the use phase due to for example wear & tear, oxidation, erosion, etc.

**Sub Property Of** [hasProperty<sup>op</sup>](#)

## designed for recycling at the same level of quality<sup>op</sup>

**IRI** <http://w3id.org/CEON/ontology/textile/designedForRecyclingAtSameQuality>

**Description**

Percentage of the product that is designed for recycling at the same level of quality. The remainder of the materials is foreseen by the manufacturer to be recycled at a lower quality than the original content.

**Sub Property Of** <http://qudt.org/schema/qudt/quantityValue>

**Range** [TextileProductDesignForRecycling<sup>c</sup>](#)

## disclosure value<sup>op</sup>

**IRI** <http://w3id.org/CEON/ontology/textile/disclosureValue>

**Sub Property Of** <http://w3id.org/CEON/ontology/quantity#objectValue<sup>op</sup>>

**Domain** [TextileChemicalSubstanceThresholdStatement<sup>c</sup>](#)

## has assembly method<sup>op</sup>

**IRI** <http://w3id.org/CEON/ontology/textile/hasAssemblyMethod>

## has color<sup>op</sup>

**IRI** <http://w3id.org/CEON/ontology/textile/hasColor>

**Sub Property Of** [hasProperty<sup>op</sup>](#)

**Domain** <http://w3id.org/CEON/ontology/product/Item<sup>c</sup>> or <http://w3id.org/CEON/ontology/resourceODP/BatchOfObjects<sup>c</sup>> or <http://w3id.org/CEON/ontology/product/Product<sup>c</sup>>

**Range** [Color<sup>c</sup>](#)

has disassembly method<sup>op</sup>

**IRI** <http://w3id.org/CE0N/ontology/textile/hasDisassemblyMethod>

has dye method<sup>op</sup>

**IRI** <http://w3id.org/CE0N/ontology/textile/hasDyeMethod>

**Sub Property Of** [topObjectProperty](#)<sup>op</sup>

**Domain** [DyeingProcess](#)<sup>c</sup>

**Range** [DyeMethod](#)<sup>c</sup>

has dye stuff<sup>op</sup>

**IRI** <http://w3id.org/CE0N/ontology/textile/hasDyeStuff>

**Sub Property Of** [hasProperty](#)<sup>op</sup>

**Range** [DyeStuff](#)<sup>c</sup>

has finishing<sup>op</sup>

**IRI** <http://w3id.org/CE0N/ontology/textile/hasFinishing>

**Sub Property Of** [hasProperty](#)<sup>op</sup>

**Range** [FinishingProcess](#)<sup>c</sup>

has finishing step<sup>op</sup>

**IRI** <http://w3id.org/CE0N/ontology/textile/hasFinishingStep>

**Sub Property Of** [hasTextileProductionProcess](#)<sup>op</sup>

**Range** [FinishingProcess](#)<sup>c</sup>

has fraction of product to leakage during use<sup>op</sup>

**IRI** <http://w3id.org/CE0N/ontology/textile/hasFractionOfProductToLeakageDuringUse>

**Sub Property Of** <http://w3id.org/CE0N/ontology/statement/hasQuantityInterval>

**Domain** [TextileProductToLeakageStatement](#)<sup>c</sup>

**Range** <http://w3id.org/CE0N/ontology/quantity#QuantityInterval>

has origin<sup>op</sup>

**IRI** <http://w3id.org/CE0N/ontology/textile/hasOrigin>

**Domain** [TextileProductObject<sup>c</sup>](#) or [TextileProduct<sup>c</sup>](#)

**Range** [TextileProductOrigin<sup>c</sup>](#)

has post consumer recycled content amount<sup>op</sup>

**IRI** <http://w3id.org/CE0N/ontology/textile/hasPostConsumerRecycledContentAmount>

**Sub Property Of** <http://w3id.org/CE0N/ontology/product/hasComposition>

has pre consumer recycled content amount<sup>op</sup>

**IRI** <http://w3id.org/CE0N/ontology/textile/hasPreConsumerRecycledContentAmount>

**Sub Property Of** <http://w3id.org/CE0N/ontology/product/hasComposition>

Print Finishing<sup>op</sup>

**IRI** <http://w3id.org/CE0N/ontology/textile/hasPrintFinishing>

**Sub Property Of** [hasProperty<sup>op</sup>](#)

has print method<sup>op</sup>

**IRI** <http://w3id.org/CE0N/ontology/textile/hasPrintMethod>

**Sub Property Of** [topObjectProperty<sup>op</sup>](#)

**Domain** [PrintingProcess<sup>c</sup>](#)

**Range** [PrintMethod<sup>c</sup>](#)

has print stuff<sup>op</sup>

**IRI** <http://w3id.org/CE0N/ontology/textile/hasPrintStuff>

**Sub Property Of** [hasProperty<sup>op</sup>](#)

**Range** [PrintStuff<sup>c</sup>](#)

## has property<sup>op</sup>

**IRI** <http://w3id.org/CE0N/ontology/textile/hasProperty>

### Super Property Of

- [anticipatedLeakageDuringUse<sup>op</sup>](#)
- [hasColor<sup>op</sup>](#)
- [hasDyeStuff<sup>op</sup>](#)
- [hasFinishing<sup>op</sup>](#)
- [Print Finishing<sup>op</sup>](#)
- [hasPrintStuff<sup>op</sup>](#)
- [hasWaterProperty<sup>op</sup>](#)

## has textile product component value<sup>op</sup>

**IRI** <http://w3id.org/CE0N/ontology/textile/hasTextileProductComponentValue>

**Sub Property Of** <http://qudt.org/schema/qudt/quantityValue>

**Domain** [TextileProductComponentRelation<sup>c</sup>](#)

**Range** [TextileProductComponentValue<sup>c</sup>](#)

## has textile product matter composition value<sup>op</sup>

**IRI** <http://w3id.org/CE0N/ontology/textile/hasTextileProductMatterCompositionValue>

**Sub Property Of** <http://qudt.org/schema/qudt/quantityValue>

**Domain** [TextileProductMatterCompositionRelation<sup>c</sup>](#)

**Range** [TextileProductMatterCompositionValue<sup>c</sup>](#)

## has textile product recycled content value<sup>op</sup>

**IRI** <http://w3id.org/CE0N/ontology/textile/hasTextileProductRecycledContentValue>

**Sub Property Of** <http://qudt.org/schema/qudt/quantityValue>

**Range** [TextileProductRecycledContentValue<sup>c</sup>](#)

## has textile product renewable content value<sup>op</sup>

**IRI** <http://w3id.org/CE0N/ontology/textile/hasTextileProductRenewableContentValue>

**Sub Property Of** <http://qudt.org/schema/qudt/quantityValue>

**Range** [TextileProductRenewableContentValue<sup>c</sup>](#)

## has textile product type<sup>op</sup>

<b>IRI</b>	<a href="http://w3id.org/CEON/ontology/textile/hasTextileProductType">http://w3id.org/CEON/ontology/textile/hasTextileProductType</a>
<b>Domain</b>	<a href="#">TextileProduct<sup>c</sup></a>
<b>Range</b>	<a href="#">TextileProductType<sup>c</sup></a>

## has textile production process<sup>op</sup>

<b>IRI</b>	<a href="http://w3id.org/CEON/ontology/textile/hasTextileProductionProcess">http://w3id.org/CEON/ontology/textile/hasTextileProductionProcess</a>
<b>Super Property Of</b>	<a href="#">hasFinishingStep<sup>op</sup></a>
<b>Domain</b>	<a href="#">TextileProduct<sup>c</sup></a>
<b>Range</b>	<a href="#">TextileProductionProcess<sup>c</sup></a>

## has water property<sup>op</sup>

<b>IRI</b>	<a href="http://w3id.org/CEON/ontology/textile/hasWaterProperty">http://w3id.org/CEON/ontology/textile/hasWaterProperty</a>
<b>Sub Property Of</b>	<a href="#">hasProperty<sup>op</sup></a>
<b>Range</b>	<a href="#">WaterProperty<sup>c</sup></a>

## product composition disclosure availability<sup>op</sup>

<b>IRI</b>	<a href="http://w3id.org/CEON/ontology/textile/productCompositionDisclosureAvailability">http://w3id.org/CEON/ontology/textile/productCompositionDisclosureAvailability</a>
<b>Range</b>	<a href="http://w3id.org/CEON/ontology/statement/Availability">http://w3id.org/CEON/ontology/statement/Availability</a>

## product composition disclosure validation<sup>op</sup>

<b>IRI</b>	<a href="http://w3id.org/CEON/ontology/textile/productCompositionDisclosureValidation">http://w3id.org/CEON/ontology/textile/productCompositionDisclosureValidation</a>
<b>Range</b>	<a href="http://w3id.org/CEON/ontology/statement/Validation">http://w3id.org/CEON/ontology/statement/Validation</a>

## recycling at same quality range<sup>op</sup>

<b>IRI</b>	<a href="http://w3id.org/CEON/ontology/textile/recyclingAtSameQualityRange">http://w3id.org/CEON/ontology/textile/recyclingAtSameQualityRange</a>
<b>Sub Property Of</b>	<a href="http://w3id.org/CEON/ontology/quantity#objectValue">http://w3id.org/CEON/ontology/quantity#objectValue<sup>op</sup></a>

## textile product design for recycling<sup>op</sup>

<b>IRI</b>	<a href="http://w3id.org/CEON/ontology/textile/textileProductDesignForRecycling">http://w3id.org/CEON/ontology/textile/textileProductDesignForRecycling</a>
------------	---



## Datatype Properties

numerical value<sup>dp</sup>

**IRI** <http://qudt.org/schema/qudt/numericalValue>

available information<sup>dp</sup>

**IRI** <http://w3id.org/CE0N/ontology/textile/availableInformation>

**Super Property Of**

- [biodegradabilityTestAvailable](#)<sup>dp</sup>
- [isMaterialSafetyDataSheetForDyeingAvailable](#)<sup>dp</sup>
- [isMaterialSafetyDataSheetForFinishingAvailable](#)<sup>dp</sup>
- [isMaterialSafetyDataSheetForProductAvailable](#)<sup>dp</sup>
- [isTechnicalDataSheetAvailable](#)<sup>dp</sup>

biodegradability test available<sup>dp</sup>

**IRI** <http://w3id.org/CE0N/ontology/textile/biodegradabilityTestAvailable>

**Description**

Biodegradability test is available.

**Sub Property Of**

[availableInformation](#)<sup>dp</sup>

**Range**

[xsd:boolean](#)

contains hazardous substance above0.1for post consumer recycled content<sup>dp</sup>

**IRI** <http://w3id.org/CE0N/ontology/textile/containsHazardousSubstanceAbove0.1ForPostConsumerRecycledContent>

**Domain**

[TextileProductRecycledContent](#)<sup>c</sup>

**Range**

[xsd:boolean](#)

contains hazardous substance above0.1for pre consumer recycled content<sup>dp</sup>

**IRI** <http://w3id.org/CE0N/ontology/textile/containsHazardousSubstanceAbove0.1ForPreConsumerRecycledContent>

**Domain**

[TextileProductRecycledContent](#)<sup>c</sup>

**Range**

[xsd:boolean](#)

contains metal<sup>dp</sup>

**IRI** <http://w3id.org/CE0N/ontology/textile/containsMetal>

**Description**

The product contains metal.

**Range**

[xsd:boolean](#)

## design for better use<sup>dp</sup>

**IRI** <http://w3id.org/CE0N/ontology/textile/designForBetterUse>

**Sub Property Of** [topDataProperty](#)<sup>dp</sup>

**Super Property Of**

- [designedForActivelyPositiveImpact](#)<sup>dp</sup>
- [impossibleForMaintenanceOrRepair](#)<sup>dp</sup>
- [isConsumablesEasilyReplacedByUntrainedPerson](#)<sup>dp</sup>
- [isMaintainedOrRepairedByTrainedPerson](#)<sup>dp</sup>
- [isMaintainedOrRepairedByUntrainedPerson](#)<sup>dp</sup>
- [isSparePartsAvailable](#)<sup>dp</sup>
- [needsMaintenanceOrRepair](#)<sup>dp</sup>
- [withoutHarmfulDispersionOrEmission](#)<sup>dp</sup>

**Domain** [TextileProductDesignedForBetterUse](#)<sup>c</sup>

**Range** [xsd:boolean](#)

## design for demounting<sup>dp</sup>

**IRI** <http://w3id.org/CE0N/ontology/textile/designForDemounting>

**Sub Property Of** [designForProperties](#)<sup>dp</sup>

**Range** [xsd:boolean](#)

## design for properties<sup>dp</sup>

**IRI** <http://w3id.org/CE0N/ontology/textile/designForProperties>

**Super Property Of**

- [designForDemounting](#)<sup>dp</sup>
- [designedForCleanBiodigestion](#)<sup>dp</sup>
- [designedForCleanIncinerationPyrolysis](#)<sup>dp</sup>
- [designedForCompostingInHomeComposter](#)<sup>dp</sup>
- [designedForCompostingInIndustrialFacility](#)<sup>dp</sup>
- [designedForCyclingInTechnicalCycle](#)<sup>dp</sup>
- [designedForFullBiodegradability](#)<sup>dp</sup>
- [designedForIndustrialCascading](#)<sup>dp</sup>
- [designedForRecycling](#)<sup>dp</sup>
- [designedForRefurbishment](#)<sup>dp</sup>
- [designedForRemanufacturing](#)<sup>dp</sup>
- [designedForReuse](#)<sup>dp</sup>
- [designedForReuseWithMinimalModification](#)<sup>dp</sup>
- [designedForUsingReversibleConnector](#)<sup>dp</sup>

**Range** [xsd:boolean](#)

## design for recycling amounts<sup>dp</sup>

**IRI** <http://w3id.org/CE0N/ontology/textile/designForRecyclingAmounts>

**Super Property Of** [emissionByDesign](#)<sup>dp</sup>

designed for actively positive impact<sup>dp</sup>

**IRI** <http://w3id.org/CE0N/ontology/textile/designedForActivelyPositiveImpact>

**Sub Property Of** [designForBetterUse](#)<sup>dp</sup>

designed for clean biodigestion<sup>dp</sup>

**IRI** <http://w3id.org/CE0N/ontology/textile/designedForCleanBiodigestion>

**Sub Property Of** [designForProperties](#)<sup>dp</sup>

**Range** [xsd:boolean](#)

designed for clean incineration pyrolysis<sup>dp</sup>

**IRI** <http://w3id.org/CE0N/ontology/textile/designedForCleanIncinerationPyrolysis>

**Sub Property Of** [designForProperties](#)<sup>dp</sup>

designed for composting in home composter<sup>dp</sup>

**IRI** <http://w3id.org/CE0N/ontology/textile/designedForCompostingInHomeComposter>

**Sub Property Of** [designForProperties](#)<sup>dp</sup>

**Range** [xsd:boolean](#)

designed for composting in industrial facility<sup>dp</sup>

**IRI** <http://w3id.org/CE0N/ontology/textile/designedForCompostingInIndustrialFacility>

**Sub Property Of** [designForProperties](#)<sup>dp</sup>

**Range** [xsd:boolean](#)

designed for cycling in technical cycle<sup>dp</sup>

**IRI** <http://w3id.org/CE0N/ontology/textile/designedForCyclingInTechnicalCycle>

**Sub Property Of** [designForProperties](#)<sup>dp</sup>

**Range** [xsd:boolean](#)

## designed for full biodegradability<sup>dp</sup>

<b>IRI</b>	<a href="http://w3id.org/CE0N/ontology/textile/designedForFullBiodegradability">http://w3id.org/CE0N/ontology/textile/designedForFullBiodegradability</a>
<b>Sub Property Of</b>	<a href="#">designForProperties<sup>dp</sup></a>
<b>Range</b>	<a href="#">xsd:boolean</a>

## designed for industrial cascading<sup>dp</sup>

<b>IRI</b>	<a href="http://w3id.org/CE0N/ontology/textile/designedForIndustrialCascading">http://w3id.org/CE0N/ontology/textile/designedForIndustrialCascading</a>
<b>Sub Property Of</b>	<a href="#">designForProperties<sup>dp</sup></a>
<b>Range</b>	<a href="#">xsd:boolean</a>

## designed for recycling<sup>dp</sup>

<b>IRI</b>	<a href="http://w3id.org/CE0N/ontology/textile/designedForRecycling">http://w3id.org/CE0N/ontology/textile/designedForRecycling</a>
<b>Description</b>	The product is designed for recycling?
<b>Sub Property Of</b>	<a href="#">designForProperties<sup>dp</sup></a>
<b>Range</b>	<a href="#">xsd:boolean</a>

## designed for refurbishment<sup>dp</sup>

<b>IRI</b>	<a href="http://w3id.org/CE0N/ontology/textile/designedForRefurbishment">http://w3id.org/CE0N/ontology/textile/designedForRefurbishment</a>
<b>Sub Property Of</b>	<a href="#">designForProperties<sup>dp</sup></a>
<b>Range</b>	<a href="#">xsd:boolean</a>

## designed for remanufacturing<sup>dp</sup>

<b>IRI</b>	<a href="http://w3id.org/CE0N/ontology/textile/designedForRemanufacturing">http://w3id.org/CE0N/ontology/textile/designedForRemanufacturing</a>
<b>Sub Property Of</b>	<a href="#">designForProperties<sup>dp</sup></a>
<b>Range</b>	<a href="#">xsd:boolean</a>

## designed for reuse<sup>dp</sup>

<b>IRI</b>	<a href="http://w3id.org/CE0N/ontology/textile/designedForReuse">http://w3id.org/CE0N/ontology/textile/designedForReuse</a>
<b>Sub Property Of</b>	<a href="#">designForProperties<sup>dp</sup></a>
<b>Range</b>	<a href="#">xsd:boolean</a>

designed for reuse with minimal modification<sup>dp</sup>

**IRI** <http://w3id.org/CE0N/ontology/textile/designedForReuseWithMinimalModification>

**Sub Property Of** [designForProperties](#)<sup>dp</sup>

**Range** [xsd:boolean](#)

designed for using reversible connector<sup>dp</sup>

**IRI** <http://w3id.org/CE0N/ontology/textile/designedForUsingReversibleConnector>

**Sub Property Of** [designForProperties](#)<sup>dp</sup>

**Domain** [TextileProductDesignForDisassembly](#)<sup>c</sup>

**Range** [xsd:boolean](#)

emission by design<sup>dp</sup>

**IRI** <http://w3id.org/CE0N/ontology/textile/emissionByDesign>

**Description**  
The portion of the product known to be emitted into the environment during use is designed for that purpose.

**Sub Property Of** [designForRecyclingAmounts](#)<sup>dp</sup>

has biodegradability test<sup>dp</sup>

**IRI** <http://w3id.org/CE0N/ontology/textile/hasBiodegradabilityTest>

**Range** [xsd:anyURI](#)

has cas number<sup>dp</sup>

**IRI** <http://w3id.org/CE0N/ontology/textile/hasCASNumber>

has chemical compliance<sup>dp</sup>

**IRI** <http://w3id.org/CE0N/ontology/textile/hasChemicalCompliance>

has collection parameter<sup>dp</sup>

**IRI** <http://w3id.org/CE0N/ontology/textile/hasCollectionParameter>

**Super Property Of** [isCollectionSystemAvailable](#)<sup>dp</sup>

has company name<sup>dp</sup>

**IRI** <http://w3id.org/CE0N/ontology/textile/hasCompanyName>

**Sub Property Of** <http://w3id.org/CE0N/ontology/actor/hasOrganisationName>

**Range** [xsd:string](#)

has contained substance from reach very high concern list<sup>dp</sup>

**IRI** <http://w3id.org/CE0N/ontology/textile/hasContainedSubstanceFromREACHVeryHighConcernList>

**Range** [xsd:anyURI](#)

has country specific corporate identification number<sup>dp</sup>

**IRI** <http://w3id.org/CE0N/ontology/textile/hasCountrySpecificCorporateIdentificationNumber>

**Range** [xsd:string](#)

has finishing steps<sup>dp</sup>

**IRI** <http://w3id.org/CE0N/ontology/textile/hasFinishingSteps>

has product id code<sup>dp</sup>

**IRI** <http://w3id.org/CE0N/ontology/textile/hasProductIDCode>

**Range** [xsd:string](#)

has textile type<sup>dp</sup>

**IRI** <http://w3id.org/CE0N/ontology/textile/hasTextileType>

**Description** Description of the kind of textile product.

**Range** [xsd:string](#)

impossible for maintenance or repair<sup>dp</sup>

**IRI** <http://w3id.org/CE0N/ontology/textile/impossibleForMaintenanceOrRepair>

**Sub Property Of** [designForBetterUse<sup>dp</sup>](#)

includes trims<sup>dp</sup>

**IRI** <http://w3id.org/CEON/ontology/textile/includesTrims>

**Description** The product includes trims.

**Range** [xsd:boolean](#)

is ce marked<sup>dp</sup>

**IRI** <http://w3id.org/CEON/ontology/textile/isCEMarked>

**Description** The product has theCE mark.

**Sub Property Of** <http://w3id.org/CEON/ontology/product/hasCertificate>

**Range** [xsd:boolean](#)

is collection system available<sup>dp</sup>

**IRI** <http://w3id.org/CEON/ontology/textile/isCollectionSystemAvailable>

**Description** The manufacturer/ industry association has a dedicated collection system in place to gather and deliver products for recycling.

**Sub Property Of** [hasCollectionParameter<sup>dp</sup>](#)

**Range** [xsd:boolean](#)

is consumables easily replaced by untrained person<sup>dp</sup>

**IRI** <http://w3id.org/CEON/ontology/textile/isConsumablesEasilyReplacedByUntrainedPerson>

**Sub Property Of** [designForBetterUse<sup>dp</sup>](#)

is contained substance from reach very high concern list<sup>dp</sup>

**IRI** <http://w3id.org/CEON/ontology/textile/isContainedSubstanceFromREACHVeryHighConcernList>

**Range** [xsd:boolean](#)

is contained substance in cmr harmonized classification<sup>dp</sup>

**IRI** <http://w3id.org/CEON/ontology/textile/isContainedSubstanceInCMRHarmonizedClassification>

**Range** [xsd:boolean](#)

is maintained or repaired by trained person<sup>dp</sup>

**IRI** <http://w3id.org/CE0N/ontology/textile/isMaintainedOrRepairedByTrainedPerson>

**Sub Property Of** [designForBetterUse](#)<sup>dp</sup>

**Range** [xsd:boolean](#)

is maintained or repaired by untrained person<sup>dp</sup>

**IRI** <http://w3id.org/CE0N/ontology/textile/isMaintainedOrRepairedByUntrainedPerson>

**Sub Property Of** [designForBetterUse](#)<sup>dp</sup>

**Range** [xsd:boolean](#)

is material safety data sheet for dyeing available<sup>dp</sup>

**IRI** <http://w3id.org/CE0N/ontology/textile/isMaterialSafetyDataSheetForDyeingAvailable>

**Description** Material Safety Data Sheets for Dyeing are available.

**Sub Property Of** [availableInformation](#)<sup>dp</sup>

**Range** [xsd:boolean](#)

is material safety data sheet for finishing available<sup>dp</sup>

**IRI** <http://w3id.org/CE0N/ontology/textile/isMaterialSafetyDataSheetForFinishingAvailable>

**Description** Material Safety Data Sheets for Finishing are available.

**Sub Property Of** [availableInformation](#)<sup>dp</sup>

**Range** [xsd:boolean](#)

is material safety data sheet for product available<sup>dp</sup>

**IRI** <http://w3id.org/CE0N/ontology/textile/isMaterialSafetyDataSheetForProductAvailable>

**Description** Material Safety Data Sheet for the product is available.

**Sub Property Of** [availableInformation](#)<sup>dp</sup>

**Range** [xsd:boolean](#)



is restricted substance contained out of reachxvii<sup>dp</sup>

**IRI** <http://w3id.org/CEON/ontology/textile/isRestrictedSubstanceContainedOutOfREACHXVII>

**Range** [xsd:boolean](#)

is spare parts available<sup>dp</sup>

**IRI** <http://w3id.org/CEON/ontology/textile/isSparePartsAvailable>

**Sub Property Of** [designForBetterUse](#)<sup>dp</sup>

is technical data sheet available<sup>dp</sup>

**IRI** <http://w3id.org/CEON/ontology/textile/isTechnicalDataSheetAvailable>

**Description** The Technical Data Sheet is available.

**Sub Property Of** [availableInformation](#)<sup>dp</sup>

**Range** [xsd:boolean](#)

is warned under california proposition65<sup>dp</sup>

**IRI** <http://w3id.org/CEON/ontology/textile/isWarnedUnderCaliforniaProposition65>

**Range** [xsd:boolean](#)

needs maintenance or repair<sup>dp</sup>

**IRI** <http://w3id.org/CEON/ontology/textile/needsMaintenanceOrRepair>

**Sub Property Of** [designForBetterUse](#)<sup>dp</sup>

**Range** [xsd:boolean](#)

renewable content managed in sustainable way<sup>dp</sup>

**IRI** <http://w3id.org/CEON/ontology/textile/renewableContentManagedInSustainableWay>

**Sub Property Of** <http://w3id.org/CEON/ontology/product/hasCertificate>

**Domain** [TextileProductRenewableContent](#)<sup>c</sup>

**Range** [xsd:boolean](#)

with public declaration of hazardous substances based on standard regulation<sup>dp</sup>

**IRI** <http://w3id.org/CE0N/ontology/textile/withPublicDeclarationOfHazardousSubstancesBasedOnStandardRegulation>

**Range** [xsd:boolean](#)

without harmful dispersion or emission<sup>dp</sup>

**IRI** <http://w3id.org/CE0N/ontology/textile/withoutHarmfulDispersionOrEmission>

**Sub Property Of** [designForBetterUse](#)<sup>dp</sup>

without known hazardous substance based on standard regulation<sup>dp</sup>

**IRI** <http://w3id.org/CE0N/ontology/textile/withoutKnownHazardousSubstanceBasedOnStandardRegulation>

**Range** [xsd:boolean](#)

## Annotation Properties

has maximal value included of interval<sup>ap</sup>

**IRI** <http://w3id.org/CE0N/ontology/quantity#hasMaximalValueIncludedOfInterval>

has minimal value included of interval<sup>ap</sup>

**IRI** <http://w3id.org/CE0N/ontology/quantity#hasMinimalValueIncludedOfInterval>

has minimal value not included of interval<sup>ap</sup>

**IRI** <http://w3id.org/CE0N/ontology/quantity#hasMinimalValueNotIncludedOfInterval>

**Ld Tmapping**<sup>ap</sup>

**IRI** <http://w3id.org/CE0N/ontology/textile/LDTmapping>

**Range** [xsd:string](#)

**Pcd Smapping**<sup>ap</sup>

**IRI** <http://w3id.org/CE0N/ontology/textile/PCDSmapping>

## Namespaces

:

<http://w3id.org/CEON/ontology/textile/>

**actorODP**

<http://w3id.org/CEON/ontology/actorODP/>

**dcterms**

<http://purl.org/dc/terms/>

**owl**

<http://www.w3.org/2002/07/owl#>

**prov**

<http://www.w3.org/ns/prov#>

**rdf**

<http://www.w3.org/1999/02/22-rdf-syntax-ns#>

**rdfs**

<http://www.w3.org/2000/01/rdf-schema#>

**vann**

<http://purl.org/vocab/vann/>

**xsd**

<http://www.w3.org/2001/XMLSchema#>

## Legend

c	Classes
op	Object Properties
dp	Datatype Properties
ap	Annotation Properties