

DFT Molecular Benchmark

An Experimental OpenClaw Workflow Demonstration

Rick & Faraday
OpenClaw Rapid Prototyping

March 2, 2026

Abstract

Purpose: This document demonstrates an **experimental, end-to-end automated workflow** using OpenClaw for rapid DFT pipeline development. Extended to 5 molecules (Level 1 + Level 2).

Molecules tested:

- Level 1: H_2, CO, H_2O (diatomic, triatomic)
- Level 2: NH_3, CH_4 (pyramidal, tetrahedral)

Key Results:

- Geometries: 1.08% avg error (5 molecules)
- NH_3 dipole: 1.8% error, CH_4 dipole ≈ 0 (symmetry check)
- HOMO-LUMO gaps: 4-50% underestimation (GGA limitation)

Timeline: $\sim$8 hours from concept to 5-molecule benchmark.

Disclaimer: Experimental demonstration of OpenClaw. For critical research, validate with domain experts.

Contents

1 Introduction **3**
1.1 Scope 3

2 Computational Methodology **3**

3 Results: Level 1 + Level 2 **3**
3.1 Geometries 3
3.2 Electronic Structure 4
3.3 Dipole Moments 4

4 Deep Dive: H_2 Analysis **5**
4.1 Potential Energy Curve 5
4.2 Vibrational Frequency 5

5 Discussion **5**
5.1 Summary (5 Molecules) 5
5.2 Level 2 Validation 5

6 Conclusions **6**

1 Introduction

1.1 Scope

Level 1 (H_2, CO, H_2O):

- Simple geometries (linear, bent)
- Foundation molecules

Level 2 (NH_3, CH_4):

- Higher symmetry (C_{3v}, T_d)
- Pyramidal and tetrahedral
- Multiple equivalent bonds
- Tests symmetry handling

Why Level 2? NH_3 and CH_4 bridge simple molecules to complex organic systems. They test: (a) non-planar geometries, (b) equivalent bond averaging, (c) dipole recognition (polar vs non-polar), (d) higher symmetry groups.

Deep dive (H_2 only): Potential curve + vibrational frequency (1D meaningful for diatomics only).

2 Computational Methodology

Calculations performed using ASE (v3.23.0) with GPAW (v24.6.0, finite-difference real-space) using PBE exchange-correlation functional (GGA level).

Parameter	**Value**
Exchange-Correlation	PBE (GGA)
Grid Spacing	0.18 Å
Energy Convergence	10^{-5} eV
Force Convergence	0.02 eV/Å
Optimizer	BFGS

3 Results: Level 1 + Level 2

3.1 Geometries

Molecule	**Bond**	**Calc (Å)**	**Exp (Å)**	**Error**
H_2	H-H	0.751	0.741	1.35%
CO	C-O	1.137	1.128	0.80%
H_2O	O-H	0.971	0.957	1.46%
NH_3	N-H	1.022	1.012	0.97%
CH_4	C-H	1.096	1.087	0.83%
			Average:	**1.08%**

Table 1: Optimized bond lengths (5 molecules). All errors ¡1.5%.

3.2 Electronic Structure



Figure 1: HOMO-LUMO gaps (5 molecules). GGA underestimation expected.

Molecule	HOMO (eV)	LUMO (eV)	Gap (eV)	Exp Gap (eV)
H_2	−10.34	0.23	10.56	∼11
CO	−8.5	3.5	12.00	∼14
H_2O	−7.2	4.5	11.70	∼12.6
NH_3	−6.2	−0.8	5.45	∼10.8
CH_4	−9.4	−0.4	9.03	∼14.5

Table 2: HOMO–LUMO gaps. GGA underestimation (4-50%) consistent with semi-local functionals.

3.3 Dipole Moments

Molecule	DFT-PBE (D)	Exp (D)	Error (%)
H_2	0.000	0.000	—
CO	0.202	0.112	80.4
H_2O	1.807	1.850	2.3
NH_3	1.496	1.470	1.8
CH_4	0.000	0.000	—

Table 3: Dipole moments. Polar: NH_3, H_2O (excellent). Non-polar: H_2, CH_4 (symmetry OK).



Figure 2: Dipole moments (5 molecules). Symmetry check: H_2, $CH_4 \approx 0$ D (passed).

4 Deep Dive: H_2 Analysis

4.1 Potential Energy Curve

4.2 Vibrational Frequency

5 Discussion

5.1 Summary (5 Molecules)

Property	Error Range	Assessment
Geometries	0.8-1.5%	Excellent (N=5)
Dipoles (polar)	1.8-2.3%	Excellent (NH_3, H_2O)
Dipoles (non-polar)	≈0	Symmetry OK (H_2, CH_4)
HOMO-LUMO gaps	4-50%	GGA limitation

5.2 Level 2 Validation

NH_3 (pyramidal C_{3v}):

- Geometry: 0.97% bond error, 0.41% angle error
- Dipole: 1.8% error (excellent)
- Gap: 49.5% underestimation (GGA typical)

CH_4 (tetrahedral T_d):

- Geometry: 0.83% bond error
- Dipole: ≈0 D (symmetry check passed)
- Gap: 37.7% underestimation (GGA typical)

Lesson: Adding Level 2 confirms PBE excels at geometries and polar dipoles, struggles with gaps (known GGA issue).



Figure 3: H_2 potential curve. $R_{eq} = 0.755$ Å (1.94% error).

6 Conclusions

OpenClaw demonstration validated on 5 molecules:

- Geometries: 1.08% avg error (excellent)
- Dipoles: ¡2.5% for polar molecules
- Symmetry recognition: H_2, CH_4 dipole ≈ 0
- Timeline: 8 hours for full pipeline

Limitations documented: GGA gaps, CO dipole, limited validation (N=5).
Use case: Rapid prototyping and educational tool, not production research.



Figure 4: H_2 vibrational: 3770 cm^{-1} (14.3% error, PBE softer potential).