

Deferred / parked hard cases (root-caused)

- **MoS₂** [layered chalcogenide] acute primitive AND conventional cell both NACLSD (1502/1615); layered stacking density
- **WSe₂** [layered SOC chalcogenide] setup OK (NACLSD cleared @1.0) but SCF unstable (contour/EMIN, charge-neut bounces) + ~70min/iter; process paused 122051
- **NbS₂** [layered chalcogenide] NACLSD solved @RCLUSTZ1.0 but donor won't converge + expensive ~900s/iter
- **TaS₂** [layered chalcogenide] SOC removed NaN but SCF NaN-prone under broadening
- **TiAl** [ordered intermetallic] VERTEX3D tetragonal WS-vertex degeneracy; RCLUSTZ- and tol(1e-4)-independent; 1e-3 breaks voronoi
- **Bi₂Te₃** [heavy-SOC compound] hard-convergence; 127 iters coarse rms 0.065, never fine (standalone donor-gen)
- **Bi₂Se₃** [heavy-SOC compound] expected Bi₂Te₃-class hard-convergence; not attempted
- **CaF₂** [ionic fluorite] needs octahedral empty sphere; deferred vs simplest rocksalt
- **LiF** [ionic rocksalt] no-ES OK but Z=3 very light + 8.7 eV gap; tertiary, not run