

**PHONETIC
SPEECH
DICTIONARY
for the
SC-01
SPEECH
SYNTHESIZER**

Votrax®

1358 Rankin, Troy, MI 48083
(313) 583-1877

Copyright VOTRAX® 1981

Votrax®

Copyright VOTRAX® 1981

INTRODUCTION

VOTRAX® Speech Synthesis Technology produces each of the 45 basic speech sounds, called phonemes. This handy dictionary gives you quick access to the VOTRAX® phoneme sequences used to create approximately 1400 words. Because VOTRAX® speech synthesis uses these basic phonetic sounds, you may program virtually any word in the English language by learning to use and combine the various phoneme codes.

This dictionary is intended for use with the SC-01 Speech Synthesizer. It can also serve as a guide for programming any product containing a VOTRAX® synthesizer.

GENERAL DESCRIPTION OF THE SC-01 CHIP

The SC-01 Speech Synthesizer is a completely self-contained solid state device. This single chip phonetically synthesizes continuous speech, of unlimited vocabulary, from low data rate inputs.

Speech is synthesized by combining phonemes (the building blocks of speech) in the appropriate sequence. The SC-01 Speech Synthesizer contains 64 different phonemes which are accessed by a 6-bit code. It is the proper sequential combination of these phoneme codes that creates continuous speech.

PHONEME DESCRIPTION

Table 1 lists the 64 phonemes produced by the SC-01. Each sound is represented by its VOTRAX[®] phoneme code and is accompanied by its phoneme symbol and an example. The underlined segments of the example word demonstrate the phoneme use, i.e., sound to be pronounced.

Table 2 provides the phoneme sequences used to produce vowels in the group called diphthongs, (2 vowel sounds in sequence, identified as a single sound, e.g., the long "i" vowel).

TABLE 1: PHONEME CHART

Phoneme Code	Phoneme Symbol	Duration (ms)	Example Word
00	EH3	59	j <u>a</u> cket
01	EH2	71	<u>e</u> nlist
02	EH1	121	he <u>a</u> vy
03	PA0	47	no sound
04	DT	47	b <u>u</u> tter
05	A2	71	ma <u>d</u> e
06	A1	103	ma <u>d</u> e
07	ZH	90	az <u>u</u> re
08	AH2	71	h <u>o</u> nest
09	I3	55	in <u>i</u> hibit
0A	I2	80	in <u>i</u> hibit
0B	I1	121	in <u>i</u> hibit
0C	M	103	ma <u>t</u>
0D	N	80	su <u>n</u>
0E	B	71	ba <u>g</u>
0F	V	71	va <u>n</u>
10	CH*	71	ch <u>i</u> p
11	SH	121	sh <u>o</u> p
12	Z	71	z <u>o</u>
13	AW1	146	la <u>w</u> ful
14	NG	121	th <u>i</u> ng
15	AH1	146	fa <u>t</u> her
16	001	103	loo <u>k</u> ing
17	00	185	bo <u>o</u> k
18	L	103	la <u>n</u> d
19	K	80	tr <u>i</u> ck
1A	J*	47	ju <u>d</u> ge
1B	H	71	he <u>l</u> lo
1C	G	71	g <u>e</u> t
1D	F	103	fa <u>s</u> t
1E	D	55	pa <u>i</u> d
1F	S	90	pa <u>s</u> s

/T/ must precede /CH/ to produce CH sound.

/D/ must precede /J/ to produce J sound.

TABLE 1: PHONEME CHART

Phoneme Code	Phoneme Symbol	Duration (ms)	Example Word
20	A	185	day
21	AY	65	day
22	Y1	80	yard
23	UH3	47	mission
24	AH	250	map
25	P	103	past
26	O	185	cold
27	I	185	pin
28	U	185	move
29	Y	103	any
2A	T	71	tap
2B	R	90	red
2C	E	185	meet
2D	W	80	win
2E	AE	185	dad
2F	AE1	103	after
30	AW2	90	salty
31	UH2	71	about
32	UH1	103	uncle
33	UH	185	cup
34	O2	80	for
35	O1	121	aboard
36	IU	59	you
37	U1	90	you
38	THV	80	the
39	TH	71	thin
3A	ER	146	bird
3B	EH	185	get
3C	E1	121	be
3D	AW	253	call
3E	PA1	185	no sound
3F	STOP	47	no sound

TABLE 2: DIPHTHONG CHART

Phoneme Combination	Key Words
A1-AY-Y	fate, maid
AH1-EH3-Y	find, wide
UH3-AH2-Y	fight, white
AH1-I3-UH3-L	file, smile
O1-UH3-Y	foy, boy
O1-I3-UH3-L	foil, spoil
AH1-O2-U1	found, cow
UH3-AH2-U1	foust, house
O1-U1	float, note
Y1-IU-U1	few, you, music
AY-I1	fear, beer

Phonetic Programs

A A1, AY, Y
a-2 UH2, UH3
able A1, Y, B, UH3, L
abort UH1, B, O2, O2, R, T
about UH1, B, UH2, AH2, U1, T
above UH1, B, UH1, UH3, V
accept EH1, K, PAO, S, EH1, EH3, P, T
access AE1, EH3, K, PAO, S, EH1, EH3, S

account UH1, K, AH1, UH3, W, N, T
acid AE1, EH3, S, I1 D
act AE1, EH3, K, T
active AE1, EH3, K, T, I1, V
actual AE1, EH3, K, T, CH, U1, UH3, L
add AE1, EH3, D
address AE1, EH3, D, R, EH1, EH3, S
ade (use "aid" program)
adjust UH1, D, J, UH1, UH3, S, T
adjacent UH1, D, J, A1, AY, S, EH3, N, T
advance AE1, EH3, D, V, AE1, EH3, N, T, S

advise AE1, EH3, D, V, AH1, EH3, Y, Z
affect UH1, F, EH1, EH3, K, T
after AE1, EH3, F, T, ER
again UH1, G, A2, EH1, N
age A1, AY, Y, D, J
agent A1, Y, D, J, EH3, N, T
ahead UH1, H, EH1, EH3, D
aid A1, AY, Y, D
air EH2, EH2, R
alarm UH1, L, AH1, R, M
alert UH1, L, ER, R, T
all AW, L
allocate AE1, UH3, L, UH2, K, A1, Y, T
allow UH1, L, AH1, UH3, U1
alpha AE1, AW2, L, F, UH1
already AW, L, R, EH1, EH3, D, Y
also AW, L, S, O1, U1
altitude AE1, UH3, L, T, I2, T, IU, U1, U1, D

aluminum UH1, L, IU, U1, M, I3, N, UH1, M
am AE1, EH3, M

america UH1, M, EH1, R, I3, K, UH2, UH3
amount UH1, M, AH1, UH3, W, N, T
amp AE1, EH3, M, P
amplify AE1, EH3, M, P, L, I3, F, AH1, EH3, AY

an AE1, EH3, N
and AE1, EH3, N, D
angle AE1, EH3, NG, G, UH3, L
another UH1, N, UH1, UH3, THV, ER
answer AE1, EH3, N, S, ER
any EH2, EH2, N, Y
apostrophe UH1, P, AH1, UH3, S, T, R, UH3, F, Y

approach UH1, P, R, O1, U1, T, CH
approve UH1, P, R, IU, U1, U1, V
approximate UH1, P, R, AH1, K, PAO, S, EH3, M, I3, T
approximate-2 UH1, P, R, AH1, K, PAO, S, EH3, M, A2, Y, T

april A1, Y, P, R, UH2, L
architect AH1, R, K, UH2, T, EH3, EH2, K, T

are (see "R" program)
area EH1, EH3, R, Y, UH1
arrive UH1, R, AH1, EH3, Y, V
arrow EH1, EH3, R, O1, U1
article AH1, R, T, EH3, K, UH3, L
as AE1, EH3, Z
ASCII AE1, EH3, S, K, Y
ask AE1, EH3, S, K
assemble UH1, S, EH1, EH3, M, B, UH3, L
asset AE1, EH3, S, EH1, T
assign UH1, S, AH1, EH3, Y, N
assist UH1, S, I1, I3, S, T
associate UH1, S, O1, SH, Y, A1, Y, T
associate-2 UH1, S, O1, SH, Y, I2, T
assume UH1, S, IU, U1, M
at AE1, EH3, T
ate (see "eight" program)
attach UH1, T, AE1, EH3, T, CH
attempt UH1, T, EH1, EH3, M, P, T
attend UH1, T, EH1, EH3, N, D
audio AW, D, Y, O1, U1

august AW2, AW2, G, EH2, S, T
 authorize AW2, AW2, TH, ER, AH1, Y, Z
 automatic AW2, AW2, DT, UH3, M, AE1,
 EH3, DT, I3, K
 available UH1, V, A1, Y, L, UH3, B,
 UH3, L
 average AE1, EH3, V, R, I1, D, J
 avoid UH1, V, O1, UH3, I3, AY, D

B B, E1, Y
 back B, AE1, AE1, K
 bad B, AE1, AE1, D
 badge B, AE1, AE1, D, J
 bag B, AE1, AE1, G
 balance B, AE1, AH2, L, I3, N, DT, S
 ball B, AW2, AW1, L
 band B, AE1, EH3, N, D
 bank B, AE1, I3, NG, K
 bar B, AH1, UH3, R
 base B, A1, AY, Y, S
 basic B, A1, Y, S, I2, K
 bat B, AE1, EH3, T
 batch B, AE1, EH3, T, CH
 bath B, AE1, AE1, EH3, TH
 battery B, AE1, EH3, T, ER, Y
 be (use "B" program)
 bed B, EH1, EH3, D
 been B, EH1, EH3, N
 beep B, E1, Y, P
 before B, Y, F, O2, O2, R
 begin B, Y, G, I1, I3, N
 bell B, EH1, UH3, L
 below B, Y, L, UH3, O2, U1
 bend B, EH1, EH3, N, D
 best B, EH1, EH3, S, T
 beta B, A2, A2, AY, T, UH2
 better B, EH1, EH3, T, ER
 between B, Y, T, W, E1, Y, N
 bid B, I1, I3, D
 big B, I1, I3, G
 bill B, I1, I3, L
 billion B, I1, I3, L, Y, UH3, N
 bin B, I1, I3, N
 binary B, AH1, Y, N, EH3, EH3, ER, Y

birthday B, ER, R, TH, D, A1, I3, Y
 bit B, I1, I3, T
 bite B, UH3, AH2, Y, T
 black B, L, AE1, EH3, K
 blank B, L, AE1, EH3, NG, K
 blew (use "blue" program)
 blind B, L, AH1, EH3, Y, N, D
 block B, L, AH1, UH3, K
 blown B, L, O1, U1, N
 blue B, L, IU, U1, U1
 blur B, L, ER, R
 board B, O1, O2, R, D
 bolt B, O2, O2, L, T
 bond B, AH1, UH3, N, D
 book B, OO1, OO1, K
 bored (use "board" program)
 boss B, AW1, AW2, S
 bother B, AH1, UH3, THV, ER
 bottom B, AH1, UH3, T, UH1, M
 bought B, AW1, AW2, T
 box B, AH1, UH3, K, PAO, S
 brace B, R, A1, Y, S
 brain B, R, A1, Y, N
 brake B, R, A1, Y, K
 branch B, R, AE1, EH3, N, T, CH
 bravo B, R, AH1, UH3, V, O1, U1
 break (use "brake" program)
 bridge B, R, I1, I3, D, J
 brief B, R, AY, Y, F
 bright B, R, UH3, AH2, Y, T
 bring B, R, I1, I3, NG
 broke B, R, O1, U1, K
 brought B, R, AW, T
 brown B, R, AH1, UH3, U1, N
 bubble B, UH1, UH2, B, UH3, L
 budget B, UH1, UH3, D, J, I2, T
 bug B, UH1, UH2, G
 build B, I2, I2, L, D
 bus B, UH1, UH2, S
 business B, I3, I3, Z, N, EH2, S
 busy B, I3, I2, Z, Y
 but B, UH1, UH2, T
 button B, UH1, UH3, T, EH3, N
 buy B, AH1, EH3, I3, Y

by B, AH1, EH3, I3, Y
 bye B, AH1, EH3, I3, Y
 bite (use "bite" program)

 C S, E1, Y
 cable K, A1, Y, B, UH3, L
 calendar K, AE1, UH3, L, I3, N, D, ER
 calibrate K, AE1, UH3, L, UH3, B, R, A1, Y, T

 call K, AW2, AW1, L
 came K, A1, AY, Y, M
 can K, AE1, EH3, N
 cancel K, AE1, EH3, N, S, UH3, L
 capable K, A1, Y, P, UH3, B, UH3, L
 capacitor K, UH2, P, AE1, EH3, S, EH3, T, ER

 capacity K, UH2, P, AE1, EH3, S, I3, DT, Y

 car K, AH1, UH3, R
 card K, AH1, R, D
 care K, EH3, EH3, ER
 carpenter K, AH1, R, P, I3, N, D, ER
 carriage K, EH2, EH3, R, I1, D, J
 carry K, EH2, EH3, R, Y
 carton K, AH1, R, T, I3, N
 case K, A1, AY, Y, S
 cash K, AE1, EH3, SH
 cassette K, UH1, S, EH1, EH3, T
 cassette-2 K, A2, AY, S, EH1, EH2, T
 category K, AE1, EH3, DT, UH3, G, O1, R, Y

 catalog K, AE1, EH3, DT, UH3, L, AW2, AW2, G

 caution K, AW2, AW1, SH, UH3, N
 cent S, EH1, EH3, N, T
 center S, EH1, EH3, N, T, ER
 centi S, EH1, EH3, N, T, I1, I3
 centigrade S, EH1, N, T, I3, G, R, A1, Y, D
 certify S, R, R, T, I3, F, AH1, Y
 change T, CH, A1, AY, Y, N, D, J
 character K, EH1, R, EH1, K, T, ER
 charge T, CH, AH1, R, D, J
 charlie T, CH, AH1, R, L, Y
 chart T, CH, AH1, R, T

check T, CH, EH1, EH3, K
 cheer T, CH, AY, I2, R
 chip T, CH, I1, I3, P
 choice T, CH, O1, UH3, I3, AY, S
 circle S, ER, R, K, UH3, L
 circuit S, R, R, K, I2, T
 city S, I1, T, Y
 claim K, L, A1, AY, Y, M
 class K, L, AE1, EH3, S
 clean K, L, E1, AY, N
 clear K, L, AY, I3, R
 clerk K, L, ER, K
 clip K, L, I1, I3, P
 clock K, L, AH1, UH3, K
 close K, L, UH3, O1, U1, Z
 close-2 K, L, UH3, O2, U1, S
 cloud K, L, AH1, UH3, W, D
 coarse K, O1, O2, R, S
 code K, OO1, O2, U1, D
 coin K, O1, UH3, I3, AY, N
 collar K, AH1, UH3, L, ER
 collect K, UH1, L, EH1, K, T
 colon K, OO1, O2, U1, L, I2, N
 color K, UH2, UH2, L, ER
 column K, AH1, UH3, L, UH3, M
 combine K, UH2, M, B, AH1, EH3, Y, N
 comma K, AH1, UH3, M, UH1
 command K, UH2, M, AE, EH3, N, D
 commerce K, AH1, UH3, M, ER, S
 commercial K, UH1, UH3, M, ER, SH, UH3, L

 communicate K, UH2, M, Y1, IU, U1, N, I3, K, A1, Y, T

 company K, UH1, UH3, M, P, EH3, N, Y
 compare K, UH1, UH3, M, P, EH3, EH3, ER

 compile K, UH1, UH3, M, P, AH1, EH3, I3, UH3, L

 complete K, UH1, UH3, M, P, L, AY, Y, T
 comply K, UH1, UH3, M, P, L, AH1, EH3, Y

 component K, UH2, M, P, O2, O1, N, EH2, N, T

 computer K, UH1, M, P, Y1, IU, U1, T, ER
 Copyright VOTRAX® 1981

conceal K, UH1, N, S, E1, AY, L
condense K, UH1, N, D, EH1, EH3, N, S
condition K, UH1, N, D, I1, I3, SH, UH3, N
confirm K, UH1, N, F, ER, R, M
confuse K, UH1, N, F, Y1, IU, U1, U1, Z
confusion K, UH1, N, F, Y1, IU, U1, U1, ZH, UH3, N
congratulations K, UH1, N, G, R, AE1, D, J, UH3, L, A1, AY, SH, UH3, N, Z
connect K, UH1, N, EH1, EH3, K, T
console K, AH1, UH3, N, S, O1, U1, L
console-2 K, UH1, N, S, O1, O2, L
consult K, UH1, N, S, UH1, UH2, L, T
consume K, UH1, N, S, IU, U1, U1, M
contain K, UH3, UH3, N, T, A1, AY, Y, N
continue K, UH1, N, T, I1, I3, N, Y1, IU, U1
contract K, AH1, UH3, N, T, R, AE1, EH3, K, T
contrast K, AH1, UH3, N, T, R, AE1, EH3, S, T
control K, UH1, N, T, R, O1, O2, L
convenient K, UH2, N, V, E1, N, AY, EH3, N, T
copper K, AH1, UH3, P, ER
copy K, AH1, UH3, P, Y
correct K, O2, O2, R, EH1, EH3, K, T
correspond K, O1, R, I3, S, P, AH1, AH2, N, D
cosine K, O1, U1, S, AH1, Y, N
cost K, AW2, AW1, S, T
could K, IU, IU, OO1, D
count K, AH1, UH3, W, N, T
country K, UH1, N, T, R, Y
couple K, UH3, UH1, P, UH3, L
courage K, ER, R, I3, D, J
course K, O1, O2, R, S
court K, O1, O2, R, T
cover K, UH1, UH3, V, ER
crane K, R, A1, AY, Y, N
crash K, R, AE1, EH3, SH
crease K, R, E1, Y, S
create K, R, Y, A1, Y, T
creation K, R, Y, A1, Y, SH, UH3, N

credit
crew
critical
cross
crowd
cry
cue
cup
curious
current
currency
curse
curve
customer
cut
cycle

D
daily
damage
danger
dark
dash
data
date
day
dead
dealer
dear
debit
debt
december
decide
decimal
decision
decline
decrease
deduct
deep
deer
defeat
defend
defensive
defer

K, R, EH1, EH3, D, I1, T
 K, R, IU, U1, U1
 K, R, I1, T, I3, K, UH3, L
 K, R, AW, S
 K, R, AH1, UH3, U1, D
 K, R, AH1, EH3, I3, Y
 (use "Q" program)
 K, UH1, UH2, P
 K, Y, ER, Y, UH1, S
 K, ER, R, EH3, N, T
 K, ER, R, I2, N, DT, S, Y
 K, ER, R, S
 K, ER, R, V
 K, UH1, UH2, S, T, UH1, M, ER
 K, UH1, UH2, T
 S, UH3, AH2, Y, K, UH3, L

D, E1, Y
 D, A1, AY, Y, L, Y
 D, AE1, EH3, M, I1, D, J
 D, A1, AY, Y, N, D, J, ER
 D, AH1, R, K
 D, AE1, EH3, SH
 D, A1, Y, DT, UH1
 D, A1, AY, Y, T
 D, A1, I3, Y
 D, EH1, EH3, F
 D, E1, AY, L, ER
 D, AY, I3, R
 D, EH1, EH3, B, I2, T
 D, EH1, EH3, T
 D, Y, S, EH1, EH3, M, B, ER
 D, Y, S, AH1, EH3, Y, D
 D, EH1, S, M, UH3, L
 D, Y, S, I1, ZH, UH3, N
 D, Y, K, L, AH1, EH3, Y, N
 D, Y, K, R, E1, Y, S
 D, Y, D, UH1, UH2, K, T
 D, E1, Y, P
 (use "dear" program)
 D, Y, F, E1, AY, T
 D, Y, F, EH1, EH3, N, D
 D, Y, F, EH1, EH3, N, S, I1, V
 D, E1, F, ER, R

deficit D, EH1, F, I3, S, I1, T
 degree D, Y, G, R, E1, Y
 delay D, I1, L, EH3, A1, Y
 delete D, E1, L, E1, Y, T
 deliver D, Y, L, I1, V, ER
 delta D, EH2, EH3, L, T, UH1
 demand D, Y, M, AE1, EH3, N, D
 demonstrate D, EH1, M, UH3, N, S, T, R, A1, Y, T
 deny D, Y, N, AH1, EH3, Y
 destroy D, Y, S, T, R, O1, UH3, I3, AY
 detail D, E, T, EH3, A1, I3, UH3, L
 determine D, Y, T, ER, M, I1, N
 device D, Y, V, UH3, AH2, Y, S
 dew (use "do" program)
 diagnostic D, AH1, AY, I3, G, N, AH1, UH3, S, T, I3, K
 dial D, AH1, EH3, I3, UH3, L
 dictionary D, I1, I3, K, SH, UH3, N, EH3, EH3, ER, Y
 did D, I1, I3, D
 die D, AH1, EH3, Y
 diet D, AH1, EH3, AY, I2, T
 differ D, I1, I3, F, ER
 difference D, I1, F, R, EH3, N, DT, S
 different D, I1, F, R, EH3, N, T
 digit D, I1, D, J, I1, T
 digital D, I1, D, J, I3, T, UH3, L
 dime D, AH1, EH3, Y, M
 diode D, AH1, EH3, AY, O1, U1, D
 direct D, ER, EH1, EH3, K, T
 directory D, ER, EH1, EH3, K, T, ER, Y
 dirt D, ER, R, T
 disagree D, I1, S, UH1, G, R, E1, Y
 disappear D, I1, S, UH1, P, AY, I3, R
 disconnect D, I1, S, K, UH1, N, EH1, EH3, K, T
 discuss D, I1, I3, S, K, UH1, UH2, S
 disk D, I1, I3, S, K
 display D, I1, I3, S, P, L, A1, I3, Y
 distance D, I1, S, T, EH3, N, T, S
 divide D, I1, V, AH1, EH3, Y, D
 dividend D, I1, V, I1, D, EH1, EH3, N, D
 division D, I1, V, I1, ZH, UH3, N

do
 dock
 doctor
 document

does
 dollar
 done
 door
 double
 doubt
 down
 draft
 draw
 drill
 drink
 drive
 drop
 drum
 dry
 due
 dump
 duration
 during
 duty
 dwell

E
 each
 ear
 early
 earn
 east
 easy
 echo
 edge
 edit
 educate
 effect
 efficient
 effort
 eight
 eighth

D, IU, U1, U1
 D, AH1, UH3, K
 D, AH1, UH3, K, T, ER
 D, AH1, K, Y1, UH3, M, EH3, N, T
 D, UH2, UH1, Z
 D, AH1, UH3, L, ER
 D, UH1, UH3, N
 D, O1, O2, R
 D, UH3, UH1, B, UH3, L
 D, UH3, AH2, U1, T
 D, AH1, UH3, U1, N
 D, R, AE1, EH3, F, T
 D, R, AW
 D, R, I1, I3, L
 D, R, I1, I3, NG, K
 D, R, AH1, EH3, Y, V
 D, R, AH1, UH3, P
 D, R, UH1, UH2, M
 D, R, AH1, EH3, I3, Y
 (use "do" program)
 D, UH1, UH2, M, P
 D, ER, R, A1, Y, SH, UH3, N
 D, ER, R, I1, NG
 D, IU, U1, U1, T, Y
 D, W, EH1, EH3, L

E1, Y
 E1, AY, T, CH
 E1, I2, R
 ER, R, L, Y
 ER, R, N
 E1, AY, S, T
 E1, AY, Z, Y
 EH1, EH3, K, O1, U1
 EH1, EH3, D, J
 EH1, EH3, D, I2, T
 EH1, D, J, U1, K, A1, Y, T
 UH1, F, EH1, EH3, K, T
 E1, F, I1, SH, EH3, N, T
 EH2, EH3, F, ER, T
 A2, A2, Y, T
 A2, A2, Y, DT, TH

eighty A2, A2, Y, T, Y
 either E1, Y, THV, ER
 electric EH3, L, EH1, K, T, R, I2, K
 electrician EH3, L, EH1, K, PAO, T, R, I1, SH, UH3, N
 electronic EH3, L, EH1, K, T, R, AH1, N, I2, K
 elevator EH1, L, UH3, V, A2, AY, D, ER
 eleven EH1, L, EH1, EH3, V, I2, N
 eligible EH1, L, UH3, D, J, EH3, B, UH3, L
 eliminate EH1, L, I1, M, I1, N, A1, Y, T
 else EH1, EH3, L, S
 emit Y, M, I1, I3, T
 employ EH1, EH3, M, P, L, O1, UH3, I3, AY
 empty EH1, EH3, M, P, T, Y
 enable EH1, N, A1, Y, B, UH3, L
 enclose EH1, EH3, N, K, L, O1, U1, Z
 end EH1, EH3, N, D
 engine EH1, EH3, N, D, J, I1, N
 engineer EH1, N, D, J, I2, N, AY, I1, R
 endorse EH1, EH3, N, D, O2, O2, R, S
 english I1, NG, G, L, I2, SH
 enter EH1, EH3, N, T, ER
 entry EH1, EH3, N, T, R, Y
 epsilon EH1, P, S, UH3, L, AH1, UH3, N
 equal Y, K, W, UH3, L
 equipment E1, K, W, IL, P, M, EH3, N, T
 erase E1, R, A1, Y, S
 error EH3, EH3, EH3, R, ER
 escape EH1, EH3, S, K, A1, AY, Y, P
 escrow EH1, EH3, S, K, R, O1, U1
 establish UH1, S, T, AE1, EH3, B, L, I2, SH
 estate EH1, EH3, S, T, A1, AY, Y, T
 estimate EH1, S, T, EH3, M, I3, T
 exact EH1, EH3, G, PAO, Z, AE1, EH3, K, T
 examine EH1, EH3, G, PAO, Z, AE1, EH3, M, I1, N
 exceed EH1, EH3, K, PAO, S, E1, Y, D
 except EH1, EH3, K, PAO, S, EH1, EH3, P, T

exchange EH1, EH3, K, PAO, S, T, CH, A1, AY, Y, N, D, J
 execute EH1, EH3, K, PAO, S, UH3, K, Y1, IU, U1, T
 exempt EH1, EH3, G, PAO, Z, EH1, EH3, M, P, T
 exit EH1, EH3, G, PAO, Z, I1, I3, T
 expect EH1, EH3, K, PAO, S, P, EH1, EH3, K, T
 expedite EH1, EH3, K, PAO, S, P, EH1, EH3, D, UH3, AH2, Y, T
 expend EH1, EH3, K, PAO, S, P, EH1, EH3, N, D
 experiment EH1, K, PAO, S, P, EH1, R, UH3, M, EH3, N, T
 exponent EH1, K, PAO, S, P, O2, O2, N, EH3, N, T
 express EH1, EH3, K, PAO, S, P, R, EH1, S
 extension EH1, EH3, K, PAO, S, T, EH1, EH3, N, SH, UH3, N

F EH1, EH2, F
 face F, A1, AY, Y, S
 facility F, UH2, S, I1, L, I3, T, Y
 fact F, AE1, EH3, K, T
 fahrenheit F, EH1, R, I2, N, H, UH3, AH2, Y, T
 fail F, A1, AY, I3, UH3, L
 fall F, AW, L
 false F, AW, L, S
 familiar F, UH1, M, I1, L, Y1, ER
 far F, AH1, UH3, R
 farad F, EH3, EH3, ER, AE1, EH3, D
 fast F, AE1, EH3, S, T
 fault F, AW, L, T
 feat (use "feet" program)
 feature F, E1, AY, T, CH, ER
 february F, EH1, B, Y1, IU, W, EH1, R, Y
 federal F, EH1, EH3, D, R, UH3, L
 fee F, E1, Y
 feed F, E1, Y, D
 feet F, E1, Y, T
 female F, AY, Y, M, A1, AY, UH3, L

field F, E1, AY, UH3, L, D
 fifteen F, I1, I3, F, T, E1, Y, N
 fifth F, I1, I3, F, TH
 fifty F, I1, I3, F, T, Y
 file F, AH1, EH3, I3, UH3, L
 fill F, I1, I3, L
 final F, AH1, Y, N, UH3, L
 finance F, AH1, EH3, Y, N, AE1, EH3, N, S
 find F, AH1, EH3, Y, N, D
 finger F, I1, I3, NG, G, ER
 finish F, I1, N, I1, SH
 fire F, AH1, EH3, AY, R
 first F, ER, R, S, T
 fit F, I1, I3, T
 five F, AH1, EH3, Y, V
 fix F, I1, I3, K, PAO, S
 fixture F, I1, I3, K, PAO, S, T, CH, ER
 flash F, L, AE1, EH3, SH
 flat F, L, AE1, EH3, T
 flight F, L, UH3, AH2, Y, T
 flip F, L, I1, I3, P
 floor F, L, O1, O2, R
 flop F, L, AH1, UH3, P
 flow F, L, O1, U1
 fly F, L, AH1, EH3, Y
 fold F, O2, O2, L, L, D
 follow F, AH1, AW2, L, O1, U1
 food F, U1, U1, D
 foot F, OO1, OO1, T
 for (use "four" program)
 fore (use "four" program)
 force F, O2, O2, R, S
 foreman F, O2, O2, R, M, EH2, N
 forget F, O2, O2, R, G, EH1, EH3, T
 forgive F, O2, O2, R, G, I1, I3, V
 form F, O2, O2, R, M
 format F, O2, O2, R, M, AE1, EH3, T
 forty F, O2, O2, R, T, Y
 forward F, O2, O2, R, W, ER, D
 found F, AH1, UH3, W, N, D
 four F, O1, O2, R
 fourth F, O1, O2, R, TH

fox trot F, AH1, UH3, K, PAO, S, T, R, AH1, UH3, T
 frame F, R, A1, AY, Y, M
 fraud F, R, AW, D
 free F, R, E1, Y
 french F, R, EH1, EH3, N, T, CH
 frequency F, R, E1, K, W, EH3, N, DT, S, Y
 frequent F, R, E1, K, W, EH3, N, T
 friday F, R, AH1, EH3, Y, D, A1, I3, Y
 fright F, R, UH3, AH2, Y, T
 from F, R, UH1, UH3, M
 front F, R, UH3, UH1, N, T
 fruit F, R, IU, U1, T
 fuel F, Y1, IU, U1, UH3, L
 full F, OO1, L
 function F, UH1, UH2, N, K, SH, UH3, N
 fund F, UH1, UH2, N, D
 furnace F, ER, R, N, EH3, S
 further F, ER, R, THV, ER
 future F, Y1, IU, U1, T, CH, ER
 G D, J, E1, Y
 gage (use "gauge" program)
 gain G, A1, AY, Y, N
 gait (use "gate" program)
 gallon G, AE1, AH2, L, UH3, N
 game G, A1, AY, Y, M
 gamma G, AE1, EH3, M, UH2, UH3
 gap G, AE1, EH3, P
 garage G, UH1, R, AH1, UH3, ZH
 gas G, AE1, EH3, S
 gate G, A1, AY, Y, T
 gauge G, A1, AY, Y, D, J
 general D, J, EH1, EH3, N, ER, UH3, L
 generate D, J, EH1, N, ER, A1, Y, T
 gentlemen D, J, EH1, EH3, N, T, L, M, I2, N
 german D, J, ER, R, M, EH2, N
 get G, EH1, EH3, T
 girl G, ER, R, L
 give G, I1, I3, V
 glass G, L, AE1, EH3, S
 glitch G, L, I1, I3, T, CH
 globe G, L, O1, U1, B
 go G, OO1, O1, U1

golf G, AW2, AW2, UH3, L, F
 good G, OO1, OO1, D
 govern G, UH1, UH3, V, ER, N
 grade G, R, A1, AY, Y, D
 gram G, R, AE1, EH3, M
 grand G, R, AE1, EH3, N, D
 graph G, R, AE1, EH3, F
 grate (use "great" program)
 gray (use "grey" program)
 great G, R, A1, Y, T
 green G, R, E1, Y, N
 greet G, R, E1, Y, T
 grey G, R, A1, AY, Y
 grind G, R, AH1, EH3, Y, N, D
 grocery G, R, O1, U1, S, ER, Y
 ground G, R, AH1, UH3, W, N, D
 group G, R, U1, U1, P
 grow G, R, O1, U1
 guard G, AH1, R, D
 guarantee G, EH1, R, I3, N, T, E1, Y
 guess G, EH1, EH3, S

 H A1, AY, Y, T, CH
 had H, AE1, EH3, D
 half H, AE1, EH3, F
 halt H, AW, L, T
 hammer H, AE1, EH3, M, ER
 hand H, AE1, EH3, N, D
 handle H, AE1, EH3, N, D, UH3, L
 hang H, AE1, I3, NG
 happy H, AE1, EH3, P, Y
 hard H, AH1, R, D
 has H, AE1, EH3, Z
 have H, AE1, EH3, V
 he H, E1, Y
 head H, EH1, EH3, D
 hear H, AY, I3, R
 heart H, AH1, UH3, R, T
 heat H, E1, AY, T
 heavy H, EH1, V, Y
 height H, UH3, AH2, Y, T
 held H, EH1, UH3, L, D
 hello H, EH1, UH3, L, UH3, O1, U1
 help H, EH1, EH3, L, P

henry H, EH1, EH3, N, R, Y
 her H, ER
 here (use "hear" program)
 hertz H, R, R, T, S
 hex H, EH1, EH3, K, PAO, S
 high H, AH1, EH3, Y
 his H, I1, I3, Z
 hold H, O2, O2, L, L, D
 hole H, O1, U1, L
 home H, O1, U1, M
 hook H, OO1, OO1, K
 host H, O1, U1, S, T
 hot H, AH1, UH3, T
 hotel H, O1, U1, T, EH2, EH2, L
 hour AH1, UH3, W, ER
 house H, UH3, AH2, U1, S
 how H, AH1, O2, U1
 human H, Y1, IU, U1, U1, M, EH2, N
 hundred H, UH1, UH2, N, D, R, I3, D
 hungry H, UH1, UH2, NG, G, R, Y

 I AH1, EH3, I3, Y
 idle AH1, Y, D, UH3, L
 idol (use "idle" program)
 if I1, I3, F
 immediate I1, I3, M, E1, D, Y, EH3, T
 important I1, I3, M, P, O2, O2, R, T, EH3, N, T
 improper I1, I3, M, P, R, AH1, UH3, P, ER
 improve I1, I3, M, P, R, IU, U1, U1, V
 in I1, I3, N
 inch I1, I3, N, T, CH
 include I1, I3, N, K, L, IU, U1, U1, D
 income I1, I3, N, K, UH1, UH3, M
 independent I1, N, D, E1, P, EH2, EH3, N, D, EH3, N, T

 index I1, I3, N, D, EH1, EH3, K, PAO, S
 india I2, I3, N, D, Y, UH2
 indicate I1, N, D, I3, K, A1, Y, T
 industrial I1, I3, N, D, UH1, UH2, S, T, R, AY, UH3, L

 inform I1, I3, N, F, O2, O2, R, M
 initial I1, I3, N, I1, SH, UH3, L
 inn (use "in" program)

input I1, I3, N, P, OO1, OO1, T
 inquire I1, I3, N, K, W, AH1, EH3, AY, R
 insert I1, N, S, R, R, T
 inspect I1, I3, N, S, P, EH1, EH3, K, T
 install I1, I3, N, S, T, AW, L
 instead I1, I3, N, S, T, EH1, EH3, D
 instruct I1, I3, N, S, T, R, UH1, UH2, K, T
 instrument I1, I3, N, S, T, R, UH1, M, EH1, EH3, N, T
 insufficient I1, N, S, UH2, F, I1, SH, EH3, N, T
 insurance I1, I3, N, SH, ER, R, EH3, N, T, S
 interest I1, N, T, R, EH1, S, T
 interface I1, I3, N, T, ER, F, A1, AY, Y, S
 interpret I1, I3, N, T, ER, P, R, EH3, T
 interrupt I1, N, T, ER, UH3, UH1, P, T
 intrude I1, I3, N, T, R, IU, U1, U1, D
 invalid I1, I3, N, V, AE1, AW2, L, I1, D
 invent I1, I3, N, V, EH1, EH3, N, T
 inventory I1, N, V, EH1, N, T, O1, R, Y
 invest I1, I3, N, V, EH1, EH3, S, T
 invoice I1, I3, N, V, O1, UH3, I3, AY, S
 irregular I1, R, EH1, G, Y1, UH3, L, ER
 is I1, I3, Z
 it I1, I3, T
 item AH2, UH3, Y, D, UH3, M
 J D, J, EH3, A1, AY, Y
 jack D, J, AE1, EH3, K
 january D, J, AE1, EH3, N, Y1, U1, EH3, EH3, ER, Y
 job D, J, AH1, UH3, B
 join D, J, O1, UH3, I3, AY, N
 jolt D, J, O2, O2, L, T
 joy D, J, O1, UH3, I3, AY
 judge D, J, UH1, UH2, D, J
 juliet D, J, IU, U1, L, Y, EH2, EH3, T
 july D, J, UH1, L, AH1, EH3, Y
 jump D, J, UH1, UH2, M, P
 june D, J, IU, U1, U1, N
 K K, EH3, A1, AY, Y
 keep K, E1, Y, P
 key K, E1, Y

keyboard K, AY, Y, B, O1, O2, R, D
 kill K, I1, I3, L
 kilo K, E1, AY, L, UH3, O2, U1
 knew (use "new" program)
 knot (use "not" program)
 know (use "no" program)
 knowledge N, AH1, UH3, L, I3, D, J
 L EH1, EH3, UH3, L
 lab L, AE1, EH3, B
 labor L, A1, Y, B, ER
 language L, AE1, EH3, NG, G, W, I1, D, J
 lapse L, AE1, EH3, P, S
 large L, AH1, R, D, J
 last L, AE1, EH3, S, T
 late L, A1, AY, Y, T
 law L, AW
 lead L, E1, Y, D
 led L, EH1, EH3, D
 left L, EH1, EH3, F, T
 leg L, EH1, EH3, G
 legal L, E1, G, UH3, L
 lend L, EH1, EH3, N, D
 length L, EH1, EH3, NG, TH
 less L, EH1, EH3, S
 let L, EH1, EH3, T
 letter L, EH1, EH3, T, ER
 level L, EH1, EH3, V, UH3, L
 life L, UH3, AH2, Y, F
 light L, UH3, AH2, Y, T
 like L, UH3, AH2, Y, K
 lima L, AY, Y, M, UH1
 limit L, I1, M I1, T
 line L, AH1, EH3, Y, N
 linear L, I2, I3, N, AY, Y, ER
 link L, I1, I3, NG, K
 lip L, I1, I3, P
 liquid L, I1, K, W, I1, D
 list L, I1, I3, S, T
 listen L, I1, I3, S, I2, N
 little L, I1, I3, T, UH3, L
 load L, UH3, O1, U1, D
 loan L, UH3, O1, U1, N

local L. 02, 02, K, UH3, L
 lock L. AH1, UH3, K
 log L. AW, G
 long L. AW, NG
 look L. 001, 001, K
 loss L. AW, S
 lost L. AW, S, T
 lot L. AH1, UH3, T
 low L. 01, U1

 M EH1, EH2, M
 machine M, UH2, SH, E1, Y, N
 mail (use "male" program)
 maintenance M. A1, Y, N, T, EH2, N, EH3, N, DT, S

 make M. A1, AY, Y, K
 male M. A2, A2, AY UH3, L
 man M. AE1, EH3, N
 manage M. AE1, EH3, N, I1, D, J
 manual M. AE1, EH3, N, Y1, U1, UH3, L
 manufacture M. AE1, EH3, N, Y1, U1, F, AE1, EH3, K, T, CH, ER

 many M. EH2, EH2, N, Y
 map M. AE1, EH3, P
 march M. AH1, R, T, CH
 margin M. AH1, UH3, R, D, J, I2, N
 mark M. AH1, R, K
 market M. AH1, R, K, EH3, T
 match M. AE1, EH3, T, CH
 mature M. UH1, T, CH, IU, ER
 maximum M. AE1, EH3, K, PAO, S, EH3, M, UH2, M

 may M. A1, I3, Y
 me M. E1, Y
 measure M. EH3, EH1, ZH, ER
 meat M. E1, AY, T
 mechanical M. UH1, K, AE1, EH3, N, I3, K, UH3, L

 media M. E1, AY, D, Y, UH1
 medicine M. EH2, EH3, D, I3, S, I1, N
 medium M. E1, D, AY, UH1, M
 meet (use "meat" program)
 mega M. EH1, EH3, G, UH2, UH3
 member M. EH1, EH3, M, B, ER

memory M, EH1, EH3, M, ER, Y
 men M, EH1, EH3, N
 merchandise M, ER, T, CH, EH3, N, D, AH1, EH3, Y, Z

 merge M, ER, R, D, J
 message M, EH1, EH3, S, I2, D, J
 metal M, EH1, EH3, T, UH3, L
 meter M, E1, Y, T, ER
 micro M, UH3, AH2, AY, K, R, 01, U1
 middle M, I1, I3, D, UH3, L
 mike M, UH3, AH2, Y, K
 mile M, AH1, EH3, I3, UH3, L
 mill M, I1, I3, L
 milli M, I1, I3, L, UH3
 million M, I1, I3, L, Y, UH3, N
 mini M, I2, I2, N, Y
 minus M, AH1, Y, N, EH3, S
 minute M, I1, N, EH3, T
 miscellaneous M, I1, S, UH3, L, A1, AY, N, Y, UH3, S

 miss M, I1, I3, S
 mistake M, I1, I3, S, T, A1, AY, Y, K
 mode M, 01, U1, D
 model M, AH1, UH3, D, UH3, L
 module M, AH1, UH3, D, J, IU, U1, UH3, L

 monday M, UH3, UH1, N, D, A1, I3, Y
 money M, UH3, UH1, N, AY, Y
 month M, UH3, UH1, N, TH
 more M, 02, 02, R
 morning M, 02, 02, R, N, I1, I3, NG
 most M, 01, U1, S, T
 motor M, 01, U1, T, ER
 mount M, AH1, UH3, W, N, T
 move M, U1, U1, V
 Mr. M, I1, S, T, ER
 Mrs. M, I1, S, I2, Z
 Ms. M, I1, I3, Z
 much M, UH1, UH2, T, CH
 multi M, UH2, UH3, L, T, Y
 multiple M, UH1, L, T, EH3, P, UH3, L
 multiply M, UH1, L, T, I3, P, L, AH1, Y

N	EH1, EH2, N
name	N, A1, AY, Y, M
nano	N, AE1, EH3, N, O1, U1
national	N, AE1, EH3, SH, UH3, N, UH3, L
native	N, A1, Y, T, I1, V
near	N, AY, I1, R
neat	N, E1, AY, T
neck	N, EH1, EH3, K
need	N, E1, Y, D
negative	N, EH1, G, EH3, T, I1, V
net	N, EH1, EH3, T
neutral	N, IU, U1, T, R, UH2, L
new	N, IU, U1, U1
next	N, EH1, EH3, K, PAO, S, T
nice	N, UH3, AH2, Y, S
nickel	N, I1, I3, K, UH3, L
night	N, UH3, AH2, Y, T
nine	N, AH1, EH3, Y, N
ninety	N, AH1, EH3, Y, N, T, Y
nineth	N, AH1, Y, N, DT, TH
no	N, O01, O1, U1
noise	N, O1, UH3, I3, AY, Z
none	N, UH1, UH3, N
noon	N, IU, U1, U1, N
normal	N, O2, O2, R, M, UH3, L
north	N, O2, O2, R, TH
not	N, AH1, UH3, T
note	N, O1, U1, T
nothing	N, UH1, TH, I1, I3, NG
notice	N, O1, U1, T, I1, S
notify	N, O1, U1, T, I1, F, AH1, EH3, Y
november	N, O1, U1, V, EH1, EH3, M, B, ER
now	N, AH1, UH3, U1
number	N, UH1, UH2, M, B, ER
nurse	N, ER, R, S
nut	N, UH1, UH2, T
O	O2, O1, U1
oar	(use "or" program)
object	UH1, B, D, J, EH1, EH3, K, T
object-2	AH1, UH3, B, D, J, EH2, EH2, K, T

obligation	AH1, B, L, I3, G, A1, Y, SH, UH3, N
obsolete	AH1, UH3, B, S, UH3, L, AY, Y, T
october	AH1, UH3, K, T, O1, U1, B, ER
odd	AH1, UH3, D
of	UH1, UH3, V
off	AW, F
office	AW, F, I1, S
official	UH1, F, I1, SH, UH3, L
often	AW2, AW2, F, I3, N
ohm	O2, O2, U1, M
oil	O1, EH3, I3, UH3, L
old	O2, O2, L, L, D
omega	O1, U1, M, A1, Y, G, UH2
omit	O1, U1, M, I1, I3, T
on	AH1, UH3, N
once	W, UH1, N, T, S
one	W, UH1, UH2, N
only	O1, O2, N, L, Y
open	O1, P, I2, N
operable	AH1, UH3, P, ER, UH3, B, UH3, L
operate	AH1, UH3, P, ER, A1, Y, T
operator	AH1, UH3, P, ER, A1, Y, T, ER
option	AH1, UH3, P, SH, UH3, N
or	O2, O2, R
orange	O2, O2, R, I1, N, D, J
order	O2, O2, R, D, ER
ore	(use "or" program)
original	O2, R, I2, I3, D, J, I3, N, UH3, L
oscar	AH1, UH3, S, K, ER
other	UH1, UH3, THV, ER
ounce	AH1, UH3, W, N, S
out	UH3, AH2, U1, T
oven	UH1, V, I2, N
over	O1, O2, V, ER
oxygen	AH1, UH3, K, PAO, S, I3, D, J, I2, N
own	O1, U1, N
P	P, E1, Y
pack	P, AE1, EH3, K
package	P, AE1, EH3, K, I1, D, J
paid	P, A1, AY, Y, D

pain P, A1, AY, Y, N
 (use "pain" program)
 pane P, AE1, EH3, N, UH3, L
 panel P, AH1, UH3, P, UH3, UH3
 papa P, A1, Y, P, ER
 paper P, AH1, R, S, UH3, L
 parcel P, EH3, EH3, ER, I2, N
 paren P, AH1, R, T
 part P, AH1, R, SH, UH2, L
 partial P, AE1, EH3, S
 pass (use "past" program)
 passed P, AE1, EH3, S, T
 past P, AE1, EH3, T
 pat P, AE1, EH3, T, ER, N
 pattern P, AW, Z
 pause P, A2, A2, AY, Y
 pay (use "P" program)
 pea (use "piece" program)
 peace P, E1, AY, K
 peak (use "peak" program)
 peek P, ER, S, EH1, EH3, N, T
 percent P, I1, R, Y, UH2, D
 period P, ER, M, EH2, N, EH1, N, T
 permanent P, ER, S, UH1, N
 person P, ER, S, UH3, N, UH2, L
 personal P, ER, S, UH3, N, AE1, UH3,
 L, I3, T, Y
 personality F, A1, AY, Y, Z
 phase F, O1, U1, N
 phone P, I1, I3, K
 pick P, E1, Y, K, O2, U1
 pico P, E1, Y, S
 piece P, AH1, Y, N, T
 pint P, UH3, AH2, Y, P
 pipe P, L, A1, AY, Y, S
 place (use "plane" program)
 plain P, L, AE1, EH3, N
 plan P, L, A1, AY, Y, N
 plane P, L, AE1, EH3, N, T
 plant P, L, A1, I3, Y
 play P, L, E1, Y, Z
 please P, L, AH1, UH3, T
 plot P, L, UH1, UH2, S
 plus

pocket P, AH1, UH3, K, EH3, T
 point P, O1, UH3, I3, AY, N, T
 poke P, O1, U1, K
 police P, UH1, L, AY, Y, S
 plain (use "plane" program)
 plan P, L, AE1, EH3, N
 plane P, L, A1, AY, Y, N
 plant P, L, AE1, EH3, N, T
 play P, L, A1, I3, Y
 please P, L, E1, Y, Z
 plot P, L, AH1, UH3, T
 plus P, L, UH1, UH2, S
 pocket P, AH1, UH3, K, EH3, T
 point P, O1, UH3, I3, AY, N, T
 poke P, O1, U1, K
 police P, UH1, L, AY, Y, S
 policy P, AH1, UH3, L, I3, S, Y
 poor (use "pour" program)
 pop P, AH1, UH3, P
 port P, O2, O2, R, T
 position P, UH1, Z, I1, SH, UH3, N
 positive P, AH1, UH3, Z, I1, T, I1, V
 possible P, AH1, UH3, S, UH3, B, UH2, L
 post P, O1, U1, S, T
 potential P, O1, T, EH1, EH3, N, T, CH,
 UH3, L
 pound P, AH1, UH3, W, N, D
 pour P, O1, O2, R
 power P, AH1, UH3, W, ER
 practice P, R, AE1, EH3, K, T, I1, S
 premium P, R, AY, Y, M, Y, UH1, M
 prepare P, R, E1, P, EH1, EH3, R
 press P, R, EH1, EH3, S
 pressure P, R, EH1, SH, ER
 prevent P, R, Y, V, EH1, EH3, N, T
 previous P, R, Y, V, Y, UH1, S
 price P, R, UH3, AH2, Y, S
 principal (use "principle" program)
 principle P, R, I1, N, DT, S, UH3, P,
 UH3, L
 print P, R, I1, I3, N, T
 prior P, R, AH1, Y, ER
 priority P, R, AH1, Y, O1, R, I3, DT, Y

private	P, R, AH1, EH3, Y, V, I3, T	R	AH1, UH2, ER
probe	P, R, 01, U1, B	rail	R, A1, AY, I3, UH3, L
problem	P, R, AH1, UH3, B, L, UH3, M	rain	R, A1, AY, Y, N
procedure	P, R, UH1, S, E1, D, J, ER	raise	R, A1, AY, Y, Z
proceed	P, R, 01, S, E1, Y, D	range	R, A1, AY, Y, N, D, J
process	P, R, AH1, UH3, S, EH1, EH3, S	radio	R, A1, Y, D, Y, 01, U1
produce	P, R, UH1, D, IU, U1, U1, S	rate	R, A1, AY, Y, T
product	P, R, AH1, UH3, D, UH1, UH2, K, T	ratio	R, A1, Y, SH, Y, 01, U1
progress	P, R, AH1, UH3, G, R, EH1, S	reach	R, E1, Y, T, CH
profession	P, R, UH1, F, EH1, EH3, SH, UH3, N	read	R, E1, Y, D
profit	P, R, AH1, UH3, F, I1, T	ready	R, EH1, EH3, D, Y
program	P, R, 01, G, R, AE1, EH3, M	real	R, E1, AY, L
project	P, R, AH1, UH3, D, J, EH2, EH2, K, T	reason	R, E1, Y, Z, UH1, N
PROM	P, R, AH1, UH3, M	rebate	R, E1, B, A1, Y, T
promote	P, R, UH1, M, 01, U1, T	recall	R, E1, K, AW2, AW1, L
propose	P, R, UH1, P, 01, U1, Z	receipt	R, E1, S, AY, Y, T
protect	P, R, UH1, T, EH1, EH3, K, T	receive	R, E1, S, E1, Y, V
public	P, UH1, UH3, B, L, I3, K	record	R, E1, K, 02, 02, R, D
pull	P, 001, 001, L	record-2	R, EH1, EH3, K, ER, D
pulse	P, UH1, UH2, L, S	red	R, EH1, EH3, D
punch	P, UH1, UH2, N, T, CH	reel	(use "real" program)
purpose	P, R, R, P, EH2, S	refer	R, E1, F, UH1, UH2, N, D
purchase	P, R, R, DT, CH, I2, S	refuse	R, E1, F, Y1, IU, U1 U1, Z
pure	P, Y1, IU, ER	register	R, EH1, D, J, I1, S, T, ER
push	P, 001, IU, SH	regular	R, EH1, G, Y1, IU, L, ER
put	P, 001, 001, T	rein	(use "rain" program)
Q	K, Y1, IU, U1, U1	reject	R, E1, D, J, EH1, EH3, K, T
quality	K, W, AW1, L, I1, F, AH1, EH3, Y	relay	R, E1, L, A1, I3, Y
quantity	K, W, AH1, N, T, I3, T, Y	release	R, E1, L, E1, AY, S
quart	K, W, 01, R, T	remain	R, E1, M, A1, AY, Y, N
quarter	K, W, 01, R, T, ER	remove	R, E1, M, U1, U1, V
quebec	K, W, I1, B, EH1, EH3, K	repair	R, E1, P, EH2, EH2, R
question	K, W, EH1, EH3, S, T, CH, UH3, N	repeat	R, E1, P, E1, AY, T
quick	K, W, I1, I3, K	replace	R, E1, P, L, A1, AY, Y, S
quiet	K, W, AH1, EH3, AY, I2, T	report	R, E1, P, 02, 02, R, T
quit	K, W, I1, I3, T	represent	R, EH1, P, R, I2, Z, EH1, EH3, N, T
quiz	K, W, I1, I3, Z	request	R, E1, K, W, EH1, EH3, S, T
quota	K, W, 01, 02, T, UH1	require	R, E1, K, W, AH1, EH3, AY, R
quote	K, W, 01, U1, T	requisition	R, EH1, K, W, I2, Z, I1, SH, UH3, N
		rescue	R, EH1, EH3, S, K, Y1, IU, U1

resemble R, E1, Z, EH1, EH3, M, B,
 UH3, L
 reset R, E1, S, EH1, EH3, T
 resistor R, E1, Z, I1, S, T, ER
 respect R, E1, S, P, EH1, EH3, K, T
 respond R, E1, S, P, AH1, UH3, N, D
 responsible R, I2, S, P, AH1, UH3, N, DT,
 S, UH3, B, UH3, L
 rest R, EH1, EH3, S, T
 restrict R, E1, S, T, R, I1, I3, K, T
 result R, E1, Z, UH1, UH2, L, T
 resume R, E1, Z, IU, U1, U1, M
 retail R, AY, E1, T, EH3, A1, I3,
 UH3, L
 retain R, E1, T, A1, AY, Y, N
 return R, E1, T, ER, R, N
 revision R, E1, V, I1, ZH, UH3, N
 revolve R, E1, V, AH1, UH3, L, V
 ribbon R, I2, I3, B, UH3, N
 right R, UH3, AH2, Y, T
 romeo R, O1, U1, M, Y, O1, U1
 room R, U1, U1, M
 root R, U1, U1, T
 round R, AH1, UH3, W, N, D
 route R, UH2, AH2, U1, T
 row R, O1, U1
 run R, UH1, UH3, N
 rush R, UH1, UH2, SH

S EH1, EH2, S
 safe S, A1, AY, Y, F
 sail (use "sale" program)
 salary S, AE1, AH2, L, UH3, R, Y
 sale S, A1, A2, AY, UH3, L
 same S, A1, AY, Y, M
 saturday S, AE1, EH3, T, ER, D, A1, Y
 save S, A1, AY, Y, V
 say S, A1, I3, Y
 scan S, K, AE1, EH3, N
 scent (use "cent" program)
 schedule S, K, EH1, EH3, D, J, IU, U1, L
 school S, K, U1, U1, L
 science S, AH1, I3, Y, EH3, N, DT, S
 score S, K, O2, O2, R

scrap S, K, R, AE1, EH3, P
 screw S, K, R, IU, U1, U1
 sea (use "C" program)
 seat S, E1, AY, T
 second S, EH1, EH3, K, UH1, N, D
 secret S, E1, K, R, I3, T
 section S, EH1, EH3, K, SH, UH3, N
 security S, EH1, EH3, K, Y, ER, I1, T, Y
 see (use "C" program)
 seize S, E1, Y, Z
 select S, UH1, L, EH1, EH2, K, T
 sell S, EH1, EH3, L
 semi S, EH1, M, AH1, Y
 semicolon S, EH1, M, AH1, Y, K, OO1,
 O1, L, I2, N
 send S, EH1, EH3, N, D
 sent (use "cent" program)
 sentence S, EH1, N, T, I2, N, DT, S
 separate S, EH1, EH3, P, UH1, R, A1,
 AY, T
 separate-2 S, EH1, EH3, P, R, I2, T
 september S, EH1, EH3, P, T, EH1, EH3,
 M, B, ER
 sequence S, E1, K, W, EH1, EH3, N, S
 serial S, I1, R, Y, UH3, L
 series S, I1, R, Y, Z
 service S, ER, V, I1, S
 set S, EH1, EH3, T
 seven S, EH1, EH3, V, I2, N
 seventh S, EH1, EH3, V, I2, N, DT, TH
 seventy S, EH1, V, I2, N, D, Y
 several S, EH1, V, ER, UH3, L
 sew (use "so" program)
 share SH, EH3, EH3, ER
 sharp SH, AH1, R, P
 shift SH, I1, I3, F, T
 ship SH, I1, I3, P
 shop SH, AH1, UH3, P
 short SH, O2, O2, R, T
 should SH, IU, IU, IU, D
 shunt SH, UH1, UH2, N, T
 shut SH, UH1, UH2, T
 side S, AH1, EH3, Y, D
 sierra S, E1, I3, EH1, R, UH1

signal S, I1, I3, G, N, UH3, L
 silver S, I1, I3, L, V, ER
 single S, I1, I3, NG, G, UH3, L
 six S, I1, I3, K, PAO, S
 sixth S, I1, I3, K, PAO, S, TH
 sixty S, I1, I3, K, PAO, T, Y
 size S, AH1, EH3, Y, Z
 skin S, K, I1, I3, N
 sky S, K, AH1, EH3, I3, Y
 slang S, L, AE1, EH3, NG
 slash S, L, AE1, EH3, SH
 slave S, L, A1, AY, Y, V
 slip S, L, I1, I3, P
 slow S, L, O1, U1
 small S, M, AW, L
 smell S, M, EH1, EH3, L
 smile S, M, AH1, EH3, I3, UH3, L
 smoke S, M, O1, U1, K
 snow S, N, OO1, O2, U1
 so S, OO1, O2, U1
 soft S, AW, F, T
 sold S, O2, O2, L, L, D
 solid S, AH1, UH3, L, I1, D
 son (use "sun" program)
 some (use "sum" program)
 sorry S, AW, R, Y
 sort S, O2, O2, R, T
 sound S, AH1, UH3, W, N, D
 source S, O1, O2, R, S
 south S, AH1, UH3, U1, TH
 space S, P, A1, AY, Y, S
 spark S, P, AH1, R, K
 speak S, P, E1, AY, K
 special S, P, EH1, EH3, SH, UH3, L
 speed S, P, E1, Y, D
 speech S, P, E1, Y, T, CH
 spell S, P, EH1, EH3, L
 spend S, P, EH1, EH3, N, D
 split S, P, L, I1, I3, T
 spoon S, P, U1, U1, N
 spring S, P, R, I1, I3, NG
 square S, K, W, EH1, R
 stack S, T, AE1, EH3, K
 stair (use "stare" program)

stand S, T, AE1, EH3, N, D
 standard S, T, AE1, EH3, N, D, ER, D
 star S, T, AH1, UH3, R
 stare S, T, EH3, EH3, ER
 start S, T, AH1, R, T
 state S, T, A1, AY, Y, T
 station S, T, A1, Y, SH, UH3, N
 status S, T, AE1, EH3, T, I2, S
 steal (use "steel" program)
 steel S, T, E1, Y, L
 step S, T, EH1, EH3, P
 stick S, T, I1, I3, K
 stock S, T, AH1, UH3, K
 stop S, T, AH1, UH3, P
 store S, T, O2, O2, R
 strait (use "straight" program)
 straight S, T, R, A1, AY, Y, T
 street S, T, R, E1, Y, T
 stress S, T, R, EH1, EH3, S
 string S, T, R, I1, I3, NG
 structure S, T, R, UH1, K, T, CH, ER
 style S, T, AH1, EH3, AY, UH3, L
 subject S, UH1, UH2, B, D, J, EH1, EH3, K, T
 substitute S, UH1, UH3, B, S, T, I3, T, IU, U1, T
 subtract S, UH1, UH2, B, T, R, AE1, EH3, K, T
 sufficient S, UH1, F, I1, SH, EH3, N, T
 suggest S, UH1, UH2, G, D, J, EH1, EH3, S, T
 suit S, IU, U1, T
 suite S, W, AY, Y, T
 sum S, UH1, UH2, M
 summary S, UH2, UH2, M, ER, Y
 summer S, UH1, UH2, M, ER
 sun S, UH1, UH2, N
 sunday S, UH1, UH2, N, D, A1, I3, Y
 super S, IU, U1, P, ER
 supply S, UH2, P, L, AH1, Y
 surface S, ER, F, I2, S
 surge S, ER, R, D, J
 surgery S, ER, D, J, ER, Y

surgical S, ER, D, J, UH3, K, UH3, L
 surplus S, ER, P, L, UH1, S
 suspend S, UH1, S, P, EH1, EH3, N, D
 sweep S, W, E1, Y, P
 sweet (use "suite" program)
 switch S, W, I1, I3, T, CH
 syntax S, I1, N, T, AE1, EH3, K, PAO, S
 system S, I1, S, T, UH3, M

T T, E1, AY, Y
 table T, A1, Y, B, UH3, L
 tail (use "tale" program)
 tale T, A1, Y, UH3, L
 talk T, AW, K
 tangent T, AE1, EH3, N, D, J, EH3, N, T
 target T, AH1, UH3, R, G, I2, T
 tea (use "T" program)
 team T, E1, Y, M
 technical T, EH1, EH3, K, N, I3, K, UH3, L
 tee (use "T" program)
 temperature T, EH1, EH3, M, P, ER, UH1, T, CH, ER
 ten T, EH1, EH3, N
 terminal T, ER, M, EH3, N, UH2, L
 test T, EH1, EH3, S, T
 than THV, EH1, EH3, N
 the THV, UH1, UH3
 then (use "than" program)
 theory TH, AY, I2, R, Y
 thin TH, I1, I3, N
 thing TH, I1, I3, NG
 think TH, I1, I3, NG, K
 third TH, ER, R, D
 thirteen TH, ER, T, T, E1, Y, N
 thirty TH, ER, R, D, Y
 thousand TH, AH1, UH3, U1, Z, EH3, N, D
 three TH, R, E1, Y
 threw (use "through" program)
 through TH, R, IU, U1
 thursday TH, ER, R, Z, D, A1, I3, Y
 ticket T, I1, I3, K, EH3, T
 till T, I1, I3, L
 time T, AH1, EH3, Y, M

tire T, AH1, EH3, AY, R
 title T, UH3, AH2, Y, T, UH3, L
 to (use "two" program)
 today T, U1, D, A1, I3, Y
 toilet T, O1, EH3, I3, L, I3, T
 toll T, O2, O2, OO1, L
 tomorrow T, U1, M, AH1, R, O1, U1
 ton T, UH1, UH2, N, N
 tone T, O1, U1, N
 too (use "two" program)
 tool T, U1, U1, L
 total T, O1, U1, T, UH3, L
 touch T, UH1, UH3, T, CH
 towel T, AH1, W, UH3, L
 trace T, R, A1, AY, Y, S
 trade T, R, A1, AY, Y, D
 train T, R, A1, AY, Y, N
 transact T, R, AE1, EH3, N, S, AE1, EH3, K, T
 transfer T, R, AE1, EH3, N, S, F, ER
 transistor T, R, AE1, N, Z, I1, S, T, ER
 transmit T, R, AE1, EH3, N, Z, M, I1, I3, T
 transport T, R, AE1, EH3, N, S, P, O2, O2, R, T
 transportation T, R, AE1, N, S, P, ER, T, A1, AY, SH, UH3, N
 travel T, R, AE1, EH3, V, UH3, L
 triangle T, R, AH1, I3, AE1, EH3, NG, G, UH3, L
 trouble T, R, UH3, UH1, B, UH3, L
 truck T, R, UH1, UH2, K
 true T, R, IU, U1, U1
 trust T, R, UH1, UH2, S, T
 try T, R, AH1, EH3, I3, Y
 tuesday T, IU, U1, U1, Z, D, A1, Y
 tune T, IU, U1, U1, N
 turn T, ER, R, N
 twelve T, W, EH1, EH3, UH3, L, V
 twenty T, W, EH1, EH3, N, T, Y
 two T, IU, U1, U1
 type T, UH3, AH2, Y, P

U
ultra Y1, IU, U1, U1
under UH3, UH2, L, T, R, UH1
uniform UH2, UH2, N, D, ER
until Y1, IU, U1, N, I3, F, O1, R, M
up UH2, UH2, N, T, I1, I3, L
urgent UH1, UH2, P
us R, R, D, J, I3, N, T
use UH1, UH2, S
use-2 Y1, IU, U1, U1, Z
Y1, IU, U1, S

V
vacant V, E1, AY, Y
valid V, A1, Y, K, EH3, N, T
vary V, AE1, UH3, L, I1, D
(use "very" program)
value V, AE1, EH3, L, Y1, IU, U1
vendor V, EH1, EH3, N, D, ER
vent V, EH1, EH3, N, T
verify V, EH1, R, I3, F, AH1, EH3, Y
very V, EH1, R, Y
via V, E1, AY, UH2, UH3
victor V, I1, I3, K, T, ER
voice V, O1, UH3, I3, AY, S
void V, O1, UH3, I3, AY, D
volt V, O2, O2, L, T
volume V, AH1, UH3, L, Y1, IU, U1, M

W
wage D, UH1, B, UH3, L, Y1, IU, U1
wait W, A1, AY, Y, D, J
want W, A1, AY, Y, T
was W, AH1, UH3, N, T
wash W, UH1, UH3, Z
water W, AW, SH
watt W, AH1, UH3, T, ER
wave W, AH1, UH3, T
way W, A1, AY, Y, V
(use "weigh" program)
we W, E1, Y
(use "week" program)
weapon W, EH2, EH2, P, UH1, N
(use "where" program)
wear W, EH1, N, Z, D, A1, I3, Y
wednesday W, E1, Y, K
week

weigh W, A2, A2, Y
weight (use "wait" program)
went W, EH1, EH3, N, T
west W, EH1, EH3, S, T
wet W, EH1, EH3, T
what W, UH3, UH1, T
wheel W, E1, Y, L
when W, EH1, EH3, N
where W, EH3, A2, EH3, R
which W, I1, I3, T, CH
while W, AH1, EH3, I1, UH3, L
whiskey W, I1, I3, S, K, AY, Y
white W, UH3, AH2, Y, T
who H, IU, U1, U1
whole (use "hole" program)
why (use "Y" program)
will W, I1, I3, L
window W, I1, N, D, O1, U1
winter W, I1, I3, N, T, ER
wire W, AH1, EH3, AY, R
with W, I1, I3, TH
withdraw W, I1, I3, TH, D, R, AW
without W, I1, I3, TH, UH2, AH2, U1, T
(use "one" program)
won W, ER, R, D
word W, ER, R, K
work (use "right" program)
write R, AW, NG
wrong

X
x-ray EH1, EH2, K, PAO, S
EH1, EH2, K, PAO, S, R, A1,
I3, Y

Y
yankee W, AH1, EH3, I3, Y
yard Y1, AE1, EH3, NG, K, E1, Y
year Y1, AH1, R, D
yellow Y1, AY, I3, R
yes Y1, EH1, EH3, L, O1, U1
yesterday Y1, EH3, EH1, S
Y1, EH3, EH1, S, T, ER, D, A1,
I3, Y
yet Y1, EH1, EH3, T

you	(use "U" program)
your	Y, O2, O2, R
you're	(use "your" program)

Z	Z, E1, Y
zap	Z, AE1, EH3, P
zero	Z, AY, I1, R, O1, U1
zone	Z, O1, U1, N
zulu	Z, IU, U1, L, IU, U1

Prefixes

con...	K, UH1, N
dis...	D, I1, S
en...	EH1, N
in...	I1, N
non...	N, AH1, UH3, N
pre...	P, R, E1
re...	R, E1
un...	UH1, N

Suffixes

...d	D
...ed	I2, D
...er	ER
...es	I2, Z
...ful	F, UH3, L
...ing	I2, NG
...less	L, EH2, S
...ly	L, Y
...ment	M, EH3, N, T
...ness	N, EH3, S
...s	S
...t (...ed)	T
...tion (...sion)	SH, UH3, N
...teen	T, E1, Y, N
...ward	W, ER, D
...y	Y
...z (...es)	Z