

EAM Bulk upload asset transform

https://support-sbox6.accenture.com/sys_transform_map.do?sys_id=b7ee85a6dbe8ff48e88dfe21399619f5&sysparm_record_target...

Accenture Standard Links CMS1_39883 FY26... Sbox1 Sbox6 CIO ServiceNow ... Migration Charge Code EAM - Hardware1... Gen AI level2

Table Transform Map
EAM Bulk upload asset transform

Delete Update with Lens Copy Scan Engine Exceptions Update

* Name: EAM Bulk upload asset transform
Created: 2019-04-04 16:59:18
* Source table: EAM Bulk Upload Asset [u_eam_bulk_upload_...]
* Target table: Hardware [alm_hardware]
Active: ☒
Run business rules: ☒
Enforce mandatory fields: No
Order: 101
Copy empty fields: ☐
Run script: ☐
Create new record on empty coalesce fields: ☐

Delete Update with Lens Copy Scan Engine Exceptions Update

Related Links
[Auto Map Matching Fields](#)
[Mapping Assist](#)
[Validate Coalesce Fields](#)
[Transform](#)
[Index Coalesce Fields](#)
[Run Point Scan](#)

Field Maps (115) Transform Scripts (4) Versions (27)

Map = EAM Bulk upload asset transform

When	Script	Order	Active
onComplete	(function runTransformScript(source, map...	100	true

https://support-sbox6.accenture.com/sys_transform_script.do?sys_id=61d04176db643bc8b3da59b2ca96199e&sysparm_record_tar...

Accenture Standard Links CMS1_39883 FY26... Sbox1 Sbox6 CIO ServiceNow ... Migration Charge Code EAM - Hardware1... Gen AI level2

Transform Script
onBefore

Delete Update with Lens Scan Engine Exceptions Update

When: onBefore
Application: Global
Active: ☒
Order: 100

The function of this script and the globals available to it vary depending on when the script is set to run. For more information, see [the Wiki](#). See also the article about the [recommended form of the script](#).

Script Turn on ECMAScript 2021 (ES12) mode

```
1  //(function runTransformScript(source, map, log, target /*undefined onStart*/) {
2
3  var row = parseInt(source.sys_import_row) + 2;
4  var errMsg = "Error at row " + row;
5  if (!source.u_serial_number.nil()) {
6    errMsg = errMsg + " for Serial number " + source.u_serial_number;
7  }
8  errMsg = errMsg + " ";
9  var noErr = errMsg; //to check if there is any error for the row at the end
10 var isMobileDevice = false;
11 var ciSysId = "";
12 var mobileDevices = ["Mobile Phone", "Air Card/MIFI/Modems", "Other Mobile Devices"];
13 var flag_primary = false;
14 var flag_secondary = false;
15 var flag_uniqe = true;
16 var flag_legal = true;
17 var flagcountry = false;
18 var asset_flag = true;
19
20 //HARD code Validations
21 if (source.u_model_category == 'Laptop' || source.u_model_category == 'Computer' ||
22     target.model_category.getDisplayValue() == 'Laptop' || target.model_category.getDisplayValue() == 'Computer') {
23
24     var today = new GlideDateTime();
25     var minDate = new GlideDateTime();
26     minDate.addDaysUTC(-30);
27 }
```

```
//(function runTransformScript(source, map, log, target /*undefined onStart*/) {
```

```
var row = parseInt(source.sys_import_row) + 2;
```

```
var errMsg = "Error at row " + row;
```

```
if (!source.u_serial_number.nil()) {
```

```
    errMsg = errMsg + " for Serial number " + source.u_serial_number;
```

```
}
```

```
errMsg = errMsg + " :";  
var noErr = errMsg; //to check if there is any error for the row at the end  
var isMobileDevice = false;  
var ci_sysid = "";  
var mobileDevices = ["Mobile Phone", "Air Card/Mifi/Modems", "Other Mobile Devices"];  
var flag_primary = false;  
var flag_secondary = false;  
var flag_unique = true;  
var flag_legal = true;  
var flagcountry = false;  
var asset_flag = true;
```

```
//HAMO code Validations
```

```
if (source.u_model_category == 'Laptop' || source.u_model_category == 'Computer' ||  
    target.model_category.getDisplayValue() == 'Laptop' ||  
    target.model_category.getDisplayValue() == 'Computer') {
```

```
    var today = new GlideDateTime();
```

```
    var minDate = new GlideDateTime();  
    minDate.addDaysUTC(-30);
```

```
    var minDate60 = new GlideDateTime();  
    minDate60.addDaysUTC(-60);
```

```
    var minDate90 = new GlideDateTime();  
    minDate90.addDaysUTC(-90);
```

```
    var maxDate = new GlideDateTime();  
    maxDate.addYearsUTC(3);
```

```
    var maxDate4 = new GlideDateTime();  
    maxDate4.addYearsUTC(4);
```

```
    var nextmaxDate = new GlideDateTime();  
    nextmaxDate.addDaysUTC(30);
```

```
    var maxDate1yrs = new GlideDateTime();
```

```
maxDate1yrs.addYearsUTC(1);
```

```
if (!source.u_installed_date.nil()) {  
    var InstalledDate1 = new GlideDateTime(source.u_installed_date);  
    if (InstalledDate1.after(today)) {  
        errMsg = errMsg + "\n" + "Install Date cannot be in the future";  
        ignore = true;  
    } else if (InstalledDate1.before(minDate)) {  
        errMsg = errMsg + "\n" + "Install Date cannot be more than 30 days in the past";  
        ignore = true;  
    }  
}
```

```
if (!source.u_retired_date.nil()) {  
    var RetiredDate = new GlideDateTime(source.u_retired_date);  
    if (RetiredDate.after(today)) {  
        errMsg += "\n" + "Retired Date cannot be in the future";  
        ignore = true;  
    } else if (RetiredDate.before(minDate60)) {  
        errMsg += "\n" + "Retired Date cannot be more than 60 days in the past";  
        ignore = true;  
    }  
}
```

```
if (!source.u_disposal_date.nil()) {  
    var DisposalDate1 = new GlideDateTime(source.u_disposal_date);  
    if (DisposalDate1.after(today)) {  
        errMsg = errMsg + "\n" + "Disposal Date cannot be in the future";  
        ignore = true;  
    } else if (DisposalDate1.before(minDate)) {  
        errMsg = errMsg + "\n" + "Disposal Date cannot be more than 30 days in the past";  
        ignore = true;  
    }  
}
```

```

if (!source.u_delivery_date.nil()) {
    var DeliveryDate1 = new GlideDateTime(source.u_delivery_date);
    if (DeliveryDate1.after(today)) {
        errMsg = errMsg + "\n" + "Delivery Date cannot be in the future";
        ignore = true;
    } else if (DeliveryDate1.before(minDate)) {
        errMsg = errMsg + "\n" + "Delivery Date cannot be more than 30 days in the past";
        ignore = true;
    }
}

```

```

if (!source.u_assigned_date.nil()) {
    var AssignedDate1 = new GlideDateTime(source.u_assigned_date);
    if (AssignedDate1.after(today)) {
        errMsg = errMsg + "\n" + "Assigned Date cannot be in the future";
        ignore = true;
    } else if (AssignedDate1.before(minDate)) {
        errMsg = errMsg + "\n" + "Assigned Date cannot be more than 30 days in the past";
        ignore = true;
    }
}

```

```

if (!source.u_start_of_maintenance.nil()) {
    var StartOfMaintenanceDate = new GlideDateTime(source.u_start_of_maintenance);
    if (StartOfMaintenanceDate.after(today)) {
        errMsg = errMsg + "\n" + "Start of Maintenance Date cannot be in the future";
        ignore = true;
    } else if (StartOfMaintenanceDate.before(minDate)) {
        errMsg = errMsg + "\n" + "Start of Maintenance Date cannot be more than 30 days in
the past";
        ignore = true;
    }
}

```

```

if (!source.u_scheduled_retirement_date.nil()) {
    var ScheduledRetirementDate = new
GlideDateTime(source.u_scheduled_retirement_date);
    if (ScheduledRetirementDate.after(maxDate4)) {
        errMsg = errMsg + "\n" + "Scheduled Retirement Date cannot be more than 4 years in
the future.";
        ignore = true;
    } else if (ScheduledRetirementDate.before(today)) {
        errMsg = errMsg + "\n" + "Scheduled Retirement Date cannot be in the past";
        ignore = true;
    }
}
}

```

```

if (!source.u_invoice_date.nil()) {
    var InvoiceDate1 = new GlideDateTime(source.u_invoice_date);
    if (InvoiceDate1.after(today)) {
        errMsg = errMsg + "\n" + "Invoice Date cannot be in the future";
        ignore = true;
    } else if (InvoiceDate1.before(minDate90)) {
        errMsg = errMsg + "\n" + "Invoice Date cannot be more than 90 days in the past";
        ignore = true;
    }
}
}

```

```

if (!source.u_warranty_expiration_date.nil()) {
    var WarrantyExpDate = new GlideDateTime(source.u_warranty_expiration_date);
    if (WarrantyExpDate.after(maxDate)) {
        errMsg = errMsg + "\n" + "Warranty Expiration Date cannot be more than 3 years in the
future";
        ignore = true;
    } else if (WarrantyExpDate.before(minDate)) {
        errMsg = errMsg + "\n" + "Warranty Expiration Date cannot be more than 30 days in
the past";
        ignore = true;
    }
}
}

```

```

if (!source.u_warranty_start_date.nil()) {
    var WarrantyStartDate = new GlideDateTime(source.u_warranty_start_date);
    if (WarrantyStartDate.after(nextmaxDate)) {
        errMsg = errMsg + "\n" + "Warranty Start Date cannot be more than 30 days in the
future";
        ignore = true;
    } else if (WarrantyStartDate.before(minDate90)) {
        errMsg = errMsg + "\n" + "Warranty Start Date cannot be more than 90 days in the
past";
        ignore = true;
    }
}
}

```

```

if (!source.u_multiple_asset_start_date.nil()) {
    var MultipleAssetStartDate = new GlideDateTime(source.u_multiple_asset_start_date);
    if (MultipleAssetStartDate.after(nextmaxDate)) {
        errMsg = errMsg + "\n" + "Multiple Asset Start Date cannot be more than 30 days in
the future";
        ignore = true;
    } else if (MultipleAssetStartDate.before(minDate)) {
        errMsg = errMsg + "\n" + "Multiple Asset Start Date cannot be more than 30 days in
the past";
        ignore = true;
    }
}
}

```

```

if (!source.u_multiple_asset_end_date.nil()) {
    var MultipleAssetEndDate = new GlideDateTime(source.u_multiple_asset_end_date);
    if (MultipleAssetEndDate.after(maxDate1yrs)) {
        errMsg = errMsg + "\n" + "Multiple Asset End Date cannot be more than 1 year in the
future";
        ignore = true;
    } else if (MultipleAssetEndDate.before(minDate)) {

```

```
        errMsg = errMsg + "\n" + "Multiple Asset End Date cannot be more than 30 days in the  
past";  
        ignore = true;  
    }  
}
```

```
if (!source.u_scrap_invoice_date.nil()) {  
    var ScrapInvoiceDate = new GlideDateTime(source.u_scrap_invoice_date);  
    if (ScrapInvoiceDate.after(nextmaxDate)) {  
        errMsg = errMsg + "\n" + "Scrap Invoice Date cannot be more than 30 days in the  
future";  
        ignore = true;  
    } else if (ScrapInvoiceDate.before(minDate60)) {  
        errMsg = errMsg + "\n" + "Scrap Invoice Date cannot be more than 60 days in the  
past";  
        ignore = true;  
    }  
}
```

```
if (!source.u_last_maintenance_date.nil()) {  
    var LastMaintenanceDate = new GlideDateTime(source.u_last_maintenance_date);  
    if (LastMaintenanceDate.after(today)) {  
        errMsg = errMsg + "\n" + "Last Maintenance Date cannot be in the future ";  
        ignore = true;  
    } else if (LastMaintenanceDate.before(minDate90)) {  
        errMsg = errMsg + "\n" + "Last Maintenance Date cannot be more than 90 days in the  
past";  
        ignore = true;  
    }  
}
```

```
}
```

```

if (!source.u_asset_tag.nil() && !source.u_serial_number.nil()) {

    var grAssets = new GlideRecord('alm_hardware');

    grAssets.addEncodedQuery('asset_tag=' + source.u_asset_tag + '^ORserial_number=' +
source.u_serial_number);

    grAssets.query();
    var num = "";
    if (grAssets.next()) {

        if (grAssets.serial_number.toString() != source.u_serial_number.toString()) {

            num = 'Serial number';
        }
        if (grAssets.asset_tag.toString() != source.u_asset_tag.toString()) {

            num = 'Asset tag';
        }

        if (num != "") {
            // we are making flase as false and in insert part we are making it as true to stop those
errors.
            asset_flag = false;
            errMsg = errMsg + "\n" + num + " cannot be updated once an asset is created";

            ignore = true;

        }

    } else {
        target.serial_number = source.u_serial_number;
        target.asset_tag = source.u_asset_tag;
    }
}

```



```

for (var i = 0; i < mobileDevices.length; i++) {

    //check if Asset is Mobile Device
    if (source.u_model_category == mobileDevices[i]) {
        isMobileDevice = true;
    }
}

//512141: Disposal date validation
if (!source.u_disposal_date.nil() && asset_flag) {
    var currentDate = new GlideDateTime();
    var currentYear = currentDate.getYear();
    var currentMonth = currentDate.getMonth();
    var disposalDate = new GlideDateTime(source.u_disposal_date);
    var prevFY = 0;
    var valiDate = 0;

    if (currentMonth < 9) { // If currentMonth is in between Jan & Aug
        prevFY = currentYear - 1 + '-08-31';
        valiDate = new GlideDateTime(prevFY);
        if (valiDate.onOrAfter(disposalDate)) {
            errMsg = errMsg + "\nDisposal date cannot be mapped to a previous Financial Year";
            ignore = true;
        }
    } else { // If currentMonth is in between Sept & Dec
        prevFY = currentYear + '-08-31';
        valiDate = new GlideDateTime(prevFY);
        if (valiDate.onOrAfter(disposalDate)) {
            errMsg = errMsg + "\nDisposal date cannot be mapped to a previous Financial Year";
            ignore = true;
        }
    }
}
target.u_disposal_date = source.u_disposal_date;

```

```
}
```

```
//Location Validation start
```

```
var location_country;
```

```
//US - 489036//
```

```
var source_location_MU;
```

```
var loc_query;
```

```
if (!source.u_location.nil() && asset_flag) {
```

```
    var grLocation = new GlideRecord('cmn_location');
```

```
    grLocation.addQuery('name', source.u_location);
```

```
    //grLocation.addQuery('u_active', true);
```

```
grLocation.addEncodedQuery('u_wplsts!=Inactive^u_active=true^u_usgtypeLIKEfacility^ORu_usgtype=Cloud Location');
```

```
grLocation.query();
```

```
if (grLocation.next()) {
```

```
    //Location
```

```
    if (grLocation.u_loccup == 'Vacated') {
```

```
        errMsg = errMsg + "\nInvalid location. Please make sure the selected location is not vacated. ";
```

```
        ignore = true;
```

```
    } else {
```

```
        //Location restriction basis on user group US 2519774
```

```
grLocation.addEncodedQuery(loc_query);
```

```
grLocation.query();
```

```
if (grLocation.next()) {
```

```
    location_country = grLocation.country;
```

```
    // US : 489036 //
```

```
    source_location_MU = grLocation.u_market_unit;
```

```
    } else {
```

```
        // US : 489036 //
```

```
source_location_MU = grLocation.u_market_unit;
```

```
errMsg = errMsg + "\nAccess Restricted for the location selected";
```

```
ignore = true;
```

```
    }
```

```
    }
```

```
} else {
```

```

        errMsg = errMsg + "\n Location - " + source.u_location + " is an Invalid Location.";
        ignore = true;
    }

}

//691818
//reserved for validations
var target_location_country = "";
if (!source.u_location.nil()) {
    target_location_country = location_country;
} else {
    target_location_country = target.location.country.toString();
}
if (!source.u_reserved_for.nil() && asset_flag) {
    var reserve = new EAM_AllFunctions_June22().getUserCountry();
    if (reserve == 'India') {
        errMsg = errMsg + "\nPlease use Assigned to field instead of Reserved for";
        ignore = true;
    } else {
        var grUsers = new GlideRecord('sys_user');
        grUsers.addQuery('user_name', source.u_reserved_for);
        grUsers.setLimit(1);
        grUsers.query();
        if (grUsers.next()) {
            // if (grUsers.u_employmentstatusdescr == 'Inactive') {
            //     errMsg = errMsg + "\nRejected – Reserved for user is Inactive";
            //     ignore = true;
            // }

            if (grUsers.u_acnpeoplekey == 0 || grUsers.active == false) {
                errMsg = errMsg + "\nReserved for : " + grUsers.user_name + " should be an
Accenture Employee";
                ignore = true;
            }
            // if (!(grUsers.email.toString().endsWith('accenture.com'))){

                //     errMsg = errMsg + "\nReserved for : " + grUsers.email + " should be an Accenture
Email ID";
            }
        }
    }
}

```

```

// ignore = true;

// }

if (grUsers.u_acnpeoplekey != 0 && grUsers.active == true) {
    var gr_currency_country = new GlideRecord("u_eam_country_currency");

gr_currency_country.addEncodedQuery('u_inactive_assignment_allowed=true^u_country.
name=' + target_location_country);
    gr_currency_country.query();
    if (gr_currency_country.next()) {
        flagcountry = true;
    }
    if (flagcountry) {
        if (grUsers.u_employmentstatusdescr == 'Active' ||
grUsers.u_employmentstatusdescr == 'Inactive' || grUsers.u_employmentstatusdescr == '')
        {
            target.reserved_for = source.u_reserved_for;
        } else if (grUsers.u_employmentstatusdescr == 'Retiree') {
            errMsg = errMsg + "\nRejected - Reserved for may be Retiree";
            ignore = true;
        } else if (grUsers.u_employmentstatusdescr == 'Withdrawn') {
            errMsg = errMsg + "\nRejected - Reserved for may be Withdrawn";
            ignore = true;
        }
    } else
        if (grUsers.u_employmentstatusdescr == "Active" ||
grUsers.u_employmentstatusdescr == "") {
            target.reserved_for = source.u_reserved_for;
        } else if (grUsers.u_employmentstatusdescr == 'Retiree') {
            errMsg = errMsg + "\nRejected - Reserved for may be Retiree";
            ignore = true;
        } else if (grUsers.u_employmentstatusdescr == 'Withdrawn') {
            errMsg = errMsg + "\nRejected - Reserved for may be Withdrawn";
            ignore = true;
        } else if (grUsers.u_employmentstatusdescr == 'Inactive') {
            errMsg = errMsg + "\nRejected - Reserved for may be Inactive";
            ignore = true;
        }
    }
}

```

```

    }
  }
}
}
}

```

```

//890547 po number = virtual server validations
if ((target.po_number == "Virtual Server" || source.u_po_number == "Virtual Server") &&
(source.u_warranty_type != "" || source.u_warranty_start_date != "" ||
source.u_warranty_expiration != "")) {
    errMsg = errMsg + "\nWarranty details cannot be entered for a Virtual Server";
    ignore = true;
}

```

```

//code added for US 2229648/ 2281299/ 240635, 340347 & 374493
//Legal Hold User Story 462374 : Legal hold bulk prod validations
if ((action == "update" && (!source.u_assigned_to.nil() || !source.u_state.nil() ||
!source.u_substate.nil() || !source.u_substate_reason.nil())) && asset_flag) {

    if ((target.u_legal_hold == "yes" && !target.assigned_to.nil()) || (target.u_legal_hold ==
"yes" && target.assigned_to.u_jobcddescr == "Accenture Leadership") ||
        (target.u_legal_hold == 'no' && target.assigned_to.u_jobcddescr == "Accenture
Leadership") ||
        (target.u_legal_hold == "yes" && target.assigned_to.u_jobcddescr != "Accenture
Leadership") ||
        (target.u_legal_hold.nil() && target.assigned_to.u_jobcddescr == "Accenture
Leadership")) {

```

```

        if (source.u_assigned_to != target.assigned_to.user_name || source.u_state !=
target.install_status.getDisplayValue() || source.u_substate !=
target.substatus.getDisplayValue() || source.u_substate_reason !=
target.u_substate_reason.getDisplayValue()) {
            flag_legal = false;
            errMsg = errMsg + "\n 'Assigned to' user is under legal hold. The fields: Assigned to,
State, Substate, Substate reason can be edited only in Form view";
            ignore = true;
        }
    }
}

```

```
}
```

```
//Restrict USA user to pick pending debonding
if (((location_country == 'USA' && source.u_substate_reason == 'Pending for Debonding')
&& (action == "update" && flag_legal)) && asset_flag) {
    errMsg = errMsg + "substate Reason - " + source.u_substate_reason + " is not available for
this GU.";
    //log_error_func(errMsg);
    ignore = true;
}
```

```
if ((isMobileDevice || action == "update") && asset_flag) {
    if (!source.u_imei_primary.nil()) {
        //Do not validate for USA
        //Validation will be applied for rest of countries
        if (location_country != 'USA') {
            var tot = 0;
            var a = source.u_imei_primary.toString();
            var arr = [];
            var doubled_arr = [];
            for (var x = 0; x < a.length; x++) {
                arr.push(a[x]);
            }
            var checkdigit = arr[14];
            for (var i = 0; i < arr.length; i++) {
                if (i % 2 == 0) {
                    doubled_arr.push(arr[i]);
                } else {
                    var ax2 = parseInt(arr[i]) * 2;
                    var str_ax2 = ax2.toString();
                    for (var d = 0; d < str_ax2.length; d++) {
                        doubled_arr.push(str_ax2[d]);
                    }
                }
            }
            var arr_str = "";
            for (var i = 0; i < doubled_arr.length; i++) {
```

```

        arr_str = arr_str + doubled_arr[i];
    }
    var num = arr_str;
    var num_str = "";
    for (var j = 0; j < num.length; j++) {
        num_str = num_str + num[j];
    }
    var imei_arr = num_str;
    for (var l = 0; l < imei_arr.length - 1; l++) {
        tot = parseInt(tot) + parseInt(imei_arr[l]);
    }

    //As part of US -1440088 (Logic of LUHN algorithm)
    var roundofftot = (Math.ceil(tot / 10) * 10);
    var diff = parseInt(roundofftot) - (parseInt(tot));
    if (diff != checkdigit) {
        errMsg = errMsg + "\nIMEI Primary is invalid";
        log_error_func(errMsg);
        ignore = true;
    }

}
}

```

```

if (!source.u_imei_secondary.nil()) {
    var tot = 0;
    var a = source.u_imei_secondary;
    var arr = [];
    for (x = 0; x < a.length; x++) {
        arr.push(a[x]);
    }
    var checkdigit = arr[14];
    for (var i = 0; i < arr.length; i++) {
        if (i % 2 == 0) {
            doubled_arr.push(arr[i]);
        } else {
            var ax2 = parseInt(arr[i]) * 2;
            var str_ax2 = ax2.toString();

```

```

        for (var d = 0; d < str_ax2.length; d++) {
            doubled_arr.push(str_ax2[d]);
        }
    }
}
var arr_str = "";
for (var i = 0; i < arr.length; i++) {
    arr_str = arr_str + arr[i];
}
var num = arr_str;
var num_str = "";
for (var j = 0; j < num.length; j++) {
    num_str = num_str + num[j];
}
var imei_arr = num_str;
for (var l = 0; l < imei_arr.length - 1; l++) {
    tot = parseInt(tot) + parseInt(imei_arr[l]);
}
//As part of US -1440088 (Logic of LUHN algorithm)
var roundofftot = (Math.ceil(tot / 10) * 10);
var diff = parseInt(roundofftot) - (parseInt(tot));
if (diff != checkdigit) {
    errMsg = errMsg + "\nIMEI Secondary is invalid";
    ignore = true;
}

}

}

if (!source.u_material_inward_number.nil() && asset_flag) {
    var material_number = source.u_material_inward_number;
    var gr = new GlideRecord("u_eam_material_inward");
    gr.addQuery("u_inward_entry_number", material_number);
    gr.setLimit(1);
    gr.query();
    if (gr.next()) {
        target.u_goods_receipt_date = gr.u_goods_receipt_date;
    }
}

```



```

        if (gr.u_delivery_document_type == 'Delivery Challan') {
            target.u_delivery_receipt_number = gr.u_delivery_challan_number;

        } else {
            target.u_delivery_receipt_number = "";
        }
    } else {
        errMsg = errMsg + "\nEnter the Valid Material Inward Number";
        ignore = true;
    }
}

if ((source.u_po_number.nil() && action == "insert") && asset_flag) {
    errMsg = errMsg + "\nPO Number is mandatory while creating an asset";
    ignore = true;
}

//2615297 validation
var po_number = "";
if (action == "update") {
    po_number = (target.u_po_type == "buynow") ?
    target.u_buynow_po_number.getDisplayValue() : target.po_number;
}
if (!source.u_po_number.nil() && asset_flag) {
    if (source.u_po_type.nil()) {
        errMsg = errMsg + "\nPO Type field needs to be inputted for PO Number ";
        ignore = true;
    } else if (action == "insert" || (action == "update" && source.u_po_number != po_number))
    {
        var country = (action == "insert") ? location_country : target.location.country.toString();
        var proc = new GlideRecord('proc_po');
        proc.addQuery('u_po_number', source.u_po_number);
        proc.setLimit(1);
        proc.query();
        if (proc.next()) {

            // US - 400242 validation

```

```

        if (source.u_po_type == 'Others') {
            errMsg = errMsg + "\nThis is BuyNow PO. Please select PO Type as Buynow or
receive via Asset Receiving PO form";
            ignore = true;
        }
        if (country == "Philippines" && proc.status == "received" && proc.u_buynow_status ==
"Received") {
            errMsg = errMsg + "\nPO already received, kindly choose another PO Number";
            ignore = true;
        } else {
            target.u_po_type = "buynow";
            target.u_buynow_po_number = proc.sys_id;
        }
    } else {
        if (source.u_po_type == 'Others') {
            target.po_number = source.u_po_number;
        } else {
            errMsg = errMsg + "\nPO Number doesn't exist in Procurement Table. ";
            ignore = true;
        }
    }
}
} else { //po number is empty
    if ((!source.u_po_type.nil() && action == "update") && asset_flag) {
        errMsg = errMsg + "\nPO Number needs to be inputted for PO Type ";
        ignore = true;
    }
}
}

```

// US 2420204 story

```

if (((!source.u_state.nil()) && (action == "update" && flag_legal)) && asset_flag) {
    if (source.u_state == "Retired" && !(source.u_retired_date.nil())) {
        target.retired = source.u_retired_date;
    } else if (source.u_state == "Retired" && (source.u_retired_date.nil())) {
        target.retired = new GlideDate();
    } else if (source.u_state != "Retired" && !(source.u_retired_date.nil())) {
        errMsg = errMsg + "\nRetired date to be filled only when the state of an asset is Retired";
        ignore = true;
    }
}

```

```
}  
}
```

```
//stockroom optimization
```

```
var stock = (!source.u_stockroom.nil() && ((source.u_state == 'In stock' || source.u_state ==  
'In maintenance' || source.u_state == 'Admin review' || (source.u_state == 'Retired' &&  
(source.u_substate == "Pending disposal" || source.u_substate == "Damaged" ||  
source.u_substate == "Ready For Disposal")))));
```

```
var stockroom = (!source.u_stockroom.nil() && (source.u_state == 'Retired' &&  
(source.u_substate == "RMA" || source.u_substate == "Disposed") || (source.u_state != 'In  
stock' && source.u_state != 'In maintenance' && source.u_state != 'Admin review' &&  
source.u_state != 'Retired')));
```

```
if ((stock || stockroom) && asset_flag) {  
  var gr_stockroom = new GlideRecord("alm_stockroom");  
  gr_stockroom.addEncodedQuery("name=" + source.u_stockroom + "^location.name=" +  
source.u_location);  
  gr_stockroom.addQuery('u_buynow_flag', false);  
  gr_stockroom.query();  
  if (stock) {  
    if (!gr_stockroom.next()) {  
      errMsg = errMsg + "\nStockroom does not match with the location of the asset";  
      ignore = true;  
    }  
  } else if (stockroom) {  
    if (gr_stockroom.next()) {  
      errMsg = errMsg + "\nStockroom cannot be filled for this state-substate of the asset";  
      ignore = true;  
    } else {  
      errMsg = errMsg + "\nStockroom cannot be filled for this state-substate of the asset";  
      ignore = true;  
    }  
  }  
}
```

```

if (action == "insert") {
    /***** Display Name*****/
    if (source.u_serial_number.nil() && asset_flag) {
        errMsg = errMsg + "\nSerial Number is Mandatory while creating an asset ";
        ignore = true;
    } else
        target.serial_number = source.u_serial_number;

    //This is to validate the asset tag entered does not exists in the system already
    if (!source.u_asset_tag.nil() && asset_flag) {
        var grAsset = new GlideRecord("alm_hardware");
        grAsset.addQuery('asset_tag', source.u_asset_tag);
        grAsset.setLimit(1);
        grAsset.query();
        if (grAsset.next()) {
            errMsg = errMsg + "\nAsset tag " + source.u_asset_tag + " already exists ";
            ignore = true;
        } else {
            target.asset_tag = source.u_asset_tag;
        }
    }

    target.u_alternate_asset_tag = source.u_alternate_asset_tag;

    if (!source.u_asset_tag.nil() && !source.u_model.nil()) {
        target.display_name = source.u_asset_tag + ' - ' + source.u_model;
    } else {
        target.display_name = source.u_model;
    }

    if (source.u_asset_tag.nil() && asset_flag) {
        errMsg = errMsg + "\nAsset tag is Mandatory while creating an asset ";
        ignore = true;
    }
}

```

```
if (source.u_model_category.nil() && asset_flag) {
    errMsg = errMsg + "\nModel Category is Mandatory while creating an asset ";
    ignore = true;
}
if (source.u_model.nil() && asset_flag) {
    errMsg = errMsg + "\nModel is Mandatory while creating an asset ";
    ignore = true;
}
if (source.u_state.nil() && asset_flag) {
    errMsg = errMsg + "\nState is Mandatory while creating an asset ";
    ignore = true;
}
if (source.u_substate.nil() && asset_flag) {
    errMsg = errMsg + "\nSubState is Mandatory while creating an asset ";
    ignore = true;
}
if (source.u_substate_reason.nil() && asset_flag) {
    errMsg = errMsg + "\nSubState Reason is Mandatory while creating an asset ";
    ignore = true;
}
if (source.u_corporate_unit.nil() && asset_flag) {
    errMsg = errMsg + "\nCorporate Unit is Mandatory while creating an asset ";
    ignore = true;
}
if (source.u_location.nil() && asset_flag) {
    errMsg = errMsg + "\nLocation is Mandatory while creating an asset ";
    ignore = true;
}
if (source.u_acquisition_method.nil() && asset_flag) {
    errMsg = errMsg + "\nAcquisition Method is Mandatory while creating an asset ";
    ignore = true;
}
if (source.u_purchaser.nil() && asset_flag) {
    errMsg = errMsg + "\nPurchaser is Mandatory while creating an asset ";
    ignore = true;
}
if (source.u_delivery_date.nil() && asset_flag) {
    errMsg = errMsg + "\nDelivery Date is Mandatory while creating an asset ";
```

```

        ignore = true;
    }

    if (source.u_po_type.nil() && asset_flag) {
        errMsg = errMsg + "\nPO Type is Mandatory while creating an asset ";
        ignore = true;
    }

    if (source.u_refresh_due.nil() && asset_flag) {
        errMsg = errMsg + "\nRefresh Due is Mandatory while creating an asset ";
        ignore = true;
    }

    if ((source.u_model_category.nil() || source.u_model.nil()) && asset_flag) {
        errMsg = errMsg + "\n" + "If you want to create an asset, Please Enter Both Model
Category & Model.";
        ignore = true;
    }

    // part of 2125066
    if (!source.u_assigned_to.nil() && asset_flag) {
        if (source.u_state == 'In stock' || source.u_state == 'Retired' || source.u_state == 'In
maintenance' || source.u_state == 'Missing') {
            errMsg = errMsg + "\n" + "An asset cannot be assigned as State is - " + source.u_state;
            ignore = true;

        }
    }

    if ((source.u_state == "Retired" && source.u_substate == "Disposed" &&
source.u_disposal_vendor.nil() && source.u_disposal_reason == "Sent to Disposal Vendor")
&& asset_flag) {
        errMsg = errMsg + "\nDisposal vendor is mandatory when state is Retired - Disposed";
        ignore = true;
    }

    if ((location_country == "India" && source.u_state == "In use" &&
source.u_workstation_number.nil()) && asset_flag) {

```

```

    errMsg = errMsg + "\nWorkstation Number is mandatory when state is In Use";
    ignore = true;
}

//Insurance
if (!source.u_insurance.nil()) {
    target.u_insurance = source.u_insurance;
}

//Model Category mapping
if (((!source.u_model_category.nil() && !source.u_model.nil())) && asset_flag) {
    uModel_cat = source.u_model_category;
    grModelcatRecord = new GlideRecord("cmdb_model_category");
    grModelcatRecord.addQuery("name", uModel_cat);
    grModelcatRecord.query();
    if (grModelcatRecord.next()) {
        uModel_cat = grModelcatRecord.sys_id;

        // US-2426486 Updating Exception Status as STANDARD
        if (grModelcatRecord.name == 'Printer') {
            target.u_exception_status = 'STANDARD';
        }

        // Update Sez card number
        if (location_country == "India" && (grModelcatRecord.name == 'Laptop' ||
grModelcatRecord.name == 'Computer' || grModelcatRecord.name == 'Monitor')) {
            target.u_sez_card_number = source.u_sez_card_number;
        }

        //User story - 712877 // Updated //754137 added model categories
        if ((grModelcatRecord.name == 'Laptop' || grModelcatRecord.name == 'Computer' ||
grModelcatRecord.name == 'Printer' || grModelcatRecord.name == 'VR Headset' ||
grModelcatRecord.name == 'Monitor' ||
            grModelcatRecord.name == 'Tablet' || grModelcatRecord.name == 'Wireless
Access' || grModelcatRecord.name == 'Communication Device' || grModelcatRecord.name
== 'Computer Peripheral' ||
            grModelcatRecord.name == 'Mobile Phone' || grModelcatRecord.name ==
'Collaboration Devices' || grModelcatRecord.name == 'IP Firewall' ||
grModelcatRecord.name == 'IP Phone' ||

```

```

        grModelcatRecord.name == 'IP Router' || grModelcatRecord.name == 'IP Switch' ||
grModelcatRecord.name == 'Network Accessories' || grModelcatRecord.name == 'Network
Devices' || grModelcatRecord.name == 'Other Mobile Devices' ||
        grModelcatRecord.name == 'Server' || grModelcatRecord.name == 'Storage
Device' || grModelcatRecord.name == 'Virtual Private Network') &&
(!source.u_sub_category.nil())) {
    var grsubcat = new GlideRecord('u_eam_model_sub_category_mappings');
    grsubcat.addQuery('u_sub_category', source.u_sub_category);
    grsubcat.addQuery('u_model_category.name', source.u_model_category);
    grsubcat.query();
    if (grsubcat.next()) {
        if (grsubcat.u_model_category.name != source.u_model_category) {
            errMsg = errMsg + "\n" + " sub category- " + source.u_sub_category + " does not
belongs to Model Category - " + source.u_model_category + " :Please re-validate ";
            ignore = true;
        }

        target.u_sub_category = grsubcat.sys_id;

    } else {
        errMsg = errMsg + "\n" + " sub category- " + source.u_sub_category + " does not
belongs to Model Category - " + source.u_model_category + " :Please re-validate ";
        ignore = true;
    }

}

//added for US-1687883
var grPCModels = new GlideRecord("u_eam_pc_models");
grPCModels.addEncodedQuery("u_display_model_name.display_name=" +
source.u_model);
grPCModels.setLimit(1);
grPCModels.query();
if (grPCModels.next()) {
    target.u_pc_model = grPCModels.u_pc_model;
}
}
if ((grModelcatRecord.name == 'Laptop' || grModelcatRecord.name == 'Computer')
&& (source.u_sub_category.nil())) {

```



```

        errMsg = errMsg + "\nSub-category is Mandatory while creating an asset with model
category Laptop or Computer ";
        ignore = true;
    }
    // added for US-2579650
    if ((grModelcatRecord.name == 'VR Headset') && (source.u_sub_category.nil())) {
        errMsg = errMsg + "\nSub-category is Mandatory while creating an asset with model
category VR Headset";
        ignore = true;
    }

    if ((grModelcatRecord.name == 'Laptop' || grModelcatRecord.name == 'Computer')
&& (source.u_po_type.nil())) {
        errMsg = errMsg + "\nPO Type is mandatory while creating an asset with model
category Laptop or Computer";
        ignore = true;
    }
    // US - 712877 // Updated //754137
    if (grModelcatRecord.name != 'Laptop' && grModelcatRecord.name != 'Computer' &&
grModelcatRecord.name != 'Printer' && grModelcatRecord.name != 'VR Headset' &&
grModelcatRecord.name != 'Monitor' &&
        grModelcatRecord.name != 'Tablet' && grModelcatRecord.name != 'Wireless
Access' && grModelcatRecord.name != 'Communication Device' &&
grModelcatRecord.name != 'Computer Peripheral' &&
        grModelcatRecord.name != 'Mobile Phone' && grModelcatRecord.name !=
'Collaboration Devices' &&
        grModelcatRecord.name != 'IP Firewall' && grModelcatRecord.name != 'IP Phone'
&&
        grModelcatRecord.name != 'IP Router' && grModelcatRecord.name != 'IP Switch'
&& grModelcatRecord.name != 'Network Accessories' &&
        grModelcatRecord.name != 'Network Devices' && grModelcatRecord.name !=
'Other Mobile Devices' &&
        grModelcatRecord.name != 'Server' && grModelcatRecord.name != 'Storage Device'
&&
        grModelcatRecord.name != 'Virtual Private Network' &&
!source.u_sub_category.nil()) {
        errMsg = errMsg + "\nSub-category is not required while creating an asset with
model category: " + grModelcatRecord.name;
    }

```

```

        ignore = true;
    }
    if ((grModelcatRecord.name == 'VR Headset') && (source.u_document_number.nil()))
{
        errMsg = errMsg + "\nDocument Number is mandatory for VR Headsets asset
creation ";
        ignore = true;
    }

    } else {
        errMsg = errMsg + "\n" + " Model Category - " + uModel_cat + " does not exists in
Model Category table.";
        ignore = true;
    }

    grModelRecord = new GlideRecord("cmdb_model");
    grModelRecord.addEncodedQuery('cmdb_model_category.name=' + uModel_cat +
'^display_name=' + source.u_model);
    grModelRecord.query();
    if (grModelRecord.next()) {
        target.model_category = uModel_cat;
        target.model = grModelRecord.sys_id;
    } else {
        errMsg = errMsg + "\n" + " Model - " + source.u_model + " does not exists in Model
table under " + source.u_model_category + ". Please check Model Category - Model.";
        ignore = true;
    }
}

    if (!source.u_sub_category.nil() && (source.u_model_category == 'Laptop' ||
source.u_model_category == 'Computer')) {
        // validation for MAC ,and when manufacturer is Apple

        var manufacturer = grModelRecord.manufacturer.getDisplayValue().toLowerCase();
        var model = source.u_model.toLowerCase();
        var sub_cat = source.u_sub_category.toLowerCase();
        //Updated code for this user story 2132412
        if (!(sub_cat.startsWith("mac"))) && !(sub_cat.endsWith("mac"))) {

```

```

        if ((model.indexOf("ipad") !== -1 || (model.indexOf("mac") !== -1 &&
model.indexOf("machine") == -1) || model.indexOf("apple") !== -1) ||
manufacturer.indexOf("apple") !== -1) {

            errMsg = errMsg + "\nManufacturer is Apple; But sub-category does not contain
MAC";
            ignore = true;
        }
    }

    if (sub_cat.endsWith("mac")) {
        if (model.indexOf("ipad") == -1 && (model.indexOf("mac") == -1 ||
(model.indexOf("mac") !== -1 && model.indexOf("machine") !== -1)) &&
model.indexOf("apple") == -1) {

            errMsg = errMsg + "\nNon Apple assets tagged as Mac";
            ignore = true;

        }

    }

    if (sub_cat.startsWith("mac")) { // subcat startswith MAC
        // model does not contain mac, ipad, apple
        if (model.indexOf("ipad") == -1 && model.indexOf("mac") == -1 &&
model.indexOf("apple") == -1) {

            errMsg = errMsg + "\nNon Apple assets tagged as Mac";
            ignore = true;
        } else if (manufacturer.indexOf('apple') == -1 && manufacturer != "") { // manufacturer
is not empty and does not contain apple
            errMsg = errMsg + "\nNon Apple assets tagged as Mac";
            ignore = true;
        }
    }

    if (sub_cat.indexOf("no stacr charge") !== -1 && source.u_purchaser == 'Project' &&
sub_cat.indexOf("no stacr charge for mac") == -1) { //project

        errMsg = errMsg + "\nProject funded assets tagged as NO STACR charge";
    }
}

```

```

        ignore = true;
    }

}

if (source.u_imei_primary.nil() && location_country != 'India' && isMobileDevice) {
    errMsg = errMsg + "\nIMEI Primary is Mandatory while creating a Mobile asset when
country is not India ";
    //log_error_func(errMsg);
    ignore = true;

}

if (source.u_model_category.getDisplayValue() == 'VR Headset') {
    target.u_last_status_change = gs.now();
    // target.u_document_number = source.u_document_number;
    // target.u_invoice_date = source.u_invoice_date;
}

}

if (source.u_po_number.nil() && asset_flag) {
    errMsg = errMsg + "\nPO Number is mandatory while creating an asset";
    ignore = true;
}

if (source.u_cirt_restricted == "true") {
    target.u_cirt_restricted = true;
} else {
    target.u_cirt_restricted = false;
}

if (!source.u_po_type.nil() && asset_flag) {
    if (source.u_po_number.nil()) {
        errMsg = errMsg + "\nPO Number needs to be inputted for PO Type ";
        ignore = true;
    }
}
}

```

```

// Validating Employment status of assigned_to - Retiree/Inactive/Withdrawn/Former
Accenture Employee
if (!source.u_assigned_to.nil() && asset_flag) {
    // if (!((location_country == 'India' || location_country == 'Switzerland' ||
location_country == 'Austria' || location_country == 'Germany') &&
(source.u_general_ledger == 'P3 FNMS data')) {

    var grUser = new GlideRecord('sys_user');
    grUser.get(source.u_assigned_to);
    var user_location_MU = grUser.location.u_market_unit.toString(); // storing user
Market_unit
    if (grUser.user_name.indexOf('ads.') == 0) {
        errMsg = errMsg + "\nRejected – Assigned To employee ID should not starts with 'ads.'
";
        ignore = true;
    }
    if (grUser) {
        if (grUser.u_employmentstatusdescr == 'Retiree') {
            errMsg = errMsg + "\nRejected – Assigned To may be Retiree";
            ignore = true;
        } else if (grUser.u_employmentstatusdescr == 'Inactive') {
            errMsg = errMsg + "\nRejected – Assigned To may be Inactive";
            ignore = true;
        } else if (grUser.u_employmentstatusdescr == 'Withdrawn') {
            errMsg = errMsg + "\nRejected – Assigned To may be Withdrawn";
            ignore = true;
        } else if (grUser.u_employmentstatusdescr == 'Former Accenture Employee') {
            errMsg = errMsg + "\nRejected – Assigned To may be Former Accenture Employee";
            ignore = true;
        } else if ((source_location_MU != user_location_MU) && (location_country != 'USA')) {
            errMsg = errMsg + "\nAssigned user belongs to a different market unit.";
            ignore = true;
        } else if ((location_country == 'USA') && (grUser.u_countrynm != 'USA')) {
            errMsg = errMsg + "\nAssigned user belongs to a different country.";
            ignore = true;
        }
    }
}

```

```

        //if (!source.u_general_ledger.nil()) {
        if (grUser.u_acnpeoplekey == 0 || grUser.active == false) { //1967461
            errMsg = errMsg + "\nAssigned to : " + gr_User.user_name + " should be an
Accenture Employee";
            ignore = true;
        }
        //}
    }
    //US - 460800
    if (!source.u_accessories.nil()) {
        var loc_country = source.u_location;
        var loc = new GlideRecord('cmn_location');
        loc.addQuery('name', loc_country);
        loc.setLimit(1);
        loc.query();

        if (loc.next()) {
            var asset_locat = loc.country.toString();
            if (asset_locat != "India" && asset_locat != "Philippines" && (source.u_state == 'In
use' || source.u_state == 'In transit' || source.u_state == 'Admin review')) {
                target.u_accessories = source.u_accessories;
            } else {
                source.u_accessories = "";
            }
        }
    }
} else if (source.u_assigned_to.nil() && !source.u_accessories.nil()) {
    errMsg = errMsg + "\nAssigned to is mandatory to update Accessories";
    ignore = true;
}
//}

//code is added as per US 2024550
//temp location validation starts
if (!source.u_temp_location.nil() && asset_flag) {
    var grtemploc = new GlideRecord('u_eam_temp_locations');
    grtemploc.addEncodedQuery('u_name=' + source.u_temp_location +
"^u_location.name=" + source.u_location);

```

```

grtemploc.query();
if (!grtemploc.next()) {
    errMsg = errMsg + "\nTemp location is not associated with the Asset's location";
    ignore = true;
}
}

```

```

//US - 2403869
if (!source.u_wbse.nil() && asset_flag) {
    var chargeCodes = source.u_wbse;
    var wbs = new EAM_AllFunctions();
    var result = wbs.getChargeCode(chargeCodes);
    if (result == "" || result == null || result == 'Invalid WBS') {
        errMsg = errMsg + "\nWBSe : " + chargeCodes + " is Invalid WBS";
        ignore = true;
    } else if (result == 'ERROR - Unable to connect to service.') {
        errMsg = errMsg + "\nWBSe : " + "Unable to validate Charge code at this time, please
try submitting your Request again later.";
        ignore = true;

    } else {
        target.u_wbs = chargeCodes;
    }
}

//If state is In use,Make assigned to mandatory US - 2187463
if (!source.u_state.nil() && asset_flag) {
    uState = source.u_state;
    if ((uState == 'In use' && (source.u_model_category == 'Laptop' ||
source.u_model_category == 'Computer') && source.u_assigned_to == "") ||
        (uState == 'In use' && source.u_substate_reason != 'Accenture facility' &&
source.u_assigned_to == "")) {
        errMsg = errMsg + "\nAssigned to : Assigned to is mandatory for In Use asset.";
        //log_error_func(errMsg);
        ignore = true;
    }
}
}

```

```

//US - 2541314 && 2595130 && 2557944 insert part// RD // Updated //
if (((source.u_model_category == 'Laptop' || source.u_model_category == 'Computer') &&
(!source.u_assigned_to.nil())) && asset_flag) {
    var sub_cat1 = "";
    var gr_hardware = new GlideAggregate('alm_hardware');

gr_hardware.addEncodedQuery('model_category.name=Laptop^ORmodel_category.name
=Computer^install_status=1^assigned_to.user_name=' + source.u_assigned_to);
    gr_hardware.groupBy('u_multiple_asset_business_justification');
    gr_hardware.addAggregate('GROUP_CONCAT_DISTINCT', 'u_substate_reason');
    gr_hardware.addAggregate('COUNT');
    gr_hardware.addHaving('COUNT', '>', '0');
    gr_hardware.query();
    var flag_status = true;
    while (gr_hardware.next()) {
        flag_unique = false;
        target.u_multiple_asset_business_justification = "";
        target.u_multiple_asset_start_date = "";
        target.u_multiple_asset_end_date = "";
        target.u_multiple_asset_other_valid_reason = "";
        sub_cat1 = gr_hardware.getAggregate('GROUP_CONCAT_DISTINCT',
'u_substate_reason');
        if (gr_hardware.u_multiple_asset_business_justification == 'Primary') {
            flag_primary = true;
            flag_secondary = true;
            sub_cat1 = gr_hardware.getAggregate('GROUP_CONCAT_DISTINCT',
'u_substate_reason');
        }
    }
    if (flag_primary && source.u_multiple_asset_business_justification == 'Primary') {
        errMsg = errMsg + "\n" + "Primary asset exists for this user";
        ignore = true;
    }
//vaildation for primary Asset
if ((flag_unique) && (source.u_state == 'In use')) {
    target.u_multiple_asset_business_justification = "";
    target.u_multiple_asset_start_date = "";
    target.u_multiple_asset_end_date = "";
}

```



```

        target.u_multiple_asset_other_valid_reason = "";
        target.u_multiple_asset_business_justification = 'Primary';
    }
    //validation for secondary Asset
    if (flag_secondary) {
        if (((sub_cat1.indexOf("End_User") !== -1) || (sub_cat1.indexOf("rental_end_user") !==
-1) || (sub_cat1.indexOf("end_user_recycle") !== -1) ||
            (sub_cat1.indexOf("End_User_WFH") !== -1)) && (source.u_substate_reason ==
'End User' || source.u_substate_reason == 'Rental - End User' ||
            source.u_substate_reason == 'End User - Recycle' || source.u_substate_reason ==
'End User – Work From Home') &&
            (source.u_multiple_asset_start_date.nil() || source.u_multiple_asset_end_date.nil()
|| source.u_multiple_asset_business_justification.nil())) &&
            (source.u_multiple_asset_business_justification != "Repair/ upgrade replacement
PC")) {
            errMsg = errMsg + "\n" + "Multiple assets being assigned to user, please fill multiple
asset start date, multiple asset end date, multiple asset business justification fields
mandatorily.";
            ignore = true;
        }
    }
}

//Autopopulating Multiple asset Start Date/ Multiple asset End Date based on state
if (((source.u_multiple_asset_business_justification == "Repair/ upgrade replacement
PC") && (source.u_multiple_asset_start_date.nil() ||
source.u_multiple_asset_end_date.nil())) && asset_flag) {
    var Multiplestart_date = gs.nowDateTime();
    var endDate1 = new GlideDate();
    endDate1.addDaysLocalTime(14);
    target.u_multiple_asset_start_date = Multiplestart_date;
    target.u_multiple_asset_end_date = endDate1;
} else {
    target.u_multiple_asset_start_date = source.u_multiple_asset_start_date;
    target.u_multiple_asset_end_date = source.u_multiple_asset_end_date;
}

```

```

    if (((source.u_multiple_asset_business_justification != "Other Valid Reason") &&
(!source.u_multiple_asset_other_valid_reason.nil()) && (source.u_state == "In use"))) &&
asset_flag) {
        errMsg = errMsg + "\n" + "Multiple asset other valid reasons field cannot have these
values for the corresponding values of multiple asset business justification field";
        ignore = true;
    }
    if (((source.u_multiple_asset_business_justification == "Other Valid Reason") &&
(source.u_multiple_asset_other_valid_reason.nil()) && (source.u_state == "In use"))) &&
asset_flag) {
        errMsg = errMsg + "\n" + "Multiple asset business justification is Other Valid Reason,
Multiple asset other valid reason is mandatory";
        ignore = true;
    }
    if (((source.u_state == 'In stock' || source.u_state == 'In transit' || source.u_state == 'In
maintenance' || source.u_state == 'Missing' || source.u_state == 'Retired' || source.u_state
== 'Admin review') &&
        (!source.u_multiple_asset_business_justification.nil() ||
!source.u_multiple_asset_other_valid_reason.nil() ||
!source.u_multiple_asset_start_date.nil() || !source.u_multiple_asset_end_date.nil())) &&
asset_flag) {
        errMsg = errMsg + "\n" + "You cannot put values in these fields for the state In Transit, In
Stock, In Maintenance, Retired, Missing and Admin Review";
        ignore = true;
    }
}
//US 2573461 insert part
if (!source.u_asoc_number.nil() && asset_flag) {
    if (source.u_state == 'Missing' || source.u_state == 'Retired' || source.u_state == 'Admin
review') {
        target.u_asoc_number = source.u_asoc_number;
    } else if (source.u_state == 'In stock' || source.u_state == 'In transit' || source.u_state == 'In
maintenance' || source.u_state == 'In use') {
        errMsg = errMsg + "\nASOC Number can be entered only when the asset is in Missing,
Admin Review or Retired state";
        ignore = true;
    }
}

```

```
}
```

```
/******UPDATE******/
```

```
if (action == "update") {
```

```
    //As per 889678
```

```
    //Clear Temp Location on Location Update.
```

```
    if (source.location != target.location && source.location != "") {
```

```
        target.u_temp_location = "";
```

```
    }
```

```
    //As part of 2125066
```

```
    //Clearing assigned to for asset in state( In stock,Retired, In maintenance, Missing, Admin  
review)
```

```
    if ((source.u_state == 'In stock' || source.u_state == 'Retired' || source.u_state == 'In  
maintenance' || source.u_state == 'Missing') && flag_legal) {
```

```
        if (source.u_assigned_to != "") {
```

```
            errMsg = errMsg + "\n" + "An asset cannot be assigned as State of an asset is " +  
source.u_state;
```

```
            ignore = true;
```

```
        } else {
```

```
            target.assigned_to = "";
```

```
        }
```

```
    }
```

```
    //US - 2403869
```

```
    if (!source.u_wbse.nil()) {
```

```
        var chargeCodes = source.u_wbse;
```

```
        var wbs = new EAM_AllFunctions();
```

```
        var result = wbs.getChargeCode(chargeCodes);
```

```
        //if (chargeCodes == "None") {
```

```
            // target.u_wbs = "";
```

```

// } else
if (result == "" || result == null || result == 'Invalid WBS') {
    errMsg = errMsg + "\nWBSe : " + chargeCodes + " is Invalid WBS";
    ignore = true;
} else if (result == 'ERROR - Unable to connect to service.') {
    errMsg = errMsg + "\nWBSe : " + "Unable to validate Charge code at this time, please
try submitting your Request again later.";
    ignore = true;

} else {
    target.u_wbs = chargeCodes;
}

}

//When state is updated to in transit and assigned to is not filled - clear the assigned to on
target asset
//added target.legalhold = NO for US 2281299
if (source.u_state == 'In transit' && source.u_assigned_to == "" && target.u_legal_hold ==
'No') {
    target.assigned_to = "";
}

//If only assigned to is updating - the check the state of target asset and throw the error
message any state other than In use and In transit
target_state = target.install_status.getDisplayValue();
if ((source.u_assigned_to != "" && (target_state == 'In stock' || target_state == 'Retired' ||
target_state == 'In maintenance' || target_state == 'Missing') && source.u_state == "") &&
flag_legal) {
    errMsg = errMsg + "\n" + "An asset cannot be assigned as State of an asset is " +
target_state;
    ignore = true;
}
if ((source.u_state == "Retired" && source.u_substate == "Disposed" &&
source.u_disposal_vendor.nil() && source.u_disposal_reason == "Sent to Disposal Vendor")
&& flag_legal) {
    errMsg = errMsg + "\nDisposal vendor is mandatory when state is Retired - Disposed";
    ignore = true;
}

```

```

    }
    if (location_country == "India" && source.u_state == "In use" &&
source.u_workstation_number.nil()) {
        errMsg = errMsg + "\nWorkstation Number is mandatory when state is In Use";
        ignore = true;
    }

    if (source.u_substate_reason == '-- None --') {
        target.u_substate_reason = "";
    }

    if (!source.u_asset_tag.nil() && source.u_asset_tag != target.asset_tag) {
        errMsg = errMsg + "\nAsset tag cannot be updated once an Asset is created";
        ignore = true;
    }
    if (!source.u_alterdate_asset_tag.nil()) {
        target.u_alterdate_asset_tag = source.u_alterdate_asset_tag;
    }

    if (source.u_imei_primary.nil() && location_country != 'India' && isMobileDevice) {
        errMsg = errMsg + "\nIMEI Primary is Mandatory while creating a Mobile asset when
country is not India ";
        ignore = true;
    }

    if ((!source.u_sub_category.nil()) && source.u_model_category.nil()) {
        errMsg = errMsg + "\nModel Category is mandatory to update the sub category of an
asset.";
        ignore = true;
    }

    if (!source.u_insurance.nil()) {
        target.u_insurance = source.u_insurance;
    }

    if (!source.u_asoc_number.nil()) {

```

```

        if ((target_state == 'Missing' || target_state == 'Retired' || target_state == 'Admin review')
|| (source.u_state == 'Retired' || source.u_state == 'Missing' || source.u_state == 'Admin
review')) {
            target.u_asoc_number = source.u_asoc_number;

        } else if (target_state == 'In stock' || target_state == 'In transit' || target_state == 'In
maintenance' || target_state == 'In use') {
            errMsg = errMsg + "\nASOC Number can be entered only when the asset is in Missing,
Admin Review or Retired state";
            ignore = true;
        }
    }
}

```

//Sub-Category update for Laptop and Computer - US 1773680 // //User story - 712877

```

if (!source.u_model_category.nil() && source.u_model_category != 'Laptop' &&
source.u_model_category != 'Computer' && source.u_model_category != 'Monitor' &&
source.u_model_category != 'Tablet' &&
    source.u_model_category != 'Wireless Access' && source.u_model_category !=
'Communication Device' && source.u_model_category != 'Computer Peripheral' &&
source.u_model_category != 'Mobile Phone' &&
    source.u_model_category != 'Collaboration Devices' && source.u_model_category !=
'Printer' && source.u_model_category != 'IP Firewall' &&
    source.u_model_category != 'IP Phone' && source.u_model_category != 'IP Router' &&
source.u_model_category != 'IP Switch' &&
    source.u_model_category != 'Network Accessories' && source.u_model_category !=
'Network Devices' && source.u_model_category != 'Other Mobile Devices' &&
    source.u_model_category != 'Server' && source.u_model_category != 'Storage Device'
&& source.u_model_category != 'Virtual Private Network') {
    errMsg = errMsg + "\nModel Category cannot be updated once an Asset is created";
    ignore = true;
}

```

```

    } else if (target.model_category.name != source.u_model_category &&
(source.u_model_category == 'Laptop' || source.u_model_category == 'Computer' ||
source.u_model_category == 'Monitor' ||
    source.u_model_category == 'Tablet' || source.u_model_category == 'Wireless
Access' || source.u_model_category == 'Communication Device' ||
source.u_model_category == 'Computer Peripheral' ||

```

```

        source.u_model_category == 'Mobile Phone' || source.u_model_category ==
'Collaboration Devices' || source.u_model_category == 'Printer' ||
        source.u_model_category == 'IP Firewall' || source.u_model_category == 'IP Phone' ||
source.u_model_category == 'IP Router' || source.u_model_category == 'IP Switch' ||
        source.u_model_category == 'Network Accessories' || source.u_model_category ==
'Network Devices' || source.u_model_category == 'Other Mobile Devices' ||
source.u_model_category == 'Server' || source.u_model_category == 'Storage Device' ||
        source.u_model_category == 'Virtual Private Network') &&
!source.u_sub_category.nil()) {
    errMsg = errMsg + "\nModel Category cannot be updated once an Asset is created";
    ignore = true;
} else if (target.model_category.name == source.u_model_category &&
(source.u_model_category == 'Laptop' || source.u_model_category == 'Computer' ||
source.u_model_category == 'Monitor' ||
        source.u_model_category == 'Tablet' || source.u_model_category == 'Wireless
Access' || source.u_model_category == 'Communication Device' ||
source.u_model_category == 'Computer Peripheral' ||
        source.u_model_category == 'Mobile Phone' || source.u_model_category ==
'Collaboration Devices' || source.u_model_category == 'Printer' || source.u_model_category
== 'IP Firewall' ||
        source.u_model_category == 'IP Phone' || source.u_model_category == 'IP Router' ||
source.u_model_category == 'IP Switch' || source.u_model_category == 'Network
Accessories' ||
        source.u_model_category == 'Network Devices' || source.u_model_category == 'Other
Mobile Devices' || source.u_model_category == 'Server' || source.u_model_category ==
'Storage Device' ||
        source.u_model_category == 'Virtual Private Network') &&
!source.u_sub_category.nil()) {
    var gr_subcat = new GlideRecord('u_eam_model_sub_category_mappings');
    gr_subcat.addQuery('u_sub_category', source.u_sub_category);
    gr_subcat.addQuery('u_model_category.name', source.u_model_category);
    gr_subcat.setLimit(1);
    gr_subcat.query();
    if (gr_subcat.next()) {
        if (gr_subcat.u_model_category.name != source.u_model_category) {
            errMsg = errMsg + "\n" + " sub category- " + source.u_sub_category + " does not
belongs to Model Category - " + source.u_model_category + " :Please re-validate ";
            ignore = true;

```

```

    } else {
        target.u_sub_category = gr_subcat.sys_id;
    }
} else {
    errMsg = errMsg + "\n" + " sub category- " + source.u_sub_category + " does not
belongs to Model Category - " + source.u_model_category + " :Please re-validate ";
    ignore = true;

}
}
if (!source.u_model.nil()) {
    errMsg = errMsg + "\nModel cannot be updated once an Asset is created";
    ignore = true;

}
if (location_country == "India" && (target.model_category.getDisplayValue() == 'Laptop' ||
target.model_category.getDisplayValue() == 'Computer' ||
target.model_category.getDisplayValue() == 'Monitor')) {

    //Update SEZ card number
    target.u_sez_card_number = source.u_sez_card_number;
}

//Sub-category validation for MAC assets
if (!source.u_sub_category.nil() && (source.u_model_category == 'Laptop' ||
source.u_model_category == 'Computer')) {

    // validation for MAC ,and when manufacturer is Apple

var manufacturer = target.model.manufacturer.getDisplayValue().toLowerCase();
var model = target.model.display_name.toLowerCase();
var sub_cat = source.u_sub_category.toLowerCase();
var purchaser = "";
// updated code for this story 2132414
if ((!(sub_cat.startsWith("mac"))) && !(sub_cat.endsWith("mac"))) {

```



```
        if ((model.indexOf("ipad") !== -1 || (model.indexOf("mac") !== -1 &&
model.indexOf("machine") == -1) || model.indexOf("apple") !== -1) ||
manufacturer.indexOf("apple") !== -1) {
            errMsg = errMsg + "\nManufacturer is Apple; But sub-category does not contain
MAC";
```

```
        }
    }
    if (sub_cat.endsWith("mac")) {
        if (model.indexOf("ipad") == -1 && (model.indexOf("mac") == -1 ||
(model.indexOf("mac") !== -1 && model.indexOf("machine") !== -1)) &&
model.indexOf("apple") == -1) {
```

```
            errMsg = errMsg + "\nNon Apple assets tagged as Mac";
            ignore = true;
        }
    }
```

```
    if (sub_cat.startsWith("mac")) { // subcat startswith MAC
        // model does not cantain mac, ipad, apple
        if (model.indexOf("ipad") == -1 && model.indexOf("mac") == -1 &&
model.indexOf("apple") == -1) {
```

```
            errMsg = errMsg + "\nNon Apple assets tagged as Mac";
            ignore = true;
        } else if (manufacturer.indexOf('apple') == -1 && manufacturer != "") { // manufacturer
is not empty and does not contain apple
```

```
            errMsg = errMsg + "\nNon Apple assets tagged as Mac";
            ignore = true;
        }
    }
    if (source.u_purchaser != "") {
        purchaser = source.u_purchaser;
    } else {
        purchaser = target.u_purchaser;
```

```

    }
    if (sub_cat.indexOf("no stacr charge") !== -1 && purchaser == 'Project' &&
sub_cat.indexOf("no stacr charge for mac") == -1) { //project
        errMsg = errMsg + "\nProject funded assets tagged as NO STACR charge";
        ignore = true;
    }

}

// legal hold validation

grLocation.addQuery('sys_id', target.location);
grLocation.query();
if (grLocation.next()) {
    var target_location_country = grLocation.country;
}
if (target.u_legal_hold == 'yes' && source.u_assigned_to != "") {
    if (target_location_country == "India" && (target.model_category.getDisplayValue() ==
'Laptop' || target.model_category.getDisplayValue() == 'Computer' ||
target.model_category.getDisplayValue() == 'Tablet')) {
        if (source.u_assigned_to != target.assigned_to) {
            errMsg = errMsg + "\nCannot update as it is a legal hold asset";
            ignore = true;

        }
    }
}

}

if (!source.u_po_type.nil()) {
    if (source.u_po_number.nil()) {
        errMsg = errMsg + "\nPO Number needs to be inputted for PO Type ";
        ignore = true;
    }
}
if (!source.u_assigned_to.nil()) {
    if ((source.u_state == 'In stock' || source.u_state == 'Retired' || source.u_state == 'In
maintenance') && flag_legal) {

```

```

        errMsg = errMsg + "\n" + "An asset cannot be assigned as State is " + source.u_state;
        ignore = true;

    }
}
if (source.u_cirt_restricted == "true") {
    target.u_cirt_restricted = true;
} else if (source.u_cirt_restricted == "false") {
    target.u_cirt_restricted = false;
}

var asset_loc = target.location.country.toString();
if (!source.u_assigned_to.nil()) {
    var target_loc_country = "";
    var target_loc_market_unit = "";
    if (!source.u_location.nil()) {
        target_loc_country = location_country;
        target_loc_market_unit = source_location_MU;
    } else {
        target_loc_country = target.location.country.toString();
        target_loc_market_unit = target.location.u_market_unit.toString();
    }
}

var genral_ledger;
if (!source.u_general_ledger.nil()) {
    genral_ledger = source.u_general_ledger;
} else {
    genral_ledger = target.gl_account;
}

// if (!((target_loc_country == 'India' || target_loc_country == 'Switzerland' ||
target_loc_country == 'Austria' || target_loc_country == 'Germany') && (genral_ledger == 'P3
FNMS data')) {
    var Flag = false;
    var gr_User = new GlideRecord('sys_user');
    gr_User.get(source.u_assigned_to);
    var target_user_MU = gr_User.location.u_market_unit.toString();
    if ((gr_User.user_name.indexOf('ads.') == 0) && flag_legal) {

```

```

errMsg = errMsg + "\nRejected – Assigned To employee ID should not starts with 'ads.'
";
    ignore = true;
}
if (gr_User && flag_legal) {
    if (gr_User.u_employmentstatusdescr == 'Retiree') {
        errMsg = errMsg + "\nRejected - Assigned To may be Retiree";
        ignore = true;
    } else if (gr_User.u_employmentstatusdescr == 'Withdrawn') {
        errMsg = errMsg + "\nRejected - Assigned To may be Withdrawn";
        ignore = true;
    } else if (gr_User.u_employmentstatusdescr == 'Former Accenture Employee') {
        errMsg = errMsg + "\nRejected - Assigned To may be Former Accenture Employee";
        ignore = true;
    } else if (gr_User.u_employmentstatusdescr == 'Inactive') {
        // User Market_unit == Asset Market_Unit && Asset country)
        if ((target_user_MU == target_loc_market_unit) && (target_loc_country != 'USA')) {
            Flag = true;
            // (Asset country == user Country)
        } else if ((target_loc_country == 'USA') && (gr_User.u_countrysnm == 'USA')) {
            Flag = true;
        } else {
            errMsg = errMsg + "\nAssigned user is Inactive";
            ignore = true;
        }
        // User Market_unit == Asset Market_Unit && Asset country)
    } else if ((target_user_MU != target_loc_market_unit) && (target_loc_country != 'USA'))
{
    errMsg = errMsg + "\nAssigned user belongs to a different market unit.";
    ignore = true;
    // (Asset country == user Country )
} else if ((target_loc_country == 'USA') && (gr_User.u_countrysnm != 'USA')) {
    errMsg = errMsg + "\nAssigned user belongs to a different country.";
    ignore = true;
}

//US - 460800 - update Accessories
//US -859886

```

```

        if (!source.u_accessories.nil() && (asset_loc != "India" && asset_loc != "Philippines")
&& (target_state == 'In use' ||
        target_state == 'In transit' || target_state == 'Admin review' || source.u_state == 'In
use' ||
        source.u_state == 'In transit' || source.u_state == 'Admin review')) {
        if (target.u_acknowledged != 'yes') {
            target.u_accessories = source.u_accessories;
        } else {
            errMsg = errMsg + "\nAccessories cannot be updated once it is acknowledged";
            ignore = true;
        }

    } else if (source.u_accessories.nil() && target.assigned_to != gr_User.sys_id) {
        target.u_accessories = "";
    }
}
if (Flag && flag_legal) {
    var gr_currency = new GlideRecord("u_eam_country_currency");

gr_currency.addEncodedQuery('u_inactive_assignment_allowed=true^u_country.name=' +
target_loc_country);
    gr_currency.query();
    if (gr_currency.next()) {
        target.assigned_to = source.u_assigned_to;
    } else {
        errMsg = errMsg + "\nAssigned user is Inactive";
        ignore = true;
    }
}
} else if (source.u_assigned_to.nil() && target.assigned_to.nil() &&
!source.u_accessories.nil()) {
    errMsg = errMsg + "\nAssigned to is mandatory to update Accessories";
    ignore = true;
}
//US -460800
// US -859886
else if (!target.assigned_to.nil() && (asset_loc != "India" && asset_loc != "Philippines") &&

```

```

        (target_u_state == 'In use' || target_u_state == 'In transit' || target_u_state == 'Admin review' ||
source.u_state == 'In use' ||
        source.u_state == 'In transit' || source.u_state == 'Admin review') &&
!source.u_accessories.nil()) {
    if (target.u_acknowledged != 'yes') {
        target.u_accessories = source.u_accessories;
    } else {
        errMsg = errMsg + "\nAccessories cannot be updated once it is acknowledged";
        ignore = true;
    }
}

```

//US 2573461 update part

//US - 2541314, 2595130 && 2557944 && 2611542 update part code // Updated

// Validation for primary & Secondary check //

```

if ((target.model_category.getDisplayValue() == 'Laptop' ||
target.model_category.getDisplayValue() == 'Computer') && flag_legal) {
    var gr_hardware1 = new GlideAggregate('alm_hardware');
    if (!source.u_assigned_to.nil()) {
        var sub_cat3 = "";

```

```

gr_hardware1.addEncodedQuery('model_category.name=Laptop^ORmodel_category.name=Computer^install_status=1^assigned_to.user_name=' + source.u_assigned_to);

```

```

    gr_hardware1.groupBy('u_multiple_asset_business_justification');
    gr_hardware1.addAggregate('GROUP_CONCAT_DISTINCT', 'u_substate_reason');
    gr_hardware1.addAggregate('COUNT');
    gr_hardware1.addHaving('COUNT', '>', '0');
    gr_hardware1.query();
    while (gr_hardware1.next()) {
        flag_unique = false;
        target.u_multiple_asset_business_justification = "";
        target.u_multiple_asset_start_date = "";
        target.u_multiple_asset_end_date = "";
        target.u_multiple_asset_other_valid_reason = "";
        if (gr_hardware1.u_multiple_asset_business_justification == 'Primary') {
            flag_primary = true;
            flag_secondary = true;

```

```

        sub_cat3 = gr_hardware1.getAggregate('GROUP_CONCAT_DISTINCT',
'u_substate_reason');
    }
}
if (flag_primary && source.u_multiple_asset_business_justification == 'Primary') {
    errMsg = errMsg + "\n" + "Primary asset exists for this user";
    ignore = true;
}
//Vaildation on Primary Asset check //
target_state1 = target.install_status.getDisplayValue();
if ((flag_unique) && (source.u_state == 'In use' || target_state1 == 'In use')) {
    target.u_multiple_asset_business_justification = "";
    target.u_multiple_asset_start_date = "";
    target.u_multiple_asset_end_date = "";
    target.u_multiple_asset_other_valid_reason = "";
    target.u_multiple_asset_business_justification = 'Primary';
}

// Vaildation of Secondary asset check //
if (flag_secondary) {
    if (source.u_state.nil()) {
        if (((sub_cat3.indexOf("End_User") != -1) || (sub_cat3.indexOf("rental_end_user")
!= -1) || (sub_cat3.indexOf("end_user_recycle") != -1) ||
            (sub_cat3.indexOf("End_User_WFH") != -1)) && (target.u_substate_reason ==
'End_User' ||
            target.u_substate_reason == 'rental_end_user' || target.u_substate_reason ==
'end_user_recycle' || target.u_substate_reason == 'End_User_WFH') &&
            (source.u_multiple_asset_start_date.nil() ||
source.u_multiple_asset_end_date.nil() ||
source.u_multiple_asset_business_justification.nil()) &&
            (source.u_multiple_asset_business_justification != "Repair/ upgrade
replacement PC")) {
            errMsg = errMsg + "\n" + "Multiple assets being assigned to user, please fill
multiple asset start date, multiple asset end date, multiple asset business justification
fields mandatorily.";
            ignore = true;
        }
    }
}

```

```

    }
    if (!source.u_state.nil()) {
        if (((sub_cat3.indexOf("End_User") != -1) || (sub_cat3.indexOf("rental_end_user")
!= -1) || (sub_cat3.indexOf("end_user_recycle") != -1) ||
            (sub_cat3.indexOf("End_User_WFH") != -1)) && (source.u_substate_reason ==
'End User' || source.u_substate_reason == 'Rental - End User' ||
            source.u_substate_reason == 'End User - Recycle' ||
source.u_substate_reason == 'End User – Work From Home') &&
            (source.u_multiple_asset_start_date.nil() ||
source.u_multiple_asset_end_date.nil() ||
source.u_multiple_asset_business_justification.nil()) &&
            (source.u_multiple_asset_business_justification != "Repair/ upgrade
replacement PC")) {
            errMsg = errMsg + "\n" + "Multiple assets being assigned to user, please fill
multiple asset start date, multiple asset end date, multiple asset business justification
fields mandatorily.";
            ignore = true;
        }
    }

}
}

//Vaildation for Primary when Source is empty //
if (source.u_assigned_to.nil() && source.u_multiple_asset_business_justification ==
'Primary') {
    var gr_hardware_primary = new GlideRecord('alm_hardware');

gr_hardware_primary.addEncodedQuery('model_category.name=Laptop^ORmodel_categ
ory.name=Computer^u_multiple_asset_business_justification=Primary^install_status=1^
assigned_to=' + target.assigned_to);
    gr_hardware_primary.setLimit(1);
    gr_hardware_primary.query();
    if (gr_hardware_primary.next()) {
        flag_primary = true;
    }
    if (flag_primary) {
        errMsg = errMsg + "\n" + "Primary asset exists for this user";
        ignore = true;
    }
}

```



```

    }
}
if (source.u_state.nil()) {
    target_state1 = target.install_status.getDisplayValue();
    if ((source.u_multiple_asset_business_justification != "Other Valid Reason") &&
(!source.u_multiple_asset_other_valid_reason.nil()) &&
        (target_state1 == 'In use')) {
        errMsg = errMsg + "\n" + "Multiple asset other valid reasons field cannot have these
values for the corresponding values of multiple asset business justification field";
        ignore = true;
    }
    if ((source.u_multiple_asset_business_justification == "Other Valid Reason") &&
(source.u_multiple_asset_other_valid_reason.nil()) &&
        (target_state1 == 'In use')) {
        errMsg = errMsg + "\n" + "Multiple asset business justification is Other Valid
Reason, Multiple asset other valid reason is mandatory";
        ignore = true;
    }
}
}
if (!source.u_state.nil()) {
    target_state1 = target.install_status.getDisplayValue();
    if ((source.u_multiple_asset_business_justification != "Other Valid Reason") &&
(!source.u_multiple_asset_other_valid_reason.nil()) &&
        (source.u_state == "In use")) {
        errMsg = errMsg + "\n" + "Multiple asset other valid reasons field cannot have these
values for the corresponding values of multiple asset business justification field";
        ignore = true;
    }
    if ((source.u_multiple_asset_business_justification == "Other Valid Reason") &&
(source.u_multiple_asset_other_valid_reason.nil()) &&
        (source.u_state == "In use")) {
        errMsg = errMsg + "\n" + "Multiple asset business justification is Other Valid
Reason, Multiple asset other valid reason is mandatory";
        ignore = true;
    }
}
}
//Autopopulating Multiple asset Start Date/ Multiple asset End Date based on state

```

```

        if ((source.u_multiple_asset_business_justification == "Repair/ upgrade replacement
PC") && (source.u_multiple_asset_start_date.nil() ||
source.u_multiple_asset_end_date.nil())) {
            var Multiplestart_date1 = gs.nowDateTime();
            var endDate2 = new GlideDate();
            endDate2.addDaysLocalTime(14);
            target.u_multiple_asset_start_date = Multiplestart_date1;
            target.u_multiple_asset_end_date = endDate2;
        } else if (!source.u_multiple_asset_start_date.nil() ||
!source.u_multiple_asset_end_date.nil()) {
            target.u_multiple_asset_start_date = source.u_multiple_asset_start_date;
            target.u_multiple_asset_end_date = source.u_multiple_asset_end_date;
        }

```

```

//2611542 - US // //Vaildation on other state check apart from "In use" with two
vaildation
target_state1 = target.install_status.getDisplayValue();
if (source.u_state.nil()) {
    if ((target_state1 == 'Retired' || target_state1 == 'In stock' || target_state1 == 'In
maintenance' || target_state1 == 'Missing' ||
        target_state1 == 'Admin review' || target_state1 == 'In transit') &&
(!source.u_multiple_asset_business_justification.nil() ||
    !source.u_multiple_asset_other_valid_reason.nil() ||
    !source.u_multiple_asset_start_date.nil() ||
!source.u_multiple_asset_end_date.nil())) {
        errMsg = errMsg + "\n" + "You cannot put values in these fields for the state In
Transit, In Stock, In Maintenance, Retired, Missing and Admin Review";
        ignore = true;
    }
}
if (!source.u_state.nil()) {
    if ((source.u_state == 'In stock' || source.u_state == 'In transit' || source.u_state == 'In
maintenance' || source.u_state == 'Missing' ||
        source.u_state == 'Retired' || source.u_state == 'Admin review') &&
(!source.u_multiple_asset_business_justification.nil() ||
!source.u_multiple_asset_other_valid_reason.nil() ||
    !source.u_multiple_asset_start_date.nil() ||
!source.u_multiple_asset_end_date.nil())) {

```

```

        errMsg = errMsg + "\n" + "You cannot put values in these fields for the state In
Transit, In Stock, In Maintenance, Retired, Missing and Admin Review";
        ignore = true;

    }
}
if ((source.u_state == 'In stock' || source.u_state == 'In transit' || source.u_state == 'In
maintenance' || source.u_state == 'Missing' || source.u_state == 'Retired' || source.u_state
== 'Admin review')) {
    target.u_multiple_asset_business_justification = "";
    target.u_multiple_asset_start_date = "";
    target.u_multiple_asset_end_date = "";
    target.u_multiple_asset_other_valid_reason = "";
}
}
}

//if(gr_User.location.u_country)
// if (!source.u_general_ledger.nil()) {
if (((gr_User.u_acnpeoplekey == 0 || gr_User.active == false) && (action == "update" &&
flag_legal)) && asset_flag) { //1967461
    errMsg = errMsg + "\nAssigned to : " + gr_User.user_name + " should be an Accenture
Employee";
    ignore = true;
}

//temp location validation
if (!source.u_temp_location.nil() && asset_flag) {
    var grtemploc1 = new GlideRecord('u_eam_temp_locations');
    grtemploc1.addEncodedQuery('u_name=' + source.u_temp_location +
"^u_location.name=" + source.u_location);
    grtemploc1.query();
    if (!grtemploc1.next()) {
        errMsg = errMsg + "\nTemp location is not associated with the Asset's location";
        ignore = true;
    }
}
}

```

```

if (flag_legal == true && asset_flag) {
    //If state is In use,Make assigned to mandatory US - 2187463
    if (!source.u_state.nil()) {
        uState = source.u_state;
        if (action == "update" && ((uState == 'In use' &&
(target.model_category.getDisplayValue() == 'Laptop' ||
target.model_category.getDisplayValue() == 'Computer') &&
        source.u_assigned_to == '') || (uState == 'In use' && source.u_substate_reason !=
'Accenture facility' && source.u_assigned_to == ''))) {
            errMsg = errMsg + "\nAssigned to : Assigned to is mandatory for In Use asset.";
            //log_error_func(errMsg);
            ignore = true;
        }
    }
}

//2336765
if ((!source.u_state.nil() || !source.u_substate.nil() || !source.u_substate_reason.nil()) &&
(action == "update" && flag_legal)) { // one of them has value
    if (source.u_state.nil() || source.u_substate.nil() || source.u_substate_reason.nil()) {
        errMsg = errMsg + "\n" + "It is mandatory to fill all the three fields, In order to update
state, substate, substate reason of an asset";
        ignore = true;
    }
}
}

//}
/***** Mobile fields Update*****/
//if(isMobileDevice == true)
//{
if (!source.u_mobile_carrier.nil() && asset_flag) {
    var mobileCarrier = source.u_mobile_carrier;
    var gr = new GlideRecord("u_eam_mobile_carrier");
    gr.addQuery("u_mobile_carrier", source.u_mobile_carrier);
    gr.query();
    if (gr.next()) {
        mobileCarrier = gr.sys_id;
    } else {

```

```
    errMsg = errMsg + '\n' + "Mobile Carrier : " + mobileCarrier + " does not exists in Mobile Carrier table.";
```

```
    ignore = true;
```

```
    }
```

```
}
```

```
// Removing the below else for an issue in bulk import
```

```
//     else
```

```
//     {
```

```
var ngr = new GlideRecord('u_mobile_misc_information');
```

```
ngr.addQuery("u_asset_ref", target.sys_id);
```

```
ngr.query();
```

```
if (ngr.next()) {
```

```
    ngr.setWorkflow(false);
```

```
    //ngr.u_asset_ref = target.sys_id;
```

```
    if (!source.u_imei_primary.nil()) {
```

```
        ngr.u_imei_primary = source.u_imei_primary;
```

```
        target.u_store_imei_primary = ngr.u_imei_primary;
```

```
    }
```

```
    if (!source.u_imei_secondary.nil()) {
```

```
        ngr.u_imei_secondary = source.u_imei_secondary;
```

```
    }
```

```
    if (!mobileCarrier.nil()) {
```

```
        ngr.u_mobile_carrier = mobileCarrier;
```

```
    }
```

```
    if (!source.u_phone_number.nil()) {
```

```
        ngr.u_phone_number = source.u_phone_number;
```

```
    }
```

```
    if (!source.u_line_eligibility.nil()) {
```

```
        ngr.u_line_eligibility = source.u_line_eligibility;
```

```
    }
```

```
    if (!source.u_activation_status.nil()) {
```

```
        ngr.u_activation_status = source.u_activation_status;
```

```
    }
```

```
    if (!source.u_project_end_date.nil()) {
```

```

    ngr.u_project_end_date = source.u_project_end_date;
}
if (!source.u_pin.nil()) {
    ngr.u_pin = source.u_pin;
}
if (!source.u_puk.nil()) {
    ngr.u_puk = source.u_puk;
}
if (!source.u_extended_man_ctuer_warranty.nil()) {
    ngr.u_extended_manufacturer_warranty = source.u_extended_man_ctuer_warranty;
}
ngr.update();
}
//      }
//}
//Asset Tag
if (!source.u_asset_tag.nil()) {
    target.asset_tag = source.u_asset_tag;
}
}

```

/****** Date Validations******/

```

function formatDateAndValidate(sourceDate, targetField, errorMessage) {
    //sourceDate = sourceDate.toUpperCase();
    var regex1 = /^\\d{4}\\-(0?[1-9]|1[012])\\-(0?[1-9]|1[12][0-9]|3[01])$/g; // yyyy-mm-dd
    var regex2 = /^(0?[1-9]|1[12][0-9]|3[01])-(JAN|FEB|MAR|APR|MAY|JUN|JUL|AUG|SEP|OCT|NOV|DEC)-\\d{4}$/g; //dd-mon-yyyy

    if (regex1.test(sourceDate)) {
        target[targetField] = sourceDate;

    } else if (regex2.test(sourceDate)) {
        var dateParts = sourceDate.split('-');
    }
}

```

```

var day = dateParts[0];
var monthdetails = dateParts[1];
var year = dateParts[2];
var months = {
    'JAN': '01',
    'FEB': '02',
    'MAR': '03',
    'APR': '04',
    'MAY': '05',
    'JUN': '06',
    'JUL': '07',
    'AUG': '08',
    'SEP': '09',
    'OCT': '10',
    'NOV': '11',
    'DEC': '12'
};
var month = months[monthdetails];
var formattedDate = year + '-' + month + '-' + day;

    target[targetField] = formattedDate;
} else {
    errMsg = errMsg + errorMessage;
    //log_error_func(errMsg);
    ignore = true;

}
}

if (!source.u_delivery_date.nil() && asset_flag) {
    formatDateAndValidate(source.u_delivery_date, "delivery_date", "\nDelivery date: Please
change the date format to YYYY-MM-DD or DD-MON-YYYY.");
}

if (!source.u_depreciation_effective_date.nil() && asset_flag) {

```

```
    formatDateAndValidate(source.u_depreciation_effective_date, "depreciation_date",  
"\nDepreciation effective date: Please change the date format to YYYY-MM-DD or DD-  
MON-YYYY.");  
}
```

```
if (!source.u_assigned_date.nil() && asset_flag) {  
    formatDateAndValidate(source.u_assigned_date, "assigned", "\nAssigned date: Please  
change the date format to YYYY-MM-DD or DD-MON-YYYY.");  
}
```

```
if (!source.u_multiple_asset_start_date.nil() && asset_flag) {  
    formatDateAndValidate(source.u_multiple_asset_start_date,  
"u_multiple_asset_start_date", "\nMultiple asset Start Date: Please change the date format  
to YYYY-MM-DD or DD-MON-YYYY.");  
}
```

```
if (!source.u_multiple_asset_end_date.nil() && asset_flag) {  
    formatDateAndValidate(source.u_multiple_asset_end_date,  
"u_multiple_asset_end_date", "\nMultiple asset End Date: Please change the date format  
to YYYY-MM-DD or DD-MON-YYYY.");  
}
```

```
if (!source.u_refresh_due.nil() && asset_flag) {  
    formatDateAndValidate(source.u_refresh_due, "u_refresh_date", "\nRefresh date: Please  
change the date format to YYYY-MM-DD or DD-MON-YYYY.");  
}
```

```
if (!source.u_start_of_maintenance.nil() && asset_flag) {  
    formatDateAndValidate(source.u_start_of_maintenance, "u_start_of_maintenance",  
"\nStart of maintenance: Please change the date format to YYYY-MM-DD or DD-MON-  
YYYY.");  
}
```



```
if (!source.u_warranty_start_date.nil() && asset_flag) {  
    formatDateAndValidate(source.u_warranty_start_date, "u_warranty_start_date",  
"\nWarranty start date: Please change the date format to YYYY-MM-DD or DD-MON-YYYY.");  
}
```

```
if (!source.u_project_end_date.nil() && asset_flag) {  
    formatDateAndValidate(source.u_project_end_date, "u_project_end_date", "\nProject  
End date: Please change the date format to YYYY-MM-DD or DD-MON-YYYY.");  
}
```

```
if (!source.u_bond_date.nil() && asset_flag) {  
    formatDateAndValidate(source.u_bond_date, "u_bond_date", "\nBond Date: Please  
change the date format to YYYY-MM-DD or DD-MON-YYYY.");  
}
```

```
//US 1339439
```

```
if (!source.u_scrap_invoice_date.nil() && asset_flag) {  
    formatDateAndValidate(source.u_scrap_invoice_date, "u_scrap_invoice_date", "\nScrap  
Invoice Date: Please change the date format to YYYY-MM-DD or DD-MON-YYYY.");  
}
```

```
if (!source.u_warranty_expiration_date.nil() && asset_flag) {  
    formatDateAndValidate(source.u_warranty_expiration_date, "warranty_expiration",  
"\nWarranty expiration date: Please change the date format to YYYY-MM-DD or DD-MON-  
YYYY.");  
}
```

```
if (!source.u_end_of_maintenance.nil() && asset_flag) {  
    formatDateAndValidate(source.u_end_of_maintenance, "u_end_of_maintenance",  
"\nEnd of maintenance: Please change the date format to YYYY-MM-DD or DD-MON-  
YYYY.");  
}
```

```
if (!source.u_purchased_date.nil() && asset_flag) {  
    formatDateAndValidate(source.u_purchased_date, "purchase_date", "\nPurchased date:  
Please change the date format to YYYY-MM-DD or DD-MON-YYYY.");  
}
```

```

if (!source.u_scheduled_retirement_date.nil() && asset_flag) {
    formatDateAndValidate(source.u_scheduled_retirement_date, "retirement_date",
"\nScheduled Retirement date: Please change the date format to YYYY-MM-DD or DD-
MON-YYYY.");
}

if (!source.u_retired_date.nil() && asset_flag) {
    formatDateAndValidate(source.u_retired_date, "retired", "\nRetired date: Please change
the date format to YYYY-MM-DD or DD-MON-YYYY.");
}

if (!source.u_installed_date.nil() && asset_flag) {
    formatDateAndValidate(source.u_installed_date, "install_date", "\nInstalled date: Please
change the date format to YYYY-MM-DD or DD-MON-YYYY.");
} else {
    if (source.u_state == "In use") {
        var install_date = gs.nowDateTime();
        target.install_date = install_date;
    }

}

uState = source.u_state;
uSubstate = source.u_substate;
uDisposaldate = source.u_disposal_date;
if (((uState == 'Retired' && uSubstate == 'Disposed') && (action == "update" && flag_legal))
&& asset_flag) {
    if (!source.u_disposal_date.nil()) {
        formatDateAndValidate(source.u_disposal_date, "u_disposal_date", "\nDisposal date:
Please change the date format to YYYY-MM-DD or DD-MON-YYYY.");

    } else {
        errMsg = errMsg + "\nDisposal date " + " Please enter Disposal date. ";
        //log_error_func(errMsg);
        ignore = true;
    }
}
}

```

```

if (!source.u_invoice_date.nil()) {
    target.u_invoice_date = source.u_invoice_date;
}

if (!source.u_document_number.nil()) {
    target.u_document_number = source.u_document_number;
}

```

//State Sub-state Validation

//Validation for state

```

if (!source.u_state.nil() && !source.u_substate.nil()) {
    uState = source.u_state;
    uSubstate = source.u_substate;
    var flag = 0;
    var statevalue = 0;
    var substatevalue = "";
    var grStateRecord = new GlideRecord("sys_choice");
    grStateRecord.addQuery("name", 'alm_asset');
    grStateRecord.addQuery("element", 'install_status');
    grStateRecord.query();
    while (grStateRecord.next()) {

        if (uState == grStateRecord.getValue('label')) {

            flag = 1;
            break;
        }
    }

    if (flag == 0) {} else {
        statevalue = grStateRecord.getValue('value');
        flag = 0;
    }

```

```

    var grSubstateRecord = new GlideRecord("sys_choice");

```

```

grSubstateRecord.addQuery("name", 'alm_asset');
grSubstateRecord.addQuery("element", 'substatus');
grSubstateRecord.addQuery("dependent_value", statevalue);
grSubstateRecord.query();

while (grSubstateRecord.next()) {
    if (uSubstate == grSubstateRecord.getValue('label')) {
        flag = 1;
        break;
    }
}

if (((flag == 0 && uSubstate != '-- None --') && (action == "update" && flag_legal)) &&
asset_flag) {
    errMsg = errMsg + "\nSubstate : " + uSubstate + " Substate is not available under " +
uState + " State. Please input appropriate Substate. ";
    //log_error_func(errMsg);
    ignore = true;

} else if (flag == 0 && uSubstate.indexOf('None') > -1) {
    substatevalue = "";
    target.substatus = substatevalue;
} else {
    substatevalue = grSubstateRecord.getValue('value');
    target.substatus = substatevalue;
}
}
}

/*****MOBILE*****/
var mobileDevices = ["Cell phone", "Mobile device", "Telephone", "Mobile Phone", "Air
Card/Mifi/Modems", "Other Mobile Devices"];
for (var i = 0; i < mobileDevices.length; i++) {
    //check if Asset is Mobile Device
    if (source.u_model_category == mobileDevices[i]) {

        isMobileDevice = true;
    }
}
}

```

```

if (errMsg != noErr) {
    log_error_func(errMsg);
} else {
    //2213684- Worknote Update for Asset's update via Bulk Import Template
    if (action == 'update') {
        var worknote = 'Updated Via : EAM Core Backend Bulk Import'; //To differentiate from
portal bulk upload
        target.work_notes = worknote;
    }
}

function log_error_func(errMsg) {
    var d_source = source.sys_import_set.data_source;
    var gr_bulk = new GlideRecord("u_bulk_upload_email");
    gr_bulk.addQuery("u_data_source", d_source);
    gr_bulk.query();
    if (gr_bulk.next()) {
        var gr = new GlideRecord("x_amspi_eam_asset_import_request");
        gr.addQuery("bulk_upload_email", gr_bulk.sys_id);
        gr.query();
        if (gr.next()) {
            gr.import_errors = gr.import_errors + errMsg + "\n";
            gr.update();
        }
    }
}
//})(source, map, log, target);

```