

Fifteenth Edition - Revised 1996 Courtesy of Knolls Atomic Power Laboratory, Schenectady, NY, which is operated for the U.S. Department of Energy by KAPL, Inc., a Lockheed Martin company.

9	F 18.9984032 Fluorine $\hat{\sigma}_a \sim 9.4 \text{ mb}, 21 \text{ mb}$				F15 5E-22 s p 1.4 15.0180		F16 ~1E-20 s p .51 16.01147	
8	O 15.9994 Oxygen $\hat{\sigma}_a 28 \text{ mb}, 4 \text{ mb}$		O12 ~1E-21 s 2p 12.03442		O13 8.6 ms β^+ (p) 1.45, ... E 17.77		O14 70.60 s β^+ 1.81, ... γ 2312.7, ... E 5.1430	
7	N 14.00674 Nitrogen $\sigma_a \sim 1.89, .87$				N12 11.00 ms β^+ 16.3, ... γ 4439, ... (3 α) .192, ... E 17.338		N13 9.97 m β^+ 1.190 E 2.2204	
6	C 12.0107 Carbon $\sigma_a 3.5 \text{ mb}, 1.6 \text{ mb}$		C8 2.0E-21 s p, α 8.03767		C9 (3/-) 127 ms β^+ (p) 9.3, 12.3, ... (2 α) E 16.498		C10 19.29 s β^+ 1.87, ... γ 718.3, ... E 3.6478	
5	B 10.811 Boron $\sigma_a 76 \text{ E}1, \sim 343$		B7 (3/-) 3E-22 s p, α 7.0299		B8 2+ 770 ms β^+ 14, ... (α) 8.359 (2 α) 1.57 E 17.979		B9 3/- 8E-19 s p, 2 α 9.013329	
4	Be 9.012182 Beryllium $\sigma_a 8 \text{ mb}, 4 \text{ mb}$		Be6 5.0E-21 s 2p, α 6.01973		Be7 3/- 53.28 d ϵ 477.6 σ_p 3.9E4, ~1.8E4 σ_α .14, .06 E .86182		Be8 ~7E-17 s 2 α .0461 8.00530509	
3	Li 6.941 Lithium $\sigma_a 71, 32$		Li5 3/- ~3E-22 s p, α 5.01254		Li6 1+ 7.5* σ_α 941, 423 $\hat{\sigma}_\gamma$ 39 mb, 17 mb 6.015122		Li7 3/- 92.5* σ_γ .045, .020 7.016004	
2	He 4.002602 Helium $\sigma_a 7 \text{ mb}, 3 \text{ mb}$		He3 1/+ 0.000137 σ_p 5.33E3, 2.40E3 σ_γ .05 mb 3.016029309		He4 99.999863 σ_γ 0 4.002603250		He5 3/- 7.6E-22 s n, α 5.01222	
1	H 1.00794 Hydrogen $\sigma_a .333, .150$		H1 1/+ 99.985 σ_γ .333, .150 1.007825032		H2 1+ 0.015 σ_γ .52 mb, .23 mb 2.014101778		H3 1/+ 12.32 a β^- .018591 no γ $\hat{\sigma}_\gamma$ <6 μb E .018591	
0			n1 1/+ 10.25 m β^- .782 E .782354 1.008664924		3		4	

z ↑

→ 0
N