

 Rug-Rel <small>Commitment towards Technology & Quality Services</small>	ACCEPTANCE TEST PROCEDURE		DOC Name ATP	PART NUMBER 0313-ECC-003	
EXTERNAL COMBAT CONSOLE DP254		REV A	SH No. 1	PREPD. Shruti B R	DATE 29/01/25
		Ver 1.0	No. OF SH 37	APPRD. Athif Allam	DATE
<div><p>ACCEPTANCE TEST PROCEDURE</p><p>OF</p><p>EXTERNAL COMBAT CONSOLE (ECC)</p><p>DP254</p></div>					

 Rug-Rel <small>Commitment towards Technology & Quality Services</small>		ACCEPTANCE TEST PROCEDURE		DOC Name ATP	PART NUMBER 0313-ECC-003	
EXTERNAL COMBAT CONSOLE DP254			REV A	SH No. 2	PREPD. Shruti B R	DATE 29/01/25
			Ver 1.0	No. OF SH 37	APPRD. Athif Allam	DATE

Prepared by	
Shruti B Ramalinge (Testing and Qualification) Rug-Rel Components & Systems Pvt Ltd shruti.ramalinge@rugrel.com	
Verified by	
Uzair Ahmed (System Design Engineer) Rug-Rel Components & Systems Pvt Ltd Uzair.ahmed@rugrel.com	
Ilhan (Manager- System Design) Rug-Rel Components & Systems Pvt Ltd ilhan@rugrel.com	

Approved By
<p style="text-align: center;"> Athif Allam VP – Operations & Projects Rug-Rel Components & Systems Pvt Ltd athif.allam@rugrel.com </p>

 Rug-Rel <small>Commitment towards Technology & Quality Services</small>		ACCEPTANCE TEST PROCEDURE		DOC Name ATP	PART NUMBER 0313-ECC-003
EXTERNAL COMBAT CONSOLE DP254			REV A	SH No. 3	PREPD. Shruti B R
			Ver 1.0	No. OF SH 37	APPRD. Athif Allam
<div> <div>DATE 29/01/25</div> <div>DATE</div> </div>					
<div> <div> <div>1. Report Number:</div> <div>2. Report Date:</div> <div>3. No. of Pages:</div> </div> <div> <div>No.</div> <div>March 25</div> <div>37</div> </div> </div>					
<div> <div>4. Title:</div> <div>Acceptance Test Procedure: EXTERNAL COMBAT CONSOLE DP254</div> </div>					
<div> <div>5. Type of report</div> <div>6. Period Covered</div> <div>7. Classification</div> </div> <div> <div>Acceptance Test Procedure</div> <div>NA</div> <div>Restricted</div> </div>					
<div> <div>8. Project Number</div> <div>DP254</div> </div>					
<div> <div>9. Customer Name and Address:</div> <div>C. Name: Data Pattern Pvt Ltd. C Address: Chennai, Tamil Nadu</div> </div>					
<div> <div>10. Distribution:</div> <div>As per Distribution List</div> </div>					
<div> <div>11. Abstract:</div> <div>This document provides Acceptance Test Procedure of External Combat Console(ECC)</div> </div>					
<div> <div>12. Prepared by:</div> <div>Shruti B Ramalinge (Testing and Qualification)</div> </div>					
<div> <div>13. Verified by:</div> <div>1.Uzair Ahmed (System Design Engineer) 2.Ilhan (Manager- System Design)</div> </div>					
<div> <div>14. Approved by:</div> <div>Athif Allam (VP – Operations & Projects)</div> </div>					
<div> <div>15. Additional Information:</div> <div>Nil</div> </div>					

EXTERNAL COMBAT CONSOLE

REV
A

SH No.	4
--------	---

PREPD.
Shruti B R

DATE	29/01/25
------	----------

Ver
1.0

No. OF SH
37

APPRD.
Athif Allam


DATE _____

AMENDMENTS RECORD SHEET

[illegible]


DATE _____

SBC	Single Board Computer
RS232	Recommended Standard 232
OS	Operating system
RAM	Random Access Memory
HDMI	High-Definition Multimedia Interface
USB	Universal Serial Bus
SSDs	Solid State Drives
DDR	Double Data Rate
LED	Light Emitting Diode
AI	Analog Input
DO	Digital Output
DI	Digital Input
GUI	Graphical User Interface

 Rug-Rel <small>Commitment towards Technology & Quality Services</small>	ACCEPTANCE TEST PROCEDURE		DOC Name ATP	PART NUMBER 0313-ECC-003	
EXTERNAL COMBAT CONSOLE DP254		REV A	SH No. 6	PREPD. Shruti B R	DATE 29/01/25
		Ver 1.0	No. OF SH 37	APPRD. Athif Allam	DATE
<p><u>Table of Contents:</u></p> <p>1. INTRODUCTION..... 8</p> <p>2. TECHNICAL SPECIFICATION.....8</p> <p>3. SCOPE OF DOCUMENT.....9</p> <p>4. TEST CASES.....9</p> <p>5. SYSTEM OVERVIEW.....10</p> <p>6. GA DRAWINGS.....12</p> <p>7. EXTERNAL INTERFACE DETAILS.....13</p> <p>8. PHYSICAL INSPECTION.....13</p> <p>9. INTERNAL BLOCK DIAGRAM.....14</p> <p>10. TEST SETUP.....15</p> <p>11. FUNCTIONAL TESTS.....15</p> <p>11.1 TEST EQUIPMENT AND ACCESSORIES.....15</p> <p>11.1.1 TESTING CABLES.....15</p> <p>11.1.2 EXTERNAL DEVICES.....16</p> <p>11.1.3 DRIVERS AND SOFTWARE TO BE INSTALLED IN COMBAT CONSOLE.....16</p> <p>12. EXTERNAL COMBAT CONSOLE TEST PROCEDURE.....16</p> <p>12.1 POWER TESTING.....16</p> <p>12.1.1 POWER ON TEST.....16</p> <p>12.1.2 POWER OFF TEST.....17</p> <p>12.2 SBC TESTING (UBUNTU).....17</p> <p>12.2.1 CONFIGURATION SETTINGS.....17</p> <p>12.2.2 TEST PROCEDURE FOR DETECTION OF PROCESSOR, SSD STORAGE & RAM.....18</p> <p>12.3 RS232/RS422 – COM 3 PORT TEST (UBUNTU).....18</p> <p>12.4 RS232 – COM 1 PORT TEST (UBUNTU).....18</p> <p>12.5 EMERGENCY BUTTON TEST.....19</p> <p>12.6 MEMBRANE KEYBOARD TEST.....20</p> <p>APPENDIX ‘A’-FUNCTIONAL TEST DATA RECORDS.....22</p> <p>APPENDIX ‘B’ - PERFORMANCE CHECK.....33</p>					

DATE _____

TABLE 1: TECHNICAL SPECIFICATION OF EXTERNAL COMBAT CONSOLE.....	8
TABLE 2: TEST CASES OF EXTERNAL COMBAT CONSOLE.....	9
TABLE 3: CONNECTOR DETAILS OF EXTERNAL COMBAT CONSOLE.....	13
TABLE 4 : LIST OF TEST CABLES.....	16
TABLE 5: LIST OF EXTERNAL DEVICES.....	16
TABLE 6: LIST OF DRIVERS/SOFTWARE TO BE INSTALLED.....	16

 Rug-Rel <small>Commitment towards Technology & Quality Services</small>		ACCEPTANCE TEST PROCEDURE		DOC Name ATP	PART NUMBER 0313-ECC-003		
EXTERNAL COMBAT CONSOLE DP254				REV A	SH No. 8	PREPD. Shruti B R	DATE 29/01/25
				Ver 1.0	No. OF SH 37	APPRD. Athif Allam	DATE


1. INTRODUCTION:


This document describes the Acceptance Test Procedures (ATP) for External Combat Console (ECC). The console houses the hardware required for the operation and control of equipment. ECC unit consists of a structural framework holding Rugged monitor with bezel keys, SBC, membrane Keyboard, joystick, Rotary Switches, electrical connectors along with user interfaces and controls.

2. TECHNICAL SPECIFICATION:

Sl No	Parameter	Specification	Remarks
1	Processor	Intel i7 14th Gen Intel(R) Core (TM) i7-14700	
2	RAM	8GB (DDR5)	
3	Ethernet	2nos	
4	Storage	256GB	
5	I/O Port	RS232/RS422: 01 no RS232: ≥ 01 no’s USB: ≥ 02 no’s, Audio port: 01 Analog:08 channel, 10bit resolution Digital input: 16 channels, Digital output: 08channels	
6	OS	Ubuntu 22.04	
7	Monitor	17.3”,1920 x 1080 resolution with 28 bezel keys	
8	Joystick	01no	
9	Rotary Switch	4POS-2 QTY 3POS-1 QTY	
10	AI Card	08 channel, 10bit resolution : 01no	
11	DO Card	08channels : 01no	
12	DI Card	16 channels : 01no	
GENERAL SPECIFICATIONS			
13	Power	18-32V DC	
14	Operating Temperature	-20°C to +60°C	
15	IP Rating	IP65	
16	EMI/EMC	MIL STD 461F	
17	Environmental Spec	JSS 55555/ MIL STD 810F	
18	Dust Caps	Dust caps with Nylon beads to be provided for all external interfaces	

Table 1: Technical Specification of EXTERNAL COMBAT CONSOLE

		ACCEPTANCE TEST PROCEDURE		DOC Name ATP	PART NUMBER 0313-ECC-003																											
EXTERNAL COMBAT CONSOLE DP254			REV A	SH No. 9	PREPD. Shruti B R																											
			Ver 1.0	No. OF SH 37	APPRD. Athif Allam																											
<p>3. <u>SCOPE OF DOCUMENT:</u></p> <p>This document describes the complete procedure to test the physical and functional aspects of the EXTERNAL COMBAT CONSOLE. This test includes complete testing of all the I/O viz. HDMI, USB, RS232, RS232/RS422 & Ethernet etc.</p> <p>4. <u>TEST CASES:</u></p> <table border="1"> <thead> <tr> <th>S No</th> <th>Test Cases</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>01</td> <td>Processor Test</td> <td>It tests the processor, RAM and SSD storage detection using pass mark software</td> </tr> <tr> <td>02</td> <td>Ethernet Test</td> <td>It tests the 2 ports connected to laptop using the Ping operation</td> </tr> <tr> <td>03</td> <td>USB Test</td> <td>It validate the USB interface Of 2 ports using a mouse & keyboard</td> </tr> <tr> <td>04</td> <td>Serial Port Test</td> <td>It test of 2 ports(RS232/RS422 & RS232)connected to DB9 Connector using mini com software</td> </tr> <tr> <td>05</td> <td>Membrane Keyboard Test</td> <td>It validates all the switches and LED's of the membrane keyboard using test application</td> </tr> <tr> <td>06</td> <td>Analog Input</td> <td>Analog Input will Directly connected to the Analog Input card which will interface with motherboard</td> </tr> <tr> <td>07</td> <td>Digital Output</td> <td>Digital Output will connected to the Digital Output card which will interface with Membrane Keyboard</td> </tr> <tr> <td>08</td> <td>Digital Input</td> <td>Digital input will connected to the Digital input card which will interface with rotary switches and emergency switch.</td> </tr> </tbody> </table>						S No	Test Cases	Description	01	Processor Test	It tests the processor, RAM and SSD storage detection using pass mark software	02	Ethernet Test	It tests the 2 ports connected to laptop using the Ping operation	03	USB Test	It validate the USB interface Of 2 ports using a mouse & keyboard	04	Serial Port Test	It test of 2 ports(RS232/RS422 & RS232)connected to DB9 Connector using mini com software	05	Membrane Keyboard Test	It validates all the switches and LED's of the membrane keyboard using test application	06	Analog Input	Analog Input will Directly connected to the Analog Input card which will interface with motherboard	07	Digital Output	Digital Output will connected to the Digital Output card which will interface with Membrane Keyboard	08	Digital Input	Digital input will connected to the Digital input card which will interface with rotary switches and emergency switch.
S No	Test Cases	Description																														
01	Processor Test	It tests the processor, RAM and SSD storage detection using pass mark software																														
02	Ethernet Test	It tests the 2 ports connected to laptop using the Ping operation																														
03	USB Test	It validate the USB interface Of 2 ports using a mouse & keyboard																														
04	Serial Port Test	It test of 2 ports(RS232/RS422 & RS232)connected to DB9 Connector using mini com software																														
05	Membrane Keyboard Test	It validates all the switches and LED's of the membrane keyboard using test application																														
06	Analog Input	Analog Input will Directly connected to the Analog Input card which will interface with motherboard																														
07	Digital Output	Digital Output will connected to the Digital Output card which will interface with Membrane Keyboard																														
08	Digital Input	Digital input will connected to the Digital input card which will interface with rotary switches and emergency switch.																														
<p align="center">Table 2: Test cases of EXTERNAL COMBAT CONSOLE</p>																																

 Rug-Rel <small>Commitment towards Technology & Quality Services</small>	ACCEPTANCE TEST PROCEDURE		DOC Name ATP	PART NUMBER 0313-ECC-003	
EXTERNAL COMBAT CONSOLE DP254		REV A	SH No. 10	PREPD. Shruti B R	DATE 29/01/25
		Ver 1.0	No. OF SH 37	APPRD. Athif Allam	DATE

5. SYSTEM OVERVIEW:

This shows the complete view of the **EXTERNAL COMBAT CONSOLE**





Figure 1: Front view of EXTERNAL COMBAT CONSOLE

 Rug-Rel <small>Commitment towards Technology & Quality Services</small>	ACCEPTANCE TEST PROCEDURE		DOC Name ATP	PART NUMBER 0313-ECC-003	
EXTERNAL COMBAT CONSOLE DP254		REV A	SH No. 11	PREPD. Shruti B R	DATE 29/01/25
		Ver 1.0	No. OF SH 37	APPRD. Athif Allam	DATE




Figure 2: Side view of EXTERNAL COMBAT CONSOLE

EXTERNAL COMBAT CONSOLE

DP254

REV
A

SH No.
12

PREPD.
Shruti B R

DATE
29/01/25

Ver
1.0

No. OF SH
37

H	APPRD. Athif Allam
---	-----------------------

DATE _____

6. GA DRAWINGS:





Figure 3: GA Drawings of EXTERNAL COMBAT CONSOLE

 Rug-Rel <small>Commitment towards Technology & Quality Services</small>	ACCEPTANCE TEST PROCEDURE		DOC Name ATP	PART NUMBER 0313-ECC-003	
EXTERNAL COMBAT CONSOLE DP254		REV A	SH No. 13	PREPD. Shruti B R	DATE 29/01/25
		Ver 1.0	No. OF SH 37	APPRD. Athif Allam	DATE

7. EXTERNAL INTERFACE DETAILS:





Figure 4: External interface details of **EXTERNAL COMBAT CONSOLE**

SI No	Connector Reference	Signal Type	Signal Name	Manufacturer Part No.
1	J1	DC Power	I/P Power	D38999/24WB5PN
2	J2	Ethernet1	ETH-1	RJFTV7PEM1G
3	J3	Ethernet2	ETH-2	RJFTV7PEM1G
4	J4	HDMI	Display Signal	D38999/24WC35SN
5	J5	USB-1	USB	D38999/24WDUSB-SB
6	J6	USB-2	USB	D38999/24WDUSB-SB
7	J7	RS232/RS422	RS232/RS422	D38999/24WB35SB
8	J8	RS232	RS232	D38999/24WB35SA
9	J9	Analog Input	AI	D38999/24WC35PN
10	J10	Digital Output	DO	D38999/24WC35PN

Table 3: Connector Details of **EXTERNAL COMBAT CONSOLE**

8. PHYSICAL INSPECTION:

- Record the serial number and measure the Dimensions of the EXTERNAL COMBAT CONSOLE unit and record the measured readings in Dimension measurements table.
- Visual inspection to be carried out to check all the screws are properly intact and tightened.
- Check all the Circular connectors are properly intact and tightened.
- Check for any Physical damages on the chassis.

 Rug-Rel <small>Commitment towards Technology & Quality Services</small>	ACCEPTANCE TEST PROCEDURE		DOC Name ATP	PART NUMBER 0313-ECC-003	
EXTERNAL COMBAT CONSOLE DP254		REV A	SH No. 14	PREPD. Shruti B R	DATE 29/01/25
		Ver 1.0	No. OF SH 37	APPRD. Athif Allam	DATE

9. INTERNAL BLOCK DIAGRAM:





Figure 5: Internal Block Diagram of **EXTERNAL COMBAT CONSOLE**

 Rug-Rel <small>Commitment towards Technology & Quality Services</small>	ACCEPTANCE TEST PROCEDURE		DOC Name ATP	PART NUMBER 0313-ECC-003	
EXTERNAL COMBAT CONSOLE DP254		REV A	SH No. 15	PREPD. Shruti B R	DATE 29/01/25
		Ver 1.0	No. OF SH 37	APPRD. Athif Allam	DATE

10. TEST SETUP:

The test set up used in the Electrical/Functional tests of **EXTERNAL COMBAT CONSOLE** is as depicted in Figure 6.




Figure 6: Test setup for functional test of **EXTERNAL COMBAT CONSOLE**

11. FUNCTIONAL TESTS:


Functional tests comprise of the full range of tests to be carried out on the **EXTERNAL COMBAT CONSOLE** to establish its Functional/ Specification compliance as per the Operational Requirements. The list of functional tests to be carried out and the test procedure is described in this Section.

11.1 Test Equipment and Accessories

List of the test equipment required for performing the acceptance tests are detailed as follows.

11.1.1 Testing Cables

SL. No.	Description	Quantity
1	Power connector Mating Cable assembly – J1	01 No.
2	Ethernet connector Mating Cable assembly – J2&J3	02 Nos.
3	HDMI connector Mating Cable assembly -J4	01 No.
4	USB connectors Mating cable assembly- J5 & J6	02 Nos.

 Rug-Rel <small>Commitment towards Technology & Quality Services</small>	ACCEPTANCE TEST PROCEDURE		DOC Name ATP	PART NUMBER 0313-ECC-003	
EXTERNAL COMBAT CONSOLE DP254		REV A	SH No. 16	PREPD. Shruti B R	DATE 29/01/25
		Ver 1.0	No. OF SH 37	APPRD. Athif Allam	DATE

5	RS232/RS422 connector Mating cable assembly- J7	01No.
6	RS232 connector Mating cable assembly-J8	01No.
7	AI connector Mating cable assembly- J9	01No.
8	DO connector Mating cable assembly- J10	01No.

Table 4 : List of test cables

11.1.2 External Devices

SL. No.	External Devices Required	Quantity
1	External PC/ Laptop the following software installed: Ubuntu 22.04	1

Table 5: List of external devices

11.1.3 Drivers and software to be installed in COMBAT CONSOLE

SL. No.	Drivers/ Software
1	Minicom on Ubuntu (for serial ports testing)
2	Burn In Test Pass Mark software on SBC
3	Membrane keyboard test application

Table 6: List of Drivers/Software to be installed

12. EXTERNAL COMBAT CONSOLE TEST PROCEDURE


The below section describes the testing procedure of EXTERNAL COMBAT CONSOLE.


12.1 Power Testing


Testing of the Power involves detection and working of all functional cards.


12.1.1 Power ON test


1. **Test Objective:** To ensure the unit is turned on and the functionality is as per the expected results in the TDRS-3.
2. **Test Procedure:**
 - a. Connect the power cable between power connector (J1) on External Interface Panel and DC power supply.
 - b. Switch on the DC Power supply and ensure “**PWR ON**” led glows RED on the external Interface panel, which confirms that Power supply is reaching the Combat Console & remaining devices.

 Rug-Rel <small>Commitment towards Technology & Quality Services</small>	ACCEPTANCE TEST PROCEDURE		DOC Name ATP	PART NUMBER 0313-ECC-003	
EXTERNAL COMBAT CONSOLE DP254		REV A	SH No. 17	PREPD. Shruti B R	DATE 29/01/25
		Ver 1.0	No. OF SH 37	APPRD. Athif Allam	DATE
<div> <div> <p>c. Switch on the toggle; the green LED on the external interface panel will glow, confirming that the system will begin the boot up process on the SBC.</p> <p>d. The system boots up with Ubuntu on SBC which is displayed on the external monitor.</p> <p>e. Check USB keyboard and mouse are working for SBC.</p> <p>f. Note down the measured value in TDRS-3</p> </div> <div> <p>Note:</p> <p>1) Unit to be cleaned of dust and dirt before start of test</p> <p>2) Maintain Min.1U free space above the unit during testing for optimum thermal performance</p> <p>3) This orientation to be maintained during all testing.</p> </div> </div> <div> <p>12.1.2 Power OFF test</p> <ol style="list-style-type: none"> Test Objective: To ensure the unit is turned OFF and expected results. Test Procedure: <ol style="list-style-type: none"> Shutdown the SBC. Turn OFF the Power Switch. Note down the measured value in TDRS-3 </div> <div> <p>12.2 SBC Testing (Ubuntu)</p> <p>Test Objective: The objective of this test is</p> <ol style="list-style-type: none"> To ensure and display the detection of processor To detect and detail the RAM configuration To detect the 1Gb network port 1 and port 2 To detect the USB port To detect the Serial Port To detect the RS232/RS422 </div> <div> <p>12.2.1 Configuration Settings</p> <ol style="list-style-type: none"> Connect J2 & J3 mating cable to laptop. Assign IP address to Combat Console. Irrespective of IP address of Combat Console and Laptop, the default gateway address should be the same on both Combat Console and Laptop. (E.g., For Ethernet1 (J2) - IP address: 192.168.1.20, Subnet Mask: 255.255.255.0) For Ethernet2 (J3) - IP address: 192.168.1.20, Subnet Mask: 255.255.255.0) Connect loop back cables assembly to the DB9 connector of RS232/RS232/RS422 connector mating cable assembly-- J4 & J5. </div>					

 Rug-Rel <small>Commitment towards Technology & Quality Services</small>	ACCEPTANCE TEST PROCEDURE		DOC Name ATP	PART NUMBER 0313-ECC-003	
EXTERNAL COMBAT CONSOLE DP254		REV A	SH No. 18	PREPD. Shruti B R	DATE 29/01/25
		Ver 1.0	No. OF SH 37	APPRD. Athif Allam	DATE
<div> <p>12.2.2 Test Procedure for detection of processor, SSD Storage & RAM:</p> <ol style="list-style-type: none"> Log In to the root account. Go to Path-Home-> download -> bitlinux4.1.1002.tar.gz (Extract the file) -> bitlinux4.1.1002->64bit->Right click on the "Open in Terminal" program. Change the mode to 777 using command "chmod 777 burnintest" and press enter Change your current working directory to "burnintest" by typing "cd path_to_burnintest_folder" (There is an easy way to copy path by dragging the burnintest icon into the terminal) and press enter Open "BurnInTest" using command ". /bit_cmd_line_x64". The test will take 15mins to complete. Result will be displayed on Screen after completion of test. Note down the measured /observed values in TDRS-4 &5, against the respective portion of the tests <p>Note: This procedure is invoked once with all options selected.</p> <p>12.3 RS232/RS422 – COM 3 PORT TEST (Ubuntu)</p> <ol style="list-style-type: none"> Test Objective: To detect and test the RS232/RS422 – ttyS2 port. Test Procedure: <ol style="list-style-type: none"> Connect RS232/RS422 loopback cable assembly to the DB9 connector (RS232/RS422 port of SBC) of RS232/RS422 connector Mating cable assembly- J7 Open Terminal. Start minicom by using command "sudo minicom". Enter Serial Port setup menu. Press "A" type "/dev/ttyS2". Save setup as dev_ttyS2 by selecting "save setup as" option. Exit from setup. Type keys to display. Record the observations in TDRS-6 <p>12.4 RS232 – COM 1 PORT TEST (Ubuntu)</p> <ol style="list-style-type: none"> Test Objective: To detect and test the RS232 – ttyS0 port. Test Procedure: <ol style="list-style-type: none"> Connect RS232 loopback cable assembly to the DB9 connector (RS232 port of SBC) of RS232 connector Mating cable assembly- J8 Open Terminal. Start minicom by using command "sudo minicom". Enter Serial Port setup menu. Press "A" type "/dev/ttyS0". Save setup as dev_ttyS0 by selecting "save setup as" option. Exit from setup. Type keys to display. </div>					

		ACCEPTANCE TEST PROCEDURE		DOC Name ATP	PART NUMBER 0313-ECC-003
EXTERNAL COMBAT CONSOLE DP254			REV A	SH No. 19	PREPD. Shruti B R
			Ver 1.0	No. OF SH 37	APPRD. Athif Allam
<div> 12.5 EMERGENCY BUTTON TEST: </div> <div> <ol style="list-style-type: none"> Test Objective: To detect and test the Emergency Button. Test Procedure: <ol style="list-style-type: none"> Navigate to the directory. cd/home/Downloads/AsriCoreApi_v0.0.27.0/sample → Right click on the “open in terminal” program. Run the compiled program “ sudo ./sample-x86_64” Password: root123 </div> <div> <ol style="list-style-type: none"> Press the EMERGENCY STOP SWITCH (L) & (R) button, observe that the state in the terminal logs, the expected output should be 1 for ON & 0 for OFF. Release the EMERGENCY STOP SWITCH (L) & (R) button, observe that the state in the terminal logs, the expected output should be shown in below figure </div>					

 Rug-Rel <small>Commitment towards Technology & Quality Services</small>	ACCEPTANCE TEST PROCEDURE		DOC Name ATP	PART NUMBER 0313-ECC-003	
EXTERNAL COMBAT CONSOLE DP254		REV A	SH No. 20	PREPD. Shruti B R	DATE 29/01/25
		Ver 1.0	No. OF SH 37	APPRD. Athif Allam	DATE
<div>12.6 MEMBRANE KEYBOARD TEST:</div> <div>1. Test Objective: To detect and test the Membrane Keyboard.</div> <div>2. Test Procedure:<div><div>1. Open the server application by entering 127.0.0.1 in a web server.</div><div>2. The login form will automatically appear once the server is running.</div><div>3. The login form consists of two input fields and a button:<div><div>a. Username : admin</div><div>b. Password: 123</div></div></div></div></div>					

 Rug-Rel <small>Commitment towards Technology & Quality Services</small>	ACCEPTANCE TEST PROCEDURE		DOC Name ATP	PART NUMBER 0313-ECC-003	
EXTERNAL COMBAT CONSOLE DP254		REV A	SH No. 21	PREPD. Shruti B R	DATE 29/01/25
		Ver 1.0	No. OF SH 37	APPRD. Athif Allam	DATE

Login Form

User Name

admin

Password

...

4. After successful login, the main GUI interface will load as shown in below figure.





Figure 8: Main GUI Interface

		ACCEPTANCE TEST PROCEDURE		DOC Name ATP	PART NUMBER 0313-ECC-003
EXTERNAL COMBAT CONSOLE DP254			REV A	SH No. 22	PREPD. Shruti B R
			Ver 1.0	No. OF SH 37	APPRD. Athif Allam
<div> <div>DATE</div> <div>29/01/25</div> </div>					

APPENDIX ‘A’-FUNCTIONAL TEST DATA RECORDS

TEST DATA RECORD SHEET – 1

VISUAL INSPECTION

Project : DP254

DUT : External Combat Console

Serial No. :


Date:


Test Condition:


Sl.No	Specification	Observed Value	Remarks
Dimensions:			
a	Length:436mm		
b	Width:600mm		
c	Height:1190mm		
d	Weight: 72Kg		
Connector Description:			
e	J1(D38999/24WB5PN)		
f	J2(RJFTV7PEM1G)		
g	J3(RJFTV7PEM1G)		
h	J4(D38999/24WC35SN)		
i	J5(D38999/24WDUSB-SB)		
j	J6(D38999/24WDUSB-SB)		
k	J7(RE38999/24WB35SB)		
l	J8(RE38999/24WB35SA)		
m	J9(RE38999/24WC35PN)		
n	J10(RE38999/24WC35PN)		


Rug-Rel Rep

DP Rep

		ACCEPTANCE TEST PROCEDURE		DOC Name ATP	PART NUMBER 0313-ECC-003
EXTERNAL COMBAT CONSOLE DP254			REV A	SH No. 23	PREPD. Shruti B R
			Ver 1.0	No. OF SH 37	APPRD. Athif Allam
TEST DATA RECORD SHEET – 2					
ISOLATION TEST					
Project : DP254			Date:		
DUT : External Combat Console			Test Condition:		
Serial No. :					
S.NO	Parameter	Specification	Observed Value	Remarks	
a	J1 (A & C) +28V	No continuity should come			
b	J1 (B & D) GND	No continuity should come			
c	J1 (A & E) Earth	No continuity should come			
<div> <div>Rug-Rel Rep</div> <div>DP Rep</div> </div>					

		ACCEPTANCE TEST PROCEDURE		DOC Name ATP	PART NUMBER 0313-ECC-003																																														
EXTERNAL COMBAT CONSOLE DP254			REV A	SH No. 24	PREPD. Shruti B R																																														
			Ver 1.0	No. OF SH 37	APPRD. Athif Allam																																														
<div>TEST DATA RECORD SHEET – 3</div> <div>Power ON & OFF Test</div> <div> <div> Project : DP254 Date: </div> <div> DUT : External Combat Console Test Condition: </div> <div> Serial No. : </div> </div> <div>Power ON test:</div> <table border="1"> <thead> <tr> <th>SI No</th> <th>Test Description</th> <th>Specified values</th> <th>Observed Value (Yes /No)</th> <th>Remarks</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Switch ON DC</td> <td>PWR_ON LED RED glows</td> <td></td> <td></td> </tr> <tr> <td>2</td> <td>“PWR SW” in ON position</td> <td>SBC booted with Ubuntu 22.04</td> <td></td> <td></td> </tr> </tbody> </table> <div>Power OFF test:</div> <table border="1"> <thead> <tr> <th>SI No</th> <th>Test Description</th> <th>Specified values</th> <th>Observed Value (Yes /No)</th> <th>Remarks</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Switch OFF DC</td> <td>PWR_ON RED LED OFF</td> <td></td> <td></td> </tr> <tr> <td>2</td> <td>Power supply OFF position</td> <td>SBC - No output on monitor</td> <td></td> <td></td> </tr> </tbody> </table> <div>Power Consumption test:</div> <table border="1"> <thead> <tr> <th></th> <th>Voltage (V)</th> <th>Current (A)</th> <th>Remarks</th> </tr> </thead> <tbody> <tr> <td>18V</td> <td></td> <td></td> <td></td> </tr> <tr> <td>24V</td> <td></td> <td></td> <td></td> </tr> <tr> <td>32V</td> <td></td> <td></td> <td></td> </tr> </tbody> </table> <div> <div>Rug-Rel Rep</div> <div>DP Rep</div> </div>						SI No	Test Description	Specified values	Observed Value (Yes /No)	Remarks	1	Switch ON DC	PWR_ON LED RED glows			2	“PWR SW” in ON position	SBC booted with Ubuntu 22.04			SI No	Test Description	Specified values	Observed Value (Yes /No)	Remarks	1	Switch OFF DC	PWR_ON RED LED OFF			2	Power supply OFF position	SBC - No output on monitor				Voltage (V)	Current (A)	Remarks	18V				24V				32V			
SI No	Test Description	Specified values	Observed Value (Yes /No)	Remarks																																															
1	Switch ON DC	PWR_ON LED RED glows																																																	
2	“PWR SW” in ON position	SBC booted with Ubuntu 22.04																																																	
SI No	Test Description	Specified values	Observed Value (Yes /No)	Remarks																																															
1	Switch OFF DC	PWR_ON RED LED OFF																																																	
2	Power supply OFF position	SBC - No output on monitor																																																	
	Voltage (V)	Current (A)	Remarks																																																
18V																																																			
24V																																																			
32V																																																			

		ACCEPTANCE TEST PROCEDURE		DOC Name ATP	PART NUMBER 0313-ECC-003
EXTERNAL COMBAT CONSOLE DP254			REV A	SH No. 25	PREPD. Shruti B R
			Ver 1.0	No. OF SH 37	APPRD. Athif Allam
TEST DATA RECORD SHEET – 4					
SBC Testing (Ubuntu)					
Project : DP254			Date:		
DUT : External Combat Console			Test Condition:		
Serial No. :					
Processor Detection test					
Sl No	Test Name	Specified values	Observed Value	Remarks	
1	Processor	CPU Detected			
2	CPU manufacturer	Genuine Intel			
3	CPU Type	14th Gen Intel(R) Core (TM) i7-14700			
4	CPUID	Family 6, Model 186, Stepping 3			
5	Physical CPU's	1			
6	Cores per CPU	10			
7	Sockets supported	FCLGA1700			
8	CPU speed	1700.0 MHz			
RAM Detection test					
Sl No	Test Name	Specified values	Observed Value	Remarks	
1	RAM Test	RAM detected			
2	Total Physical Memory	7718 MB			
3	Memory devices				
3.1	Channel A-D	8192 MB, DDR5, 4800 MT/s			
SSD Storage detection test					
Sl No	Test Name	Specified values	Observed Value	Remarks	
1	SSD storage detection	SSD detected			
2	Disk drive:	256GB			
Rug-Rel Rep			DP Rep		

 Rug-Rel <small>Commitment towards Technology & Quality Services</small>	ACCEPTANCE TEST PROCEDURE		DOC Name ATP	PART NUMBER 0313-ECC-003	
EXTERNAL COMBAT CONSOLE DP254		REV A	SH No. 26	PREPD. Shruti B R	DATE 29/01/25
		Ver 1.0	No. OF SH 37	APPRD. Athif Allam	DATE

TEST DATA RECORD SHEET – 5

SBC Testing (Ubuntu)

Project : DP254

Date:

DUT : External Combat Console

Serial No. :

Test Condition:

Network Ports test

Test Setup for ETH Ping:




Figure 9: Test setup of Eth ping Test


Ethernet Port 1 Test


Sl No	Test Name	Specified values	Observed Value	Remarks
1	Ethernet Port	Ethernet Port detected		
2	Network	Intel(R) I210 Gigabit Network Connection		
3	IPv4	Assign any IP address		
4	Speed	1000Mb/s		


Ethernet Port 2 Test


Ethernet Port 2 is connected to the Ethernet switch through backplane internally.
Check for the port speed showing 1000Mbps.

Sl No	Test Name	Specified values	Observed Value	Remarks
1	Ethernet Port	Ethernet Port detected		
2	Network	Intel(R) I210 Gigabit Network Connection		
3	IPv4	Assign any IP address		
4	Speed	1000Mb/s		

		ACCEPTANCE TEST PROCEDURE		DOC Name ATP	PART NUMBER 0313-ECC-003																				
EXTERNAL COMBAT CONSOLE DP254			REV A	SH No. 27	PREPD. Shruti B R																				
			Ver 1.0	No. OF SH 37	APPRD. Athif Allam																				
<p>Procedure for ping test:</p> <ol style="list-style-type: none"> Connect J2 mating cable to laptop. Assign IP address and gateway in network setting as shown above. Open the “Open in terminal”. Type “ping” in the black box and hit the space bar. Type the IP address you’d like to ping (e.g., 10.XXX.X.X). Ping reply should be received. 																									
<p>RS232-COM1 Port test:</p> <table border="1"> <thead> <tr> <th>SI No</th> <th>Test Name</th> <th>Specified values</th> <th>Observed Value</th> <th>Remarks</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>COM Port</td> <td>COM Ports detected</td> <td></td> <td></td> </tr> <tr> <td>2</td> <td>Communications Port:</td> <td>ttyS0</td> <td></td> <td></td> </tr> <tr> <td>3</td> <td>Serial Port: ttyS0</td> <td>Result: PASS</td> <td></td> <td></td> </tr> </tbody> </table>						SI No	Test Name	Specified values	Observed Value	Remarks	1	COM Port	COM Ports detected			2	Communications Port:	ttyS0			3	Serial Port: ttyS0	Result: PASS		
SI No	Test Name	Specified values	Observed Value	Remarks																					
1	COM Port	COM Ports detected																							
2	Communications Port:	ttyS0																							
3	Serial Port: ttyS0	Result: PASS																							
<p>USB port test</p> <table border="1"> <thead> <tr> <th>SI No</th> <th>Test Name</th> <th>Specified values</th> <th>Observed Value</th> <th>Remarks</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>USB Ports</td> <td>USB Ports detected</td> <td></td> <td></td> </tr> <tr> <td>2</td> <td>USB Ports</td> <td>USB x HCI Compliant Host Controller</td> <td></td> <td></td> </tr> </tbody> </table>						SI No	Test Name	Specified values	Observed Value	Remarks	1	USB Ports	USB Ports detected			2	USB Ports	USB x HCI Compliant Host Controller							
SI No	Test Name	Specified values	Observed Value	Remarks																					
1	USB Ports	USB Ports detected																							
2	USB Ports	USB x HCI Compliant Host Controller																							
<p>Note: The above results are obtained when USB key board is connected. Check for the working of Keyboard.</p>																									
Rug-Rel Rep			DP Rep																						

		ACCEPTANCE TEST PROCEDURE		DOC Name ATP	PART NUMBER 0313-ECC-003
EXTERNAL COMBAT CONSOLE DP254			REV A	SH No. 28	PREPD. Shruti B R
			Ver 1.0	No. OF SH 37	APPRD. Athif Allam
TEST DATA RECORD SHEET – 6					
RS232/RS422– COM 3 PORT TEST (Ubuntu)					
Project : DP254			Date:		
DUT : External Combat Console			Test Condition:		
Serial No. :					
RS232/RS422 - COM3 port test (Ubuntu)					
Sl No	Test Name	Specified values	Observed Value	Remarks	
1	RS232/RS422 Port	RS232/RS422 Port detected			
2	RS232/RS422 Port	Keys pressed on the keyboard to be shown on GUI of Minicom. E.g.: 00 AA EE WW.			
<div> <div>Rug-Rel Rep</div> <div>DP Rep</div> </div>					

		ACCEPTANCE TEST PROCEDURE		DOC Name ATP	PART NUMBER 0313-ECC-003
EXTERNAL COMBAT CONSOLE DP254			REV A	SH No. 29	PREPD. Shruti B R
			Ver 1.0	No. OF SH 37	APPRD. Athif Allam
TEST DATA RECORD SHEET – 7					
RS232– COM 1 PORT TEST (Ubuntu)					
Project : DP254			Date:		
DUT : External Combat Console			Test Condition:		
Serial No. :					
RS422 - COM3 port test (Ubuntu)					
Sl No	Test Name	Specified values	Observed Value	Remarks	
1	RS232 Port	RS232 Port detected			
2	RS232 Port	Keys pressed on the keyboard to be shown on GUI of Minicom. E.g.: 00 AA EE WW.			
<div> <div>Rug-Rel Rep</div> <div>DP Rep</div> </div>					

 Rug-Rel <small>Commitment towards Technology & Quality Services</small>	ACCEPTANCE TEST PROCEDURE	DOC Name ATP	PART NUMBER 0313-ECC-003	
EXTERNAL COMBAT CONSOLE DP254	REV A	SH No. 30	PREPD. Shruti B R	DATE 29/01/25
	Ver 1.0	No. OF SH 37	APPRD. Athif Allam	DATE

TEST DATA RECORD SHEET – 8

MEMBRANE KEYBOARD & BEZEL KEYS TEST (Ubuntu)

Project : DP254

DUT : External Combat Console

Serial No. :

Date:

Test Condition:

Membrane Keyboard LED Test:

SI No	Test Description	Observed Value	Remarks
1	Click the “Turn All ON” button. All LEDs in the GUI will turn ON		
2	Click the “Turn All OFF” button. All LEDs in the GUI will turn OFF		

Membrane Keyboard Test:

SI No	Bezel Keys Name	Observed Value	Remarks
1	Press the button on the physical membrane keyboard, the button in the GUI will ON & OFF Condition.		

Note: Repeat the same procedure for all the button on the membrane keyboard.


Bezel Key Test:


SI No	Test Description	Observed Value	Remarks
1	Press the button (e.g.,F1) on the physical membrane keyboard, the button in the GUI will ON&OFF Condition.		


Note: Repeat the same procedure for all the button on the Bezel keys.



Rug-Rel Rep

DP Rep

		ACCEPTANCE TEST PROCEDURE		DOC Name ATP	PART NUMBER 0313-ECC-003															
EXTERNAL COMBAT CONSOLE DP254			REV A	SH No. 31	PREPD. Shruti B R															
			Ver 1.0	No. OF SH 37	APPRD. Athif Allam															
<div>TEST DATA RECORD SHEET – 9</div> <div>DISPLAY TEST (Ubuntu)</div> <div> <div> Project : DP254 Date: </div> <div> DUT : External Combat Console Test Condition: </div> <div> Serial No. : </div> </div> <div>Display test:</div> <table border="1"> <thead> <tr> <th>Sl No</th> <th>Test Description</th> <th>Specified values</th> <th>Observed Value</th> <th>Remarks</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Resolution</td> <td>1920 x 1080</td> <td></td> <td></td> </tr> <tr> <td>2</td> <td>Touch</td> <td>Checking the interact with a device or system through physical touch</td> <td></td> <td></td> </tr> </tbody> </table> <div> <div>Rug-Rel Rep</div> <div>DP Rep</div> </div>						Sl No	Test Description	Specified values	Observed Value	Remarks	1	Resolution	1920 x 1080			2	Touch	Checking the interact with a device or system through physical touch		
Sl No	Test Description	Specified values	Observed Value	Remarks																
1	Resolution	1920 x 1080																		
2	Touch	Checking the interact with a device or system through physical touch																		

		ACCEPTANCE TEST PROCEDURE		DOC Name ATP	PART NUMBER 0313-ECC-003												
EXTERNAL COMBAT CONSOLE DP254			REV A	SH No. 32	PREPD. Shruti B R												
			Ver 1.0	No. OF SH 37	APPRD. Athif Allam												
<div>TEST DATA RECORD SHEET – 10</div> <div> EMERGENCY BUTTON TEST (Ubuntu) </div> <div> <div> Project : DP254 </div> <div> DUT : External Combat Console </div> <div> Serial No. : </div> <div> Date: </div> <div> Test Condition: </div> </div> <div> Emergency Button Test: <table border="1"> <thead> <tr> <th>SI No</th> <th>Test Description</th> <th>Observed Value</th> <th>Remarks</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Press the EMERGENCY STOP SWITCH Button,"Check in the GPIOCHIP0 1 OR 0 ".</td> <td></td> <td></td> </tr> <tr> <td>2</td> <td>Press the EMERGENCY STOP SWITCH Button,"Check in the GPIOCHIP0 1 OR 0 ".</td> <td></td> <td></td> </tr> </tbody> </table> </div> <div> <div> Rug-Rel Rep </div> <div> DP Rep </div> </div>						SI No	Test Description	Observed Value	Remarks	1	Press the EMERGENCY STOP SWITCH Button,"Check in the GPIOCHIP0 1 OR 0 ".			2	Press the EMERGENCY STOP SWITCH Button,"Check in the GPIOCHIP0 1 OR 0 ".		
SI No	Test Description	Observed Value	Remarks														
1	Press the EMERGENCY STOP SWITCH Button,"Check in the GPIOCHIP0 1 OR 0 ".																
2	Press the EMERGENCY STOP SWITCH Button,"Check in the GPIOCHIP0 1 OR 0 ".																

		ACCEPTANCE TEST PROCEDURE		DOC Name ATP	PART NUMBER 0313-ECC-003																																																																				
EXTERNAL COMBAT CONSOLE DP254			REV A	SH No. 33	PREPD. Shruti B R																																																																				
			Ver 1.0	No. OF SH 37	APPRD. Athif Allam																																																																				
<div> <div> APPENDIX 'B' - PERFORMANCE CHECK </div> <div> TEST DATA RECORD SHEET – 1 </div> <div> <div>Initial Checks</div> <div> <div> Project : DP254 Date: </div> <div> DUT : External Combat Console </div> <div> Serial No. : Test Condition: </div> </div> </div> </div> <table border="1"> <thead> <tr> <th>Test No.</th> <th>Name of the Test</th> <th>Status</th> <th>Remarks</th> </tr> </thead> <tbody> <tr><td>1</td><td>VISUAL INSPECTION</td><td></td><td></td></tr> <tr><td>2</td><td>ISOLATION TEST</td><td></td><td></td></tr> <tr><td>3</td><td>POWER ON TEST</td><td></td><td></td></tr> <tr><td>4</td><td>POWER OFF TEST</td><td></td><td></td></tr> <tr><td>5</td><td>SBC TESTING</td><td></td><td></td></tr> <tr><td>5.1</td><td>PROCESSOR DETECTION TEST</td><td></td><td></td></tr> <tr><td>5.2</td><td>RAM DETECTION TEST</td><td></td><td></td></tr> <tr><td>5.3</td><td>SSD STORAGE DETECTION TEST</td><td></td><td></td></tr> <tr><td>5.4</td><td>NETWORK PORT TEST</td><td></td><td></td></tr> <tr><td>5.5</td><td>SERIAL COMMUNICATION PORTS TESTS</td><td></td><td></td></tr> <tr><td>5.6</td><td>USB PORTS TEST</td><td></td><td></td></tr> <tr><td>6</td><td>RS232/RS422 – COM 3 PORT TEST (Ubuntu 22.04)</td><td></td><td></td></tr> <tr><td>7</td><td>RS232 – COM 1 PORT TEST (Ubuntu 22.04)</td><td></td><td></td></tr> <tr><td>8</td><td>MEMBRANE KEYBOARD TEST</td><td></td><td></td></tr> <tr><td>9</td><td>DISPLAY TEST</td><td></td><td></td></tr> <tr><td>10</td><td>EMERGENCY BUTTON TEST</td><td></td><td></td></tr> </tbody> </table> <div> <div>Rug-Rel Rep</div> <div>DP Rep</div> </div>						Test No.	Name of the Test	Status	Remarks	1	VISUAL INSPECTION			2	ISOLATION TEST			3	POWER ON TEST			4	POWER OFF TEST			5	SBC TESTING			5.1	PROCESSOR DETECTION TEST			5.2	RAM DETECTION TEST			5.3	SSD STORAGE DETECTION TEST			5.4	NETWORK PORT TEST			5.5	SERIAL COMMUNICATION PORTS TESTS			5.6	USB PORTS TEST			6	RS232/RS422 – COM 3 PORT TEST (Ubuntu 22.04)			7	RS232 – COM 1 PORT TEST (Ubuntu 22.04)			8	MEMBRANE KEYBOARD TEST			9	DISPLAY TEST			10	EMERGENCY BUTTON TEST		
Test No.	Name of the Test	Status	Remarks																																																																						
1	VISUAL INSPECTION																																																																								
2	ISOLATION TEST																																																																								
3	POWER ON TEST																																																																								
4	POWER OFF TEST																																																																								
5	SBC TESTING																																																																								
5.1	PROCESSOR DETECTION TEST																																																																								
5.2	RAM DETECTION TEST																																																																								
5.3	SSD STORAGE DETECTION TEST																																																																								
5.4	NETWORK PORT TEST																																																																								
5.5	SERIAL COMMUNICATION PORTS TESTS																																																																								
5.6	USB PORTS TEST																																																																								
6	RS232/RS422 – COM 3 PORT TEST (Ubuntu 22.04)																																																																								
7	RS232 – COM 1 PORT TEST (Ubuntu 22.04)																																																																								
8	MEMBRANE KEYBOARD TEST																																																																								
9	DISPLAY TEST																																																																								
10	EMERGENCY BUTTON TEST																																																																								

		ACCEPTANCE TEST PROCEDURE		DOC Name ATP	PART NUMBER 0313-ECC-003	
EXTERNAL COMBAT CONSOLE DP254			REV A	SH No. 34	PREPD. Shruti B R	DATE 29/01/25
			Ver 1.0	No. OF SH 37	APPRD. Athif Allam	DATE
		ACCEPTANCE TEST PROCEDURE		DOC Name ATP	PART NUMBER 0313-ECC-003	
EXTERNAL COMBAT CONSOLE DP254			REV A	SH No. 37	PREPD. Shruti B R	DATE 29/01/25
			Ver 1.0	No. OF SH 37	APPRD. Athif Allam	DATE

TEST DATA RECORD SHEET – 2

Final Checks

Project : DP254
DUT : External Combat Console
Serial No. :

Date:
Test Condition:

<i>Test No.</i>	<i>DP test</i>	<i>Status</i>	<i>Remarks</i>
1	VISUAL INSPECTION		
2	ISOLATION TEST		
3	POWER ON TEST		
4	POWER OFF TEST		
5	SBC TESTING		
5.1	PROCESSOR DETECTION TEST		
5.2	RAM DETECTION TEST		
5.3	SSD STORAGE DETECTION TEST		
5.4	NETWORK PORT TEST		
5.6	SERIAL COMMUNICATION PORTS TESTS		
5.7	USB PORTS TEST		
6	RS232/RS422 – COM 3 PORT TEST (Ubuntu 22.04)		
7	RS232 - COM1 PORT TEST (Ubuntu 22.04)		
8	MEMBRANE KEYBOARD TEST		
9	JOYSTICK TEST		
10	EMERGENCY BUTON TEST		
11	DISPLAY TEST		