	BOREHOLE NO: BH-1
	LOCATION: vill: dhuljhora, p.o: joypasha p.s: boalmari, dist: Faridpur.
	DEPTH OF BORING: 21.0m — R. L.: On Road Level.
	DATE OF BORING: 13-01-2015. — B. W. T : 3.35m below from E. G. L.

THICKNESS	SOIL STRATA	BORELOG	UNDISTURBED SAMPLE	DISTURBED SAMPLE	DEPTH (m) SPT VALUES (BLOWS / 300mm)	Grain Size Distribution, % Clay %, Silt %, Sand %	Max^{m} Penetration
4.0m	Brown 7.5YR (5/1), medium plasticity, soft to very soft, silty Clay, CL.		UD-1, UD-2	D-1, D-2, D-3	4, 4, 3		
2.0m	Gray 7.5YR (5/1), very loose to medium dense, Silt, ML.			D-4, D-5, D-6	2, 5, 10		
9.0m	Gray 7.5YR 5/1), medium dense to dense , silty Sand, SM.			D-7, D-8, D-9, D-10, D-11, D-12, D-13, D-14, D-15, D-16	12, 13, 14, 20, 20, 23, 28, 33, 36, 41		
6.45m	Gray 7.5YR 5/1), dense to very dense , Fine Sand, SM.			D-17	46		

LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY	SAND	SILT	SHALE
PEAT/HIGHLY ORGANIC SOIL	MICACEOUS FINE SAND/SILT	UNDISTURBED SAMPLE	DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS

AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED

XB

PROSOIL FOUNDATION CONSULTANT DHAKA-1205 68/B, INDIRA ROAD

Md. Shamsul Islam

(Engr. Md. Shamsul Islam)
B. Sc. Engg. (Civil, BUET),
M. Engg. (Geotech), MCSD, FIEB, CCPE
Chief Executive
Prosoil Foundation Consultant