| A2 | PROSOIL | BOREHOLE NO: BH-1 | |
|---|---|---|---|
| | | LOCATION: Hatibandha Bazaar, Durgahata, Gabtoli, Bogra. | |
| PROJECT : Telecommunication Tower. | | DEPTH OF BORING: 21.0m | R. L.: 1.98m below from Road Level. |
| CLIENT : Grameenphone Ltd. | | DATE OF BORING: 04-02-2012. | G. W. T : 3.05m below from E. G. L. |

| THICKNESS | SOIL STRATA | BORELOG | UNDISTURBED SAMPLE | DISTURBED SAMPLE | DEPTH (m) SPT VALUES ( BLOWS / 300mm ) | Grain Size Distribution, % Clay %, Silt %, Sand % | Max$^{m}$ Penetration |
|---|---|---|---|---|---|---|---|
| 2.0m | Brown 7.5YR (5/4), medium plasticity, medium stiff, silty Clay, CL. | | UD-1 | D-1, D-2 | 8, 9 | | |
| 5.5m | Brown 7.5YR (5/4), medium dense to dense, fine Sand, SM. | | | D-3, D-4, D-5, D-6, D-7 | 12, 14, 19, 19, 20 | | |
| 3.0m | White 10YR (6/1), dense to medium dense, fine Sand, SM. | | | D-8, D-9 | 22, 15 | | |
| 1.5m | White 10YR (6/1), medium dense to dense, micaceous, fine Sand, MH. | | | D-10 | 30 | | |
| 9.45m | Gray 10YR (6/1), dense to very dense, fine Sand, SM. | | | D-11, D-12, D-13, D-14, D-15, D-16 | 32, 34, 38, 44, 45, 47 | | |




LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY | SHALE | SILT | SAND

PEAT/HIGHLY ORGANIC SOIL | MICACEOUS FINE SAND/SILT | UNDISTURBED SAMPLE | DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX$^{m}$ PENETRATION= 50 BLOWS

AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED