A2	PROSOIL	BOREHOLE NO: BH-1	
		LOCATION: Magura Bazar, Satkhira.	
PROJECT : Telecommunication Tower.		DEPTH OF BORING: 21.0m	R. L.: 0.53m below from Road Level.
CLIENT : AXIATA (Bangladesh) Ltd.		DATE OF BORING: 09-04-2010.	G. W. T : 2.87m below from E. G. L.

THICKNESS	SOIL STRATA	BORELOG	UNDISTURBED SAMPLE	DISTURBED SAMPLE	DEPTH (m) SPT VALUES (BLOWS / 300mm)	Grain Size Distribution, % Clay %, Silt %, Sand %	Max^{m} Penetration
3.0m	Graish Brown 10YR (5/2), loose Silt, ML.			D-1 to D-3	4, 6, 6		
2.0m	Dark bluish Gray Gley2 (3/1), loose Silt, ML.			D-3 to D-5	6, 5, 3		
1.0m	Graish Brown 10YR (5/2), loose to medium dense Silt, ML.			D-5 to D-6	3, 12		
1.0m	Light bluish Gray Gley2 (7/1), medium dense to loose, fine Sand, SW.			D-6 to D-7	12, 6		
8.0m	Dark bluish Gray Gley2 (3/1), high plasticity, soft to medium stiff Clay, CH.			D-7 to D-12	6, 5, 3, 4, 7, 7		
6.45m	Dark bluish Gray Gley2 (3/1), medium dense Silt, ML.			D-12 to D-17	7, 6, 8, 7, 8, 8		

0 10 20 30 40 50 60 70 80

0 20 40 60 80 100

LEGEND FOR BORELOG AND GRAIN SIZE DISTRIBUTION (BASED ON 'ASTM CLASSIFICATION D-2487')

PLASTIC CLAY

SAND

SILT

SHALE

PEAT/HIGHLY ORGANIC SOIL

MICACEOUS FINE SAND/SILT

UNDISTURBED SAMPLE

DISTURBED SAMPLE

N- BLOWS DELIVERED PER FOOT BY A 140 LB HAMMER FALLING 30 INCHES

MAX^{m} PENETRATION= 50 BLOWS

AFTER 50 BLOWS PENETRATION DEPTH WERE MEASURED